

			Layer 1 of
	ALL REPO	RT DATES	
	Causality Un	clear Excluc	
	Total	Sole Suspected	
	50	40	
	50	40	
	159	140	
Coagulopathy	1	0	
Tachycardia	2	1	
Supraventricular tachycardia	1	1	
Palpitations	1	0	
Eyelid ptosis	1	1	
Strabismus	1	1	
Visual disturbance	1	1	
Pancreatitis	1	1	
Gastrointestinal disorder	2	2	
Diarrhoea	1	1	
Dyspepsia	1	1	
Abdominal pain	1	1	
Abdominal pain upper	2	2	
Faecal incontinence	1	1	
Nausea	4	3	
Vomiting	5	5	
Feeling cold	1	1	
Feeling hot	1	0	
Condition aggravated	1	0	
Irritability	1	1	
Chest pain	2	2	
Pain	1	1	
Drug interaction	1	0	
Drug ineffective	3	2	
Hepatitis	1	1	
Orchitis	1	1	
Fall	1	1	
Heart rate increased	1	1	
	Tachycardia Supraventricular tachycardia Palpitations Eyelid ptosis Strabismus Visual disturbance Pancreatitis Gastrointestinal disorder Diarrhoea Dyspepsia Abdominal pain Abdominal pain upper Faecal incontinence Nausea Vomiting Feeling cold Feeling hot Condition aggravated Irritability Chest pain Pain Drug interaction Drug ineffective Hepatitis Orchitis Fall	Causality Un Total           50           50           50           159           Coagulopathy         1           Tachycardia         2           Supraventricular tachycardia         1           Palpitations         1           Eyelid ptosis         1           Strabismus         1           Visual disturbance         1           Pancreatitis         1           Gastrointestinal disorder         2           Diarrhoea         1           Dyspepsia         1           Abdominal pain         1           Abdominal pain upper         2           Faecal incontinence         1           Nausea         4           Vomiting         5           Feeling cold         1           Feeling hot         1           Condition aggravated         1           Irritability         1           Chest pain         2           Pain         1           Drug interaction         1           Drug ineffective         3           Hepatitis         1           Orchitis         1 <td< td=""><td>  Suspected   50   40   40   50   40   40   50   40   4</td></td<>	Suspected   50   40   40   50   40   40   50   40   4



Atomoxetine Hydrochloride			
nvestigations	Blood pressure increased	1	1
	Visual acuity tests abnormal	1	1
	Weight decreased	1	1
Metabolism and nutrition disorders	Anorexia	2	1
Musculoskeletal and connective tissue disorders	Arthralgia	1	1
	Joint swelling	1	1
	Muscle rigidity	1	1
	Growth retardation	1	0
ervous system disorders	Facial spasm	1	1
	Headache	6	5
	Intracranial pressure increased	1	1
	Disturbance in attention	1	1
	Psychomotor hyperactivity	1	1
	Syncope	2	2
	Motor dysfunction	1	1
	Dizziness	4	4
	Paraesthesia	1	1
	Hypoaesthesia	1	1
	Convulsion	3	0
sychiatric disorders	Obsessive-compulsive disorder	1	1
	Agitation	4	4
	Anxiety	4	4
	Nervousness	1	1
	Panic attack	1	1
	Restlessness	1	1
	Tic	1	1
	Paramnesia	1	1
	Depression	3	2
	Major depression	1	1
	Depressed mood	3	3
	Tearfulness	1	1
	Hallucination, auditory	3	2
	Thinking abnormal	1	1
	Affect lability	2	2
	Anger	2	2



Atomoxetine Hydrochloride			
Psychiatric disorders	Emotional disorder	1	1
	Mood altered	1	1
	Mood swings	2	2
	Aggression	7	7
	Attention-seeking behaviour	1	1
	Homicidal ideation	1	0
	Hostility	1	1
	Social avoidant behaviour	1	1
	Abnormal behaviour	4	4
	Regressive behaviour	1	1
	Mental disorder	1	1
	Psychotic disorder	3	3
	Insomnia	1	1
	Sleep disorder	1	1
	Intentional self-injury	1	1
	Self injurious behaviour	3	3
	Self-injurious ideation	1	1
	Suicidal ideation	14	12
	Suicide attempt	2	2
Renal and urinary disorders	Urinary incontinence	1	1
Reproductive system and breast disorders	Balanitis	1	1
Respiratory, thoracic and mediastinal disorders	Cough	1	1
	Throat tightness	1	1
Skin and subcutaneous tissue disorders	Periorbital oedema	1	1
	Rash	1	1
Social circumstances	Educational problem	1	1
Surgical and medical procedures	Therapy regimen changed	1	1
Vascular disorders	Pallor	1	1
	Hypertension	1	1



DEXAMPHETAMINE SULPHATE				Layer 2
		ALL REPO	RT DATES	
		Causality Un	clear Excluc	
		Total	Sole Suspected	
- Cases Including Medicine		65	39	
- Occurrences of Medicine		66	39	
- Reactions Related to Medicine		157	93	
Blood and lymphatic system disorders	Neutropenia	1	0	
Cardiac disorders	Tachycardia	5	1	
	Palpitations	2	1	
	Cardiomyopathy	1	1	
Congenital, familial and genetic disorders	Multiple congenital abnormalitie	1	1	
Ear and labyrinth disorders	Hearing impaired	1	1	
	Tinnitus	1	1	
Eye disorders	Mydriasis	1	0	
	Photophobia	1	1	
	Retinal pigmentation	1	0	
	Vision blurred	1	1	
Gastrointestinal disorders	Abdominal pain	2	2	
	Vomiting	1	0	
	Cheilitis	1	1	
	Stomatitis	1	1	
	Dry mouth	2	2	
General disorders and administration site	Chills	3	1	
conditions	Asthenia	2	0	
	Fatigue	1	1	
	Abasia	1	1	
	Irritability	1	1	
	Face oedema	1	1	
	Drug effect decreased	1	1	
	Drug ineffective	1	0	
	Therapeutic response decrease	1	0	
Investigations	Electroencephalogram abnorm	1	0	
	Weight decreased	1	1	
Metabolism and nutrition disorders	Anorexia	1	1	



DEXAMPHETAMINE SULPHATE				Layer 2
Metabolism and nutrition disorders	Hyponatraemia	1	0	
	Hypoglycaemia	1	0	
Musculoskeletal and connective tissue disorders	Myalgia	1	0	
	Muscle spasms	1	0	
	Muscle twitching	3	3	
Nervous system disorders	Subarachnoid haemorrhage	1	1	
	Headache	1	1	
	Disturbance in attention	2	2	
	Judgement impaired	1	1	
	Dyskinesia	2	1	
	Hyperkinesia	4	0	
	Dystonia	2	0	
	Tremor	4	3	
	Hyperreflexia	1	0	
	Hyporeflexia	1	0	
	Dizziness	1	1	
	Burning sensation mucosal	1	1	
	Paraesthesia	1	1	
	Neuralgia	1	0	
	Dysarthria	1	1	
	Speech disorder	1	0	
	Hypertonia	4	0	
	Hypotonia	1	0	
	Serotonin syndrome	1	0	
	Muscle contractions involuntary	1	0	
	Convulsion	2	0	
Pregnancy, puerperium and perinatal conditions	Neonatal disorder	1	1	
Psychiatric disorders	Neurosis	1	0	
	Obsessive-compulsive disorder	2	0	
	Agitation	7	2	
	Anxiety	3	0	
	Nervousness	3	1	
	Restlessness	1	1	
	Confusional state	2	1	
	Disorientation	1:	1	



DEXAMPHETAMINE SULPHATE			Laye	<b>∂</b> Γ 2
Psychiatric disorders	Depression	1	1	
	Depressed mood	1	1	
	Delusion	3	3	
	Hallucination	2	0	
	Hallucination, auditory	2	2	
	Hallucination, visual	1	1	
	Thinking abnormal	1	1	
	Anger	1	1	
	Crying	1	1	
	Mood swings	2	2	
	Apathy	1	1	
	Aggression	5	5	
	Homicidal ideation	1:	1	
	Paranoia	1	1	
	Abnormal behaviour	2	2	
	Neglect of personal appearance	1	1	
	Psychotic disorder	2	1	
	Insomnia	4	4	
	Suicidal ideation	2	2	
Renal and urinary disorders	Renal pain	1	1	
Reproductive system and breast disorders	Testicular disorder	1	0	
Respiratory, thoracic and mediastinal disorders	Bronchospasm	1	1	
	Dyspnoea	1	1	
	Hyperventilation	1	0	
Skin and subcutaneous tissue disorders	Periorbital oedema	1	1	
cian and daboataneous tissue disorders	Urticaria	1		
	Erythema	1:		
	Rash erythematous	2	1	
	Pruritus	3	3	
	Rash		2	
		2		
	Skin ulcer	1:	1	
	Alopecia	1	0	
	Hyperhidrosis	1	0	
	Nail discolouration	1:	1	
	Purpura	1	1	



EXAMPHETAMINE SULPHATE			Layer 2 of
rgical and medical procedures	Therapy regimen changed	1	0
scular disorders	Peripheral ischaemia	1	1
	Orthostatic hypotension	1	1
	<b>-</b>		



METHYLPHENIDATE HYDROCHLORIDE				Lay
		ALL F	REPORT D	ATES
		Causalit	y Unclear E	xcluded
		Total	Death Outcome	Sole Suspected
- Cases Including Medicine		158	3	124
Occurrences of Medicine		160	3	124
Reactions Related to Medicine		418	7	307
Blood and lymphatic system disorders	Anaemia	2	0	1
	Aplastic anaemia	1	0	1
	Pancytopenia	1	0	1
Cardiac disorders	Arrhythmia	1	0	1
	Tachycardia	6	0	6
	Cardiac arrest	1	0	1
	Ventricular fibrillation	1	0	1
	Palpitations	5	0	3
	Myocardial infarction	1	0	C
	Cardiomyopathy	1	0	1
Congenital, familial and genetic disorders	Tourette's disorder	1	0	1
Endocrine disorders	Hypothyroidism	1	0	1
Eye disorders	Eye oedema	1	0	1
	Eye pain	1	0	C
	Conjunctivitis	1	0	C
	Oculogyric crisis	2	0	2
	Photophobia	2	0	C
	Optic atrophy	1	0	1
	Retinal pigmentation	1	0	C
	Vision blurred	4	0	3
	Visual disturbance	2	0	2
Gastrointestinal disorders	Tooth discolouration	1	0	1
	Gingival hyperplasia	2	0	1
	Pancreatitis	2	0	2
	Gastrointestinal inflammation	1	0	1
	Diarrhoea	5	0	3
	Abdominal pain	4	0	3
	Abdominal pain upper	2	0	2



METHYLPHENIDATE HYDROCHLORIDE				Layer 3 of
Gastrointestinal disorders	Abdominal discomfort	1	0	1
	Nausea	9	1	8
	Vomiting	6	1	6
	Duodenal scarring	1	0	1
	Lip swelling	2	0	0
	Mouth ulceration	1	0	0
	Dry mouth	1	0	1
General disorders and administration site	Pyrexia	2	0	1
onditions	Sudden death	2	2	1
	Fatigue	5	0	2
	Malaise	1	0	1
	Abasia	1	0	0
	Chest discomfort	2	0 :	2
	Condition aggravated	1	0	1
	Feeling abnormal	3	0	3
	Influenza like illness	1	0	1
	Irritability	1	0	1
	Swelling	1	0	1
	Face oedema	1	0	0
	Oedema peripheral	1	0	0
	Chest pain	3 :	0	1
	Pain	3	0	3
	Drug interaction	3	0	0
	Drug effect decreased	2	0	1
	Drug ineffective	13	0	10
	Drug withdrawal syndrome	1	0	1
	Mass	1	0	1
fections and infestations	Otitis media	1	0	0
	Infection	2	0 :	2
	Pharyngitis	2	0	0
	Rhinitis	1	0	0
	Viral infection	1	0 :	0
njury, poisoning and procedural complications	Fall	<u>':</u> 1	0	0
ijary, polooning and procedural complications	Wrong drug administered	1:	0	
avoctigations		3	0:	1
nvestigations	Electrocardiogram abnormal	ئ : 	U ;	



METHYLPHENIDATE HYDROCHLORIDE	,			Layer 3 of 8
Investigations	Heart rate increased	3	0	2
	Heart rate irregular	1	0	0
	Blood pressure increased	1	0	1
	Androgens increased	1	0	1
	Bleeding time prolonged	1	0	0
	Prothrombin level decreased	1	0	0
	Corneal reflex decreased	1	0	1
	Intraocular pressure increased	1	0	1
	Weight decreased	4	0	3
	Weight increased	2	0	2
Metabolism and nutrition disorders	Anorexia	8	0	7
	Decreased appetite	1	0	1
	Increased appetite	1	0	1
	Obesity	2	0	2
	Polydipsia	2	0	2
Musculoskeletal and connective tissue disorders	Pain in jaw	1:	0	1
	Myalgia	2	0	2
	Muscle twitching	7	0	5
	Muscle rigidity	1	0	0
	Growth retardation	1	0	1
	Sensation of heaviness	1	0	1
Neoplasms benign, malignant and unspecified	Pseudolymphoma	1:	0	0
incl cysts and polyps)	Neoplasm malignant	1	0	1
Nervous system disorders	Optic neuritis	1	0	1
	Headache	12	0	8
	Migraine	1	0	1
	Dementia	1	0	1
	Amnesia	2	0	2
	Choreoathetosis	1	0	1
	Dyskinesia	8	0	6
	Extrapyramidal disorder	2	0	1
	Hyperkinesia	2	0	2
	Psychomotor hyperactivity	1	0	1
	Tardive dyskinesia	1	0	1
	Dystonia	5	0	4



IDE .			Layer 3 of
Tremor	5	0	4
Ataxia	1	0	0
Coma	1	0	0
Lethargy	2	0	1
Somnolence	7	0	4
Dizziness	3	0	1
Formication	1	0	0
Hyperaesthesia	2	0	1
Paraesthesia	1	0	0
Dysgeusia	1	0	1
Dysarthria	1	0	0
Visual field defect	1	0	1
Hypertonia	2	0 :	1
Neuroleptic malignant syndrom	1	0	1
Poor quality sleep	1:	0	0
Neurosis	4 :	0	3
Obsessive-compulsive disorder	1	0	0
	6	0	4
	6:	0	4
Nervousness	4	0	4
Obsessive thoughts	1	0	1
Fear	1		1
Panic attack	1		1
Restlessness	1	0	0
	1		1
Tic	6	0	6
	1	0	0
	1	0	1
	1		1
			2
			10
			10
			6
			2
	Tremor Ataxia Coma Lethargy Somnolence Dizziness Formication Hyperaesthesia Paraesthesia Dysgeusia Dysarthria Visual field defect Hypertonia Neuroleptic malignant syndrom Poor quality sleep Neurosis Obsessive-compulsive disorder Agitation Anxiety Nervousness Obsessive thoughts Fear Panic attack Restlessness Head banging	Tremor         5           Ataxia         1           Coma         1           Lethargy         2           Somnolence         7           Dizziness         3           Formication         1           Hyperaesthesia         2           Paraesthesia         1           Dysgeusia         1           Dysarthria         1           Visual field defect         1           Hypertonia         2           Neuroleptic malignant syndrom         1           Poor quality sleep         1           Neurosis         4           Obsessive-compulsive disorder         1           Agitation         6           Anxiety         6           Nervousness         4           Obsessive thoughts         1           Fear         1           Panic attack         1           Restlessness         1           Head banging         1           Tic         6           Distractibility         1           Lack of spontaneous speech         1           Lack of spontaneous speech         1           Confusional state         <	Tremor         5         0           Ataxia         1         0           Coma         1         0           Lethargy         2         0           Somnolence         7         0           Dizziness         3         0           Formication         1         0           Hyperaesthesia         2         0           Paraesthesia         1         0           Dysgeusia         1         0           Dysgeusia         1         0           Dysarthria         1         0           Visual field defect         1         0           Hypertonia         2         0           Neuroleptic malignant syndrom         1         0           Poor quality sleep         1         0           Neurosis         4         0           Obsessive-compulsive disorder         1         0           Agitation         6         0           Anxiety         6         0           Nervousness         4         0           Obsessive thoughts         1         0           Fear         1         0           Panic attack <t< td=""></t<>



METHYLPHENIDATE HYDROCHLORIDE				Layer 3 of
Psychiatric disorders	Hallucination, visual	1	0	1
	Thinking abnormal	1	0	1
	Mania	1	0	1
	Affect lability	2	0	2
	Inappropriate affect	1	0	0
	Anger	3	0	3
	Crying	2	0	2
	Emotional disorder	1	0	1
	Emotional distress	1	0	1
	Mood altered	1:	0 :	1
	Mood swings	1	0	1
	Apathy	1	0	0
	Aggression	7	0	7
	Asocial behaviour	1	0	1
	Disturbance in social behaviour	1	0	1
	Paranoia	4:	0 :	4
	Social avoidant behaviour	1	0	1
	Abnormal behaviour	2	0	2
	Psychiatric symptom	1	0	1
	Drug dependence	1	0	1
	Withdrawal syndrome	2	0	1
	Psychotic disorder	2	0	2
	Insomnia	4	0	4
	Abnormal sleep-related event	1:	0	0
	Nightmare	1	0	1
	Sleep disorder	1	0	1
	Intentional self-injury	1	0	1
	Self injurious behaviour	1	0	1
	Suicidal ideation	2	0	1
	Suicide attempt	2	0	2
Renal and urinary disorders	Renal failure acute	1	1	1
•	Pollakiuria	1	0 :	1
	Polyuria	2	0	2
Respiratory, thoracic and mediastinal disorders	Wheezing	1	0	1
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pulmonary embolism	1	0 :	1



METHYLPHENIDATE HYDROCHLORIDE				Layer 3 o
Respiratory, thoracic and mediastinal disorders	Dyspnoea	4	0	1
	Cough	1	0	0
	Pharyngolaryngeal pain	1	0	1
	Stridor	1	0	0
	Epistaxis	1	0	1
Skin and subcutaneous tissue disorders	Angioedema	3	0	2
	Urticaria	3	0	3
	Erythema multiforme	1	0	0
	Stevens-Johnson syndrome	1	0	0
	Skin lesion	1	0	1
	Swelling face	1	0	0
	Rash erythematous	1	0	0
	Pruritus	3	0	2
	Rash	4	0	3
	Rash maculo-papular	1	0	0
	Alopecia	4	0	4
	Cold sweat	2	0	2
	Hyperhidrosis	10	0	9
	Henoch-Schonlein purpura	1	0	1
Social circumstances	Physical assault	1	0	1
	Pharmaceutical product comple	1	0	1
Surgical and medical procedures	Therapy regimen changed	1	0	1
Vascular disorders	Peripheral ischaemia	1	0	1
	Hypotension	1	0	1
	Flushing	1	0	1
	Pallor	2	0	0
	Hypertension	1	0	0



ATTENTA				Layer 4 of 8
		ALL REPO	RT DATES	
		Causality Ur	nclear Exclud	
		Total	Sole Suspected	
- Cases Including Medicine		4	4	
- Occurrences of Medicine		4	4	
- Reactions Related to Medicine		18	18	
Cardiac disorders	Tachycardia	1	1	
Gastrointestinal disorders	Gastrointestinal inflammation	1	1	
	Abdominal pain	1	1	
	Vomiting	1	1	
General disorders and administration site conditions	Chest discomfort	1	1	
	Pain	1	1	
	Drug ineffective	1	1	
Investigations	Blood pressure increased	1	1	
Metabolism and nutrition disorders	Polydipsia	1	1	
Nervous system disorders	Migraine	1	1	
Psychiatric disorders	Agitation	2	2	
	Depression	1	1	
	Aggression	1	1	
	Abnormal behaviour	1	1	
Renal and urinary disorders	Polyuria	1	1	
Skin and subcutaneous tissue disorders	Angioedema	1	1	
	Hyperhidrosis	1	1	



Concerta			
		ALL REPO	RT DATES
		Causality Un	clear Excluc
		Total	Sole Suspected
- Cases Including Medicine		12	12
- Occurrences of Medicine		12	12
- Reactions Related to Medicine		34	34
Congenital, familial and genetic disorders	Tourette's disorder	1	1
General disorders and administration site	Condition aggravated	1	1
conditions	Drug ineffective	1	1
Investigations	Weight increased	1	1
Metabolism and nutrition disorders	Anorexia	2	2
Musculoskeletal and connective tissue disorders	Muscle twitching	1	1
Nervous system disorders	Headache	1	1
	Dyskinesia	2	2
	Dystonia	1	1
	Hyperaesthesia	1	1
Psychiatric disorders	Obsessive thoughts	1	1
	Fear	1	1
	Head banging	1	1
	Tic	3	3
	Logorrhoea	1	1
	Hallucination	2	2
	Anger	1	1
	Emotional disorder	1	1
	Mood swings	1	1
	Aggression	2	2
	Disturbance in social behaviour	1	1
	Paranoia	1	1
	Insomnia	1	1
	Self injurious behaviour	1	1
Skin and subcutaneous tissue disorders	Skin lesion	1	1
	Hyperhidrosis	2	2
	Henoch-Schonlein purpura	1	1



METHYLPHENIDATE HYDROCHLORIDE				Layer 6 o
		ALL REPOR	T DATES	
		Causality Unc	lear Excluc	
		Total	Sole Suspected	
- Cases Including Medicine		9	5	
- Occurrences of Medicine		9	5	
- Reactions Related to Medicine		29	12	
Eye disorders	Photophobia	1	0	
General disorders and administration site	Abasia	1	0	
conditions	Drug interaction	1	0	
	Drug ineffective	1	0	
Injury, poisoning and procedural complications	Wrong drug administered	1	0	
Investigations	Bleeding time prolonged	1	0	
	Corneal reflex decreased	1	1	
Musculoskeletal and connective tissue disorders	Muscle twitching	1	0	
	Muscle rigidity	1	0	
Nervous system disorders	Headache	1	0	
	Dyskinesia	1	0	
	Extrapyramidal disorder	1	0	
	Dystonia	1	0	
	Tremor	1	1	
	Hyperaesthesia	1	0	
	Paraesthesia	1	0	
	Dysarthria	1	0	
	Hypertonia	1	0	
Psychiatric disorders	Anxiety	1	1	
	Tic	1	1	
	Depression	1	1	
	Hallucination, auditory	2	2	
	Anger	1	1	
	Emotional distress	1	1	
	Paranoia	2	2	
Respiratory, thoracic and mediastinal disorders	Pulmonary embolism	1	1	
	Dyspnoea	1	0	



RITALIN				Lay
		ALL REPORT DATES		
			y Unclear E	
		Total	Death Outcome	Sole Suspected
- Cases Including Medicine		105	3	76
Occurrences of Medicine		106	3	76
Reactions Related to Medicine		253	7	167
Blood and lymphatic system disorders	Anaemia	1	0	1
	Aplastic anaemia	1	0	1
	Pancytopenia	1	0	1
Cardiac disorders	Tachycardia	3	0	3
	Cardiac arrest	1	0	1
	Ventricular fibrillation	1	0	1
	Palpitations	3	0	2
	Myocardial infarction	1	0	C
	Cardiomyopathy	1	0	1
Eye disorders	Eye oedema	1	0	1
	Eye pain	1	0	C
	Conjunctivitis	1	0	C
	Oculogyric crisis	2	0	2
	Photophobia	1	0	C
	Optic atrophy	1	0	1
	Retinal pigmentation	1	0	C
	Vision blurred	3	0	2
Sastrointestinal disorders	Tooth discolouration	1	0	1
	Gingival hyperplasia	2	0	1
	Pancreatitis	2	0	2
	Diarrhoea	4	0	2
	Abdominal pain	3	0	2
	Abdominal pain upper	1	0	1
	Abdominal discomfort	1	0	1
	Nausea	7	1	6
	Vomiting	3	1	3
	Duodenal scarring	1	0	1
	Lip swelling	2	0	С



RITALIN				Layer 7 of 8
Gastrointestinal disorders	Mouth ulceration	1	0	0
General disorders and administration site	Pyrexia	2	0	1
conditions	Sudden death	2	2	1
	Fatigue	3	0	1
	Chest discomfort	1	0	1
	Feeling abnormal	2	0	2
	Influenza like illness	1	0	1
	Irritability	1	0	1
	Swelling	1	0	1
	Face oedema	1	0	0
	Oedema peripheral	1	0	0
	Chest pain	3	0	1
	Pain	1	0	1
	Drug interaction	2	0	0
	Drug effect decreased	2	0	1
	Drug ineffective	7	0	5
	Mass	1	0	1
Infections and infestations	Otitis media	1	0	0
	Infection	2	0	2
	Pharyngitis	2	0	0
	Rhinitis	1	0	0
	Viral infection	1	0	0
injury, poisoning and procedural complications	Fall	1	0	0
Investigations	Electrocardiogram abnormal	2	0	0
	Heart rate increased	1	0	0
	Androgens increased	1	0	1
	Prothrombin level decreased	1	0	0
	Weight decreased	4	0	3
Metabolism and nutrition disorders	Anorexia	5	0	4
	Decreased appetite	1	0	1
	Polydipsia	1	0	1
Musculoskeletal and connective tissue disorders		1	0	1
	Myalgia	2	0	2
	Muscle twitching	4	0	3
	Growth retardation	1	0	1



RITALIN				Laye
Neoplasms benign, malignant and unspecified	Pseudolymphoma	1	0	0
incl cysts and polyps)	Neoplasm malignant	1	0	1
Nervous system disorders	Optic neuritis	1	0	1
	Headache	6	0	3
	Dementia	1	0	1
	Amnesia	2	0	2
	Dyskinesia	5	0	4
	Extrapyramidal disorder	1	0	1
	Hyperkinesia	2	0	2
	Tardive dyskinesia	1	0	1
	Dystonia	3	0	3
	Tremor	3	0	2
	Ataxia	1	0	0
	Coma	1	0	0
	Lethargy	1	0	1
	Somnolence	5	0	3
	Dizziness	2	0	0
	Formication	1	0	0
	Dysgeusia	1	0	1
	Visual field defect	1	0 :	1
	Hypertonia	1	0	1
	Neuroleptic malignant syndrom	1	0	1
	Poor quality sleep	1	0	0
sychiatric disorders	Neurosis	4	0	3
	Obsessive-compulsive disorder	1	0	0
	Agitation	3	0	1
	Anxiety	2	0	1
	Nervousness	3	0	3
	Restlessness	1	0	0
	Tic	1	0	1
	Distractibility	1	0	0
	Confusional state	3	1	1
	Depression	6	0	5
	Tearfulness	1	0	1
	Hallucination	4	1	3



RITALIN				Layer 7 of
Psychiatric disorders	Thinking abnormal	1	0	1
	Mania	1	0	1
	Inappropriate affect	1	0	0
	Crying	1	0	1
	Apathy	1	0	0
	Aggression	4	0	4
	Asocial behaviour	1	0	1
	Paranoia	1	0	1
	Social avoidant behaviour	1	0	1
	Drug dependence	1	0	1
	Withdrawal syndrome	1	0	0
	Psychotic disorder	1	0	1
	Insomnia	3	0	3
	Abnormal sleep-related event	1	0	0
	Nightmare	1	0	1
	Sleep disorder	1	0	1
	Suicidal ideation	2	0	1
	Suicide attempt	2	0	2
Renal and urinary disorders	Renal failure acute	1	1	1
	Pollakiuria	1	0	1
	Polyuria	1	0	1
Respiratory, thoracic and mediastinal disorders	Dyspnoea	3	0	1
	Cough	1	0	0
	Pharyngolaryngeal pain	1	0	1
	Stridor	1	0	0
Skin and subcutaneous tissue disorders	Angioedema	2	0	1
	Urticaria	1	0	1
	Erythema multiforme	1	0	0
	Stevens-Johnson syndrome	1	0	0
	Swelling face	1	0	0
	Rash erythematous	1	0	0
	Pruritus	2	0	2
	Rash	4	0	3
	Rash maculo-papular	1	0	0
	Alopecia	4	0 :	4
	· · · · · · · · · · · · · · · · · · ·			



RITALIN				Layer 7 of
Skin and subcutaneous tissue disorders	Cold sweat	1	0	1
	Hyperhidrosis	5	0	4
Social circumstances	Physical assault	1	0	1
Vascular disorders	Peripheral ischaemia	1	0	1
	Hypotension	1	0	1
	Flushing	1	0	1
	Pallor	2	0	0
	Hypertension	1	0	0



Ritalin LA			
		ALL REPO	RT DATES
		Causality Un	ıclear Excluc
		Total	Sole Suspected
- Cases Including Medicine		29	27
- Occurrences of Medicine		29	27
- Reactions Related to Medicine		86	76
Blood and lymphatic system disorders	Anaemia	1	0
Cardiac disorders	Arrhythmia	1	1
	Tachycardia	2	2
	Palpitations	2	1
Endocrine disorders	Hypothyroidism	1	1
Eye disorders	Vision blurred	1	1
	Visual disturbance	2	2
Gastrointestinal disorders	Diarrhoea	1	1
	Abdominal pain upper	1	1
	Nausea	2	2
	Vomiting	2	2
	Dry mouth	1	1
General disorders and administration site conditions	Fatigue	2	1
onduons	Malaise	1	1
	Feeling abnormal	1	1
	Pain	1	1
	Drug ineffective	3	3
	Drug withdrawal syndrome	1	1
nvestigations	Electrocardiogram abnormal	1	1
	Heart rate increased	2	2
	Heart rate irregular	1	0
	Intraocular pressure increased	1	1
	Weight increased	1	1
Metabolism and nutrition disorders	Anorexia	1	1
	Increased appetite	1	1
	Obesity	2	2
Musculoskeletal and connective tissue disorders	Muscle twitching	1	1
	Sensation of heaviness	1	1



Ritalin LA			Layer 8 of 8
Nervous system disorders	Headache	4	4
	Choreoathetosis	1	1
	Psychomotor hyperactivity	1	1
	Tremor	1	1
	Lethargy	1	0
	Somnolence	2	1
	Dizziness	1	1
Psychiatric disorders	Agitation	1	1
	Anxiety	3	2
	Nervousness	1	1
	Panic attack	1	1
	Tic	1	1
	Lack of spontaneous speech	1	1
	Confusional state	1	1
	Disorientation	1	1
	Depression	3	3
	Hallucination	1	1
	Hallucination, visual	1	1
	Affect lability	2	2
	Anger	1	1
	Crying	1	1
	Mood altered	1	1
	Abnormal behaviour	1	1
	Psychiatric symptom	1	1
	Withdrawal syndrome	1	1
	Psychotic disorder	1	1
	Intentional self-injury	1	1
Respiratory, thoracic and mediastinal disorders	Wheezing	1:	1
	Epistaxis	1	1
Skin and subcutaneous tissue disorders	Urticaria	2	2
	Pruritus	1	0
	Rash	1	0
	Rash maculo-papular	1	0
	Cold sweat	1	1
	Hyperhidrosis	2	2



Ritalin LA			Layer 8 of 8
Social circumstances	Pharmaceutical product compla	1 1	
Surgical and medical procedures	Therapy regimen changed	1 1	