

Public Case Detail

Cases Count: 31

Case Number : 232548

Data Entry Date : 27/08/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 10/06/2007

Age : 32Y

Outcome : 10/06/2007

DOB :

Recovered

Causality : Causality possible

Information: Previous priapism secondary to chlorpromazine, risperidone and quetiapine.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Priapism	Caused or prolonged inpatient hospitalisation	Priapism.	Surgical reduction of priapism. Cease Abilify.

Medicine details :

Abilify (Suspected)	Reason : Unspecifid affective psychosis		
Tablet	10 Gram	Daily	Oral
Batch :	Started : 23/05/2007	Stopped : 10/06/2007	
SOLIAN (Other drug)	Reason : Unspecifid affective psychosis		
	600 Milligram	Daily	Oral
Batch :	Started :	Stopped :	Ongoing.

Public Case Detail

Cases Count: 31

Case Number : 232854

Data Entry Date : 31/08/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		After 3 months of receiving Aripiprazole, patient experienced severe tardive dyskinesia.	Aripiprazole was stopped.

Medicine details :			
Aripiprazole (Suspected)		Reason :	
		15 Milligram	Daily
Batch :	Started :	Stopped :	



Public Case Detail

Cases Count: 31

Case Number : 234162

Data Entry Date : 10/10/2007

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : M

Weight (kg) : 0

Age : 99U

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient experienced agranulocytosis (neutropenia) characterized by a significant drop in white blood cells while taking aripiprazole.	

Medicine details :			
Abilify (Suspected)		Reason :	
Tablet	45 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
CLOZAPINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Case Number : 234646

Data Entry Date : 22/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 93

Onset Date : 01/10/2007

Age :

DOB : 19/06/1952

Outcome : 15/10/2007

Causality : Causality probable

Recovered

Information: Previous attempt to change from risperidone and quetiapine to aripiprazole (to help reduce weight) had resulted in severe relapse.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Feeling abnormal		Patient felt "spaced out" after day or two and then quite paranoid (persecutory ideation) and highly aroused.	
Disturbance in sexual arousal			
Paranoia			
Persecutory delusion			
Psychotic disorder			

Medicine details :

Abilify (Suspected)		Reason : Unspecified psychosis	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 29/09/2007	Stopped : 01/10/2007	
RISPERDAL (Other drug)		Reason : Unspecified psychosis	
Tablet	3 Milligram	Daily	Oral
Batch :	Started : 19/12/2001	L TERM	Stopped : 0
SEROQUEL (Other drug)		Reason : Unspecified psychosis	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 19/12/2000	L TERM	Stopped :

Public Case Detail

Cases Count: 31

Case Number : 234807

Data Entry Date : 25/10/2007

Gender : M

Hospitalisation :

Weight (kg) : 75

Onset Date :

Age :

DOB : 14/09/1966

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Abilify (Suspected)		Reason : Unspecified psychosis	
Tablet	15 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Case Number : 234981

Data Entry Date : 25/10/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 92

Onset Date : 20/09/2007

Age :

DOB : 12/07/1964

Outcome : 18/10/2007

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dizziness		Experienced dizziness and drop in blood pressure when standing up as well as tachycardia for 2 week period. Switched to taking at night however found that made no difference.	Ceased taking Abilify.
Orthostatic hypotension			
Tachycardia			

Medicine details :

Abilify (Suspected)	Reason :
Tablet	10 Milligram Daily Oral
Batch :	Started : 05/09/2007 Stopped : 16/10/2007
COVERSYL (Other drug)	Reason :
Batch :	Started : Stopped :
EFEXOR-XR (Other drug)	Reason :
Batch :	Started : Stopped :
LITHIUM CARBONATE (Other drug)	Reason :
Batch :	Started : Stopped :
MIRTAZAPINE (Other drug)	Reason :
Batch :	Started : Stopped :
SEROQUEL (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 31

Case Number : 235415

Data Entry Date : 19/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Wolff-Parkinson-White syndrome		Patient experienced weight gain, developed 13 cavities, urinating 6 times per day, has had no thirst, increased cholesterol, low blood pressure and her eyes have not been functioning properly. She was diagnosed with Wolff-Parkinson-White Syndrome.	
Blood cholesterol increased			
Dental caries			
Eye disorder			
Faecal incontinence			
Hypotension			
Thirst decreased			
Urine output increased			
Weight increased			

Medicine details :

Abilify (Suspected)	Reason :
Tablet	10 Milligram Daily Oral
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 31

Case Number : 235520

Data Entry Date : 21/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: Other drug taken: HRT and blackmores vitamins.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dental caries		Patient experienced 13 dental fillings, permanent diarrhoea and disturbed sleep.	
Diarrhoea			
Sleep disorder			

Medicine details :

Abilify (Suspected)	Reason : Unspecifid affective psychosis
Tablet	Oral
Batch :	Started :
	Stopped :

Case Number : 235820

Data Entry Date : 03/12/2007
Hospitalisation : Admitted to hospital
Onset Date :
Outcome : 25/09/2007
 Death

Gender : M
Weight (kg) : 0
Age :
DOB : 15/10/1954
Causality : Causality possible

Information: The death was sudden and of unknown cause at the time of the report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pulmonary embolism	Death	Patient experienced pulmonary embolism, sudden death, neuroleptic malignant syndrome, blood creatine phosphokinase increased, antipsychotic drug level increased.	
Antipsychotic drug level increased	Death		
Blood creatine phosphokinase increased	Death		
Neuroleptic malignant syndrome	Death		
Sudden death	Death		

Medicine details :

Abilify (Suspected)		Reason : Unspecified psychosis	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 15/02/2007	Stopped :	
CLOZARIL (Suspected)		Reason : Unspecified psychosis	
Tablet	500 Milligram	Daily	Oral
Batch :	Started : 25/10/1993	Stopped : 25/09/2007	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine phosphokinase		15/09/2007	933	
Creatine phosphokinase		25/09/2007	2216	
White blood cells		15/09/2007	19	
Serum drug level				10 Nov 2005 Serm clozapine: 574ug/L (on Clozaril dose of 250mg bd)

Public Case Detail

Cases Count: 31

Case Number : 235854

Data Entry Date : 03/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Promiscuity		Since taking aripiprazole, patient has become increasingly promiscuous. Medical history included history of promiscuity prior to onset of illness.	
Mania			

Medicine details :

Abilify (Suspected)

Reason : Unspecified schizophrenia

Tablet

45 Milligram

Daily

Oral

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 31

Case Number : 235855

Data Entry Date : 03/12/2007

Hospitalisation : Admitted to hospital

Onset Date :

Outcome :

Unknown

Gender : F

Weight (kg) : 0

Age : 99u

DOB :

Causality : Causality possible

Information: Patient had previously taken many atypical drugs and also fluvoxamine.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dystonia	Caused or prolonged inpatient hospitalisation	Patient was hospitalised due to dystonia, muscle rigidity and confusion 24 hours after therapy with aripiprazole 10mg.	
Confusional state	Caused or prolonged inpatient hospitalisation		
Muscle rigidity	Caused or prolonged inpatient hospitalisation		

Medicine details :

Abilify (Suspected)

Reason :

Tablet

10 Milligram

Daily

Oral

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 31

Case Number : 236015

Data Entry Date : 07/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 68Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation	Patient was hospitalised due to mania and psychotic episode, while on aripiprazole therapy.	Aripiprazole was discontinued.
Psychotic disorder	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Abilify (Suspected)		Reason :	
Tablet	5 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
EFEXOR (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 31

Case Number : 236064

Data Entry Date : 10/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 65

Onset Date : 24/09/2007

Age :

DOB : 26/02/1948

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dental caries		Patient says tha she had no significant dental problems until starting Abilify six months ago.	\$8,000 dental treatment to follow.

Medicine details :			
Abilify (Suspected)			
Tablet	25 Milligram	Daily	Oral
Batch :	Started : 21/05/2007	Stopped :	
SEROQUEL (Other drug)			
Tablet	50 Milligram	Daily	Oral
Batch :	Started : 21/11/2005	Stopped :	
VALIUM (Other drug)			
Tablet	10 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 31

Case Number : 236162

Data Entry Date : 11/12/2007

Gender : M

Hospitalisation :

Weight (kg) : 82

Onset Date : 15/08/2007

Age :

DOB : 10/01/1970

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Somnambulism		Sleep walking and eating without memory of it.	
Abnormal sleep-related event			
Amnesia			

Medicine details :			
Abilify (Suspected)		Reason :	
	10 Gram	Daily	
Batch :	Started : 15/07/2007	Stopped :	
<hr/>			
OLANZAPINE (Other drug)		Reason :	
	2.5 Milligram		
Batch :	Started : 18/03/2004	Stopped :	
<hr/>			

Case Number : 239084

Data Entry Date : 18/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 17/06/2007

Age :

DOB : 29/09/1988

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Promiscuity		Gradual onset, chest pains, jumpy, spending money +++, spent his compensation payout \$100,000, sexual promiscuity.	Valproate

Mania

Medicine details :

Aripiprazole (Suspected)

Reason :

30 Milligram Daily Oral

Batch :

Started : 11/06/2007

Stopped :

0

AROPAX (Other drug)

Reason : Unspecified psychosis

Batch :

Started :

Stopped : 03/07/2007

SERENACE (Other drug)

Reason :

5 Milligram

Batch :

Started :

Stopped : 03/07/2007

Case Number : 239587

Data Entry Date : 04/04/2008

Gender : M

Hospitalisation :

Weight (kg) : 93

Onset Date : 18/01/2008

Age :

DOB : 16/02/1973

Outcome :

Causality : Causality possible

Not yet recovered

Information: Previously had ejaculatory disturbance on risperidone.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Ejaculation failure		Unable to ejaculate	Ceased Aripiprazole and propranolol

Medicine details :

Aripiprazole (Suspected)		Reason : Unspecified psychosis	
Tablet	30 Milligram	Daily	Oral
Batch :	Started : 15/06/2007	Stopped : 19/01/2008	
PROPRANOLOL HYDROCHLORIDE (Suspected)		Reason : Abnormal involuntary movement	
	20 Milligram	Daily	
Batch :	Started : 15/08/2007	Stopped : 18/01/2008	
CLOPINE (Other drug)		Reason : Unspecified psychosis	
Tablet	500 Milligram	Daily	Oral
Batch :	Started : 15/06/2007	Stopped :	
SODIUM VALPROATE (Other drug)		Reason : Prophylaxis	
	2.5 Gram	Daily	
Batch :	Started : 15/06/2007	Stopped :	

Public Case Detail

Cases Count: 31

Case Number : 239767

Data Entry Date : 10/04/2008

Gender : U

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder		Reporter had a patient who became psychotic when using combinations of quetiapine and aripiprazole and withdrawing from Efexor.	

Medicine details :

Aripiprazole (Suspected)	Reason :
Batch :	Started :
	Stopped :
EFEXOR (Suspected)	Reason :
Batch :	Started :
	Stopped :
QUETIAPINE (Suspected)	Reason :
Batch :	Started :
	Stopped :

Case Number : 239903

Data Entry Date : 14/04/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : M
Weight (kg) : 67
Age :
DOB : 15/05/1964
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hallucination, auditory	Caused or prolonged inpatient hospitalisation	Mania, increased auditory hallucinations, increased paranoia in schizophrenic patient.	
Intentional drug misuse	Caused or prolonged inpatient hospitalisation		
Mania	Caused or prolonged inpatient hospitalisation		
Paranoia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Aripiprazole (Suspected)	Reason : Unspecified schizophrenia		
	45 Milligram	Daily	
Batch :	Started : 15/10/2007		Stopped : 15/02/2008
ATORVASTATIN (Other drug)	Reason :		
	20 Milligram		
Batch :	Started : 15/10/2007		Stopped :
CHLORPROMAZINE HYDROCHLORIDE (Other drug)	Reason :		
	300 Milligram	Daily	
Batch :	Started : 15/10/2007	L TERM	Stopped :
FLUPHENAZINE DECANOATE (Other drug)	Reason :		
	50 Milligram		
Batch :	Started : 15/10/2007		Stopped :
OLANZAPINE (Other drug)	Reason :		
	20 Milligram		
Batch :	Started : 15/10/2007		Stopped :

Public Case Detail

Cases Count: 31

Case Number : 240188

Data Entry Date : 21/04/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 18/01/2008

Age : 35Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Ejaculation failure		Unable to ejaculate.	Aripiprazole and propranolol ceased.

Medicine details :			
Aripiprazole (Suspected)			
Tablet		30 Milligram Daily	Oral
Batch :	Started :		Stopped : 19/01/2008
CLOZAPINE (Suspected)			
		500 Milligram Daily	
Batch :	Started :		Stopped :
PROPRANOLOL HYDROCHLORIDE (Suspected)			
		20 Milligram Daily	
Batch :	Started :		Stopped : 18/01/2008
VALPRO (Suspected)			
Tablet		2.5 Gram Daily	Oral
Batch :	Started :		Stopped :

Public Case Detail

Cases Count: 31

Case Number : 241203

Data Entry Date : 26/05/2008

Gender : F

Hospitalisation :

Weight (kg) : 89

Onset Date : 05/05/2008

Age :

DOB : 29/08/1942

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		Abnormal involuntary movements of lips and tongue.Tardive dyskinesia	

Medicine details :

Abilify (Suspected)

Reason :

Tablet

Milligram

Reducing

Oral

Batch :

Started : 11/01/2006

Stopped : 05/12/2008

Case Number : 242647

Data Entry Date : 07/07/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date :

Age :

DOB : 04/09/1966

Outcome :

Causality : Causality possible

Not yet recovered

Information: Long history of antidepressant, antipsychotic and sleeping medication use since Oct 2005.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder	Caused or prolonged inpatient hospitalisation	Developed psychosis - treated with Abilify (arapiprazole) 1 x 15mg nocte and Avanza 30mg daily. Gradually during May, she found it difficult to stand straight, started tensing her feet, experienced involuntary movement of legs and toes. GP noted extrapyramidal symptoms and tried to reduce the dose but symptoms of depression worsened.	Abilify ceased, Avanza recommenced, dose escalated 30mg n to 45mg n to 60mg n gradually.

Medicine details :

Abilify (Suspected)	Reason : Unspecified psychosis
Tablet	15 Milligram Daily Oral
Batch :	Started : 27/05/2006 Stopped : 27/06/2007
ACIMAX (Other drug)	Reason :
	1 Dose Unspec
Batch :	Started : Stopped :
AVANZA (Other drug)	Reason :
	60 Milligram Daily Oral
Batch :	Started : 04/05/2006 Stopped : 15/05/2007
AVANZA (Other drug)	Reason :
	60 Milligram Daily Oral
Batch :	Started : 27/06/2007 Stopped :
SEROQUEL (Other drug)	Reason :
	50 Milligram
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 31

Case Number : 243894

Data Entry Date : 18/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 27/11/1972

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Diplegia		A female patient experienced muscle paralysis in her legs while on therapy with aripiprazole. The patient was on aripiprazole 30 milligram for the last 6 months and used to wake up every morning in the last month with muscle paralysis and complete lack of movement in her legs. The physician reported that the paralysis was mainly in the right side but sometimes bilateral.	

Medicine details :			
Abilify (Suspected)	Reason :		
	30 Milligram	Daily	
Batch :	Started :	Stopped :	0

Case Number : 244375

Data Entry Date : 04/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 15/05/2007

Age :

DOB : 01/09/1966

Outcome :

Causality : Causality possible

Not yet recovered

Information: Long history of antidepressant, antipsychotic and sleeping medication use since October 2005.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder		Gradually during May, patient found it difficult to stand straight, stating tensing her feet, experienced involuntary movement of legs and toes. Doctor noted extrapyramidal symptoms.	Abilify ceased and Avanza recommenced. Doctor then tried Solian 200mg/day (amisulpiride) plus Avanza.

Medicine details :

Abilify (Suspected)		Reason : Unspecified psychosis	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 27/05/2006	Stopped : 27/06/2007	
ACIMAX (Other drug)		Reason :	
	60 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
AVANZA (Other drug)		Reason : Depression	
Tablet	60 Milligram	Daily	Oral
Batch :	Started : 04/05/2006	Stopped : 15/05/2007	0
SEROQUEL (Other drug)		Reason :	
Tablet	50 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 31

Case Number : 244400

Data Entry Date : 05/09/2008

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 04/08/2008

Age :

DOB : 20/04/1960

Outcome : 10/08/2008

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dyspepsia		Dyspepsia - sudden onset about 1/2 an hour after taking Abilify.	Ceased Abilify.

Medicine details :			
Abilify (Suspected)		Reason : Unspecified schizophrenia	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 04/08/2008	Stopped : 10/08/2008	
QUETIAPINE (Other drug)		Reason :	
Tablet	600 Milligram	Daily	Oral
Batch :	Started : 01/08/2008	Stopped :	

Public Case Detail

Cases Count: 31

Case Number : 245241

Data Entry Date : 08/10/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 100

Onset Date :

Age :

DOB : 19/07/1949

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Pruritus		Felt unwell, itch. LFTs abnormal.	Ceased medication. Return to previous medication.
Hepatic function abnormal			
Malaise			

Medicine details :			
Abilify (Suspected)		Reason : Unspecified psychosis	
	30 Gram	Daily	
Batch :	Started : 15/05/2008	Stopped : 28/07/2008	
EFEXOR (Other drug)		Reason : Obsessive compulsive neurosis	
	45 Milligram	Daily	
Batch :	Started :	Stopped :	

Case Number : 245621

Data Entry Date : 20/10/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 65

Onset Date : 05/06/2008

Age :

DOB : 17/10/1988

Outcome : 14/06/2008

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dyskinesia		Twitching of neck and head. It appeared to be a dyskinetic movement but a trial of benztropine seemed to provide patient relief - possibly placebo effect.	Ceased aripiprazole and substituted quetiapine. Reduced dose and benztropine
Muscle twitching			

Medicine details :

Aripiprazole (Suspected)	Reason : Unspecified psychosis
10 Milligram Daily	
Batch :	Started : 02/06/2008 Stopped : 05/06/2008
AIROMIR (Other drug)	Reason :
2 Dose Unspec Daily	
Batch :	Started : Stopped :
FLUOXETINE HYDROCHLORIDE (Other drug)	Reason : Depression
40 Milligram Daily	
Batch :	Started : Stopped :
OLANZAPINE (Other drug)	Reason : Unspecified psychosis
10 Milligram Daily	
Batch :	Started : 09/07/2007 Stopped : 31/05/2008
PRIMOLUT-N (Other drug)	Reason : Excessive menstruation
10 Milligram Daily	
Batch :	Started : 02/06/2008 Stopped :
WARFARIN SODIUM (Other drug)	Reason : Prophylaxis
6 Milligram each/every	
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 31

Case Number : 245887

Data Entry Date : 29/10/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 110

Onset Date : 10/09/2008

Age :

DOB : 13/09/1969

Outcome :

Causality : Causality probable

Recovered

Information: Similar reaction to anafranil in past.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		Facial rash, difficulty swallowing, manic symptoms.	
Dysphagia			
Mania			

Medicine details :

Abilify (Suspected)		Reason : Unspecified schizophrenia	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 01/09/2008	Stopped : 15/09/2008	

Public Case Detail

Cases Count: 31

Case Number : 246418

Data Entry Date : 20/11/2008
Hospitalisation : Admitted to hospital
Onset Date : 19/11/2008
Outcome :
 Not yet recovered

Gender : M
Weight (kg) : 0
Age :
DOB : 10/02/1979
Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Diabetic ketoacidosis	Caused or prolonged inpatient hospitalisation	Primary presentation of Diabetic Ketoacidosis (DKA) in previously undiagnosed diabetic. Obese patient. ?Related to aripiprazole. Has been taking for approx 2 years	Treated as for DKA in intensive care - insulin + dextrose infusion

Medicine details :			
Abilify (Suspected)	Reason : Unspecified schizophrenia		
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 20/11/2006	Stopped : 20/11/2008	0

Case Number : 246648

Data Entry Date : 26/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 26/11/2008

Age :

DOB : 14/04/1951

Outcome : 26/11/2008

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term

Severity

Report Description

Treatment

Swollen tongue

Caused or prolonged inpatient hospitalisation

She developed tongue swelling/enlargement, tightness in the jaw and neck at about 0900.

hydrocortisone, phenergan, considered cogentin but symptoms resolved

Muscle tightness

Caused or prolonged inpatient hospitalisation

Medicine details :

Abilify (Suspected)

Reason :

Tablet

2 Milligram 1 time

Oral

Batch :

Started :

Stopped :

Cymbalta (Suspected)

Reason :

Tablet

60 Milligram 1 time

Oral

Batch :

Started :

Stopped :

0

PROCHLORPERAZINE MALEATE (Suspected)

Reason :

Injection

12.5 Milligram 3 times

Intravenous

Batch :

Started : 25/11/2008

Stopped : 26/11/2008

Public Case Detail

Cases Count: 31

Case Number : 247623

Data Entry Date : 12/01/2009
Hospitalisation : Admitted to hospital
Onset Date : 15/08/2008
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 0
Age : 51Y
DOB :
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder	Caused or prolonged inpatient hospitalisation	The patient was treated with OROS paliperidone 6 mg, initiated in Jun 2008, for schizophrenia. In mid June 2008, the dosage of paliperidone was increased to 9 mg. During the end of July 2008, treatment with aripiprazole 5 mg was added. In Aug 2008, the patient developed psychotic symptoms and was hospitalised.	

Medicine details :

Abilify (Suspected)	Reason :
5 Milligram Daily	
Batch :	Started : 30/06/2008 Stopped :
Invega (Suspected)	Reason : Unspecified schizophrenia
9 Milligram Daily Oral	
Batch :	Started : 15/06/2008 Stopped :

Public Case Detail

Cases Count: 31

Case Number : 247703

Data Entry Date : 14/01/2009

Gender : M

Hospitalisation :

Weight (kg) : 73

Onset Date : 12/10/2008

Age :

Outcome : 18/10/2008

DOB : 30/04/1971

Recovered

Causality : Causality certain

Information: Cert/rechallenge.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Back pain		Previous episode of back pain attributed to Abilify. Recurrence of back bilateral hip pain on this occasion attributed to Abilify.	Abilify stopped.
Arthralgia			

Medicine details :

Abilify (Suspected)		Reason : Unspecified schizophrenia	
Tablet	2.5 Milligram	Daily	Oral
Batch :	Started : 27/08/2008	Stopped : 16/10/2009	0
CIPRAMIL (Other drug)		Reason : Depression	
Batch :	Started :	Stopped :	
ZYPREXA (Other drug)		Reason : Unspecified schizophrenia	
Batch :	Started :	Stopped :	

Selection Parameters : Date Range: 01/08/2007 To 31/12/2059 Unclear causality excluded GM medicines Only Medicine Names: Aripiprazole, Abilify