

Public Case Detail

Cases Count: 4

Case Number : 167968

Data Entry Date : 30/08/2001

Gender : M

Hospitalisation :

Weight (kg) :

Onset Date : 10/07/2001

Age : 13Y

Outcome :

DOB : 05/04/1988

Unknown

Causality : Causality possible

Information: Following ingestion of methylphenidate attenta brand only (ritalin - no adverse effects).

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pain	Severe	Severe pain.	
Migraine			With holding attenta when possible.
Vomiting			

Medicine details :

Attenta (Suspected)	Reason :
	30 Milligram Daily
Batch :	Started : 10/07/2001
	Stopped :

Public Case Detail

Cases Count: 4

Case Number : 169403

Data Entry Date : 22/10/2001

Gender : M

Hospitalisation :

Weight (kg) : 16

Onset Date : 10/08/2001

Age : 06Y

Outcome :

DOB : 08/09/1994

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Aggression			
Agitation			
Depression			Required a visit to doctor. date of recovery 4.9.01. immediate change once was back on ritalin.

Medicine details :			
Attenta (Suspected)		Reason : Behavior disorders of childhood	
	20 Milligram	Daily	
Batch :	Started : 10/08/2001	Stopped : 04/09/2001	

Public Case Detail

Cases Count: 4

Case Number : 181914

Data Entry Date : 22/01/2003

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 16Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Drug ineffective		Decreased control of behaviour.	Changed back to the Ritalin Brand.
Abnormal behaviour			

Medicine details :

Attenta (Suspected)

Reason : Behavior disorders of childhood

Tablet

40 Milligram

Daily

Oral

Batch :

Started :

Stopped :

Case Number : 232021

Data Entry Date : 15/08/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 15/04/2007

Age :

DOB : 02/06/1967

Outcome :

Causality : Causality certain

Not yet recovered

Information: CERT(RECHALL)

Reaction :

Preferred Term	Severity	Report Description	Treatment
Gastrointestinal inflammation	Caused or prolonged inpatient hospitalisation	Patient developed bilateral upper quadrant abdominal pain. on 2/5/07 developed symptoms of intestinal obstruction and underwent laparotomy and found his bowel was inflamed. Attenta was avoided until mid July 2007 when restarted medication. Within one day the patient developed severe abdominal pain, angioedema of his lips and face, sweating, poly dipsia and polyuria. Attenta was discontinued again until 25/7/07 when patient took a tablet 10mg twice daily the day before his appointment to demonstrate the perceived side effects of his treatment with Attenta. The adverse reactions occurred.	laparotomy, ceased Attenta.
Chest discomfort		Tightness in chest, tightness in the stomach area, lumps in the arms below the elbow, muscle pain, hot sweats, nausea. Drug ineffective.	Patient decreased dose of Ritalin himself and then stopped treatment.
Abdominal pain	Caused or prolonged inpatient hospitalisation		
Angioedema	Caused or prolonged inpatient hospitalisation		
Blood pressure increased	Caused or prolonged inpatient hospitalisation		
Hyperhidrosis	Caused or prolonged inpatient hospitalisation		
Polydipsia	Caused or prolonged inpatient hospitalisation		

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Polyuria	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Attenta (Suspected)	Reason :		
Batch :	Started :	Stopped :	0

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Blood pressure				170/100 and pulse of 110 beats per minute.

Selection Parameters : Date Range: 01/01/1960 To 31/08/2009 Medicine Status: General marketing Unclear causality excluded Medicine Names: Attenta