

Public Case Detail

Cases Count: 102

Case Number : 231483

Data Entry Date : 02/08/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 25/06/2007

Age :

DOB : 12/11/1989

Outcome : 27/06/2007

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Opisthotonus		Patient experienced a dystonic reaction (opisthotonus) lasting in a mild way for a further 24 hours.	

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
Tablet	5 Milligram	Daily	Oral
Batch :	Started : 05/06/2007	Stopped : 07/06/2007	
Logicin Flu Strength Day & Night (Suspected)		Reason : Acute nasopharyngitis,com cold	
Tablet	1 Dose Unspec	Daily	Oral
Batch :	Started : 05/06/2007	Stopped : 07/06/2007	

Case Number : 231507

Data Entry Date : 03/08/2007

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 100

Onset Date : 15/03/2006

Age :

DOB : 26/10/1953

Outcome :

Causality : Causality possible

Recovered

Information: Patient was changed from sertraline (on which she was stable) to escitalopram. When changed back to sertraline she improved.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	Patient experienced severe depression, attempted suicide.	Ceased Lexapro, started Sertraline.
Suicide attempt	Life threatening		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	10 Milligram Daily Oral
Batch :	Started : 15/03/2006 Stopped :
ALODORM (Other drug)	Reason :
Batch :	Started : Stopped :
ENDONE (Other drug)	Reason :
Batch :	Started : Stopped :
PANADEINE FORTE (Other drug)	Reason :
Batch :	Started : Stopped :
PREDNISONE (Other drug)	Reason :
Batch :	Started : Stopped :
TEMTABS (Other drug)	Reason :
Batch :	Started : Stopped :

Case Number : 231605

Data Entry Date : 07/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 48

Onset Date :

Age :

DOB : 22/09/1938

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Chest pain	Caused or prolonged inpatient hospitalisation	Patient experienced retrosternal chest pain, aching and constant in quality, oesophageal movements essentially normal.	Gastroscopy, cardiac angiogram. Cipramil ceased.

Medicine details :

CIPRAMIL (Suspected)	Reason : Depression
Tablet	20 Milligram Daily Oral
Batch :	Started : 25/01/2007 Stopped : 23/06/2007 0
INDERAL (Other drug)	Reason :
Batch :	Started : Stopped :
KARVEA (Other drug)	Reason :
Batch :	Started : Stopped :
NEXIUM (Other drug)	Reason :
Batch :	Started : Stopped :
OSTELIN 1000 (Other drug)	Reason :
Batch :	Started : Stopped :
XANAX (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 231803

Data Entry Date : 10/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 99

Onset Date : 04/07/2007

Age :

DOB : 15/10/1970

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Feeling jittery		Jittery feeling, hand tremor, involuntary jaw clenching and feeling of tightness when opening mouth.	Cease Talohexal
Joint stiffness			
Tremor			
Trismus			

Medicine details :			
TALOHEXAL (Suspected)			
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 22/06/2007	Stopped : 16/07/2007	
LIPEX (Other drug)			
Tablet	80 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
OROXINE (Other drug)			
Tablet	150 Milligram		Oral
Batch :	Started :	Stopped :	

Case Number : 231929

Data Entry Date : 14/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 91Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: recovered from everything except memory loss

Reaction :

Preferred Term	Severity	Report Description	Treatment
Drug withdrawal syndrome		An elderly patient missed approximately 5 days dosing of Celapram and experienced severe shaking, trance-like state and accelerated memory loss. Memory loss had been declining prior to event but more rapidly since missing doses	

Medicine details :

CELAPRAM (Suspected)	Reason : Depression
Tablet	20 Milligram 1 time Oral
Batch :	Started : L TERM Stopped :
Blackmores Macu Vision (Other drug)	Reason :
Batch :	Started : Stopped :
FOSAMAX (Other drug)	Reason :
Batch :	Started : Stopped :
KARVEA (Other drug)	Reason :
	75 Milligram Oral
Batch :	Started : Stopped :
NORVASC (Other drug)	Reason :
	10 Milligram
Batch :	Started : Stopped :
OMEPRAZOLE (Other drug)	Reason :
	40 Milligram Daily
Batch :	Started : Stopped : 0
PREDNISONE (Other drug)	Reason :
	25 Milligram Daily
Batch :	Started : Stopped : 0

Medicine details :

SOLPRIN (Other drug)

Reason :

Batch :

Started :

Stopped :

TAMBOCOR (Other drug)

Reason :

50 Milligram

Batch :

Started :

Stopped :

VITAMIN D NOS (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 102

Case Number : 232023

Data Entry Date : 15/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 25/05/2007

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: Patient has no history of sleep walking, no alcohol.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Abnormal sleep-related event		Patient got in her car drove on the footpath and ploughed into a phone box, taken to hospital, woke up during the CAT scan. She ran away from the hospital, police caught her and took her to a psych hospital. Patient had taken 6 extra Stilnox tablets, she had no memory of the whole day.	Ceased Stilnox.

Medicine details :

CIPRAMIL (Suspected)		Reason : Unspecifid affective psychosis	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped : Contin
STILNOX (Suspected)		Reason :	
Tablet	10 Milligram	As necessary	Oral
Batch :	Started :		Stopped : 25/05/2007
VALPRO (Suspected)		Reason : Unspecifid affective psychosis	
Tablet	1 Gram	Daily	Oral
Batch :	Started :	L TERM	Stopped : Contin
LEVLEN ED (Other drug)		Reason : Contraception	
Tablet	1 Dose Unspec	Daily	Oral
Batch :	Started :	L TERM	Stopped :

Public Case Detail

Cases Count: 102

Case Number : 232490

Data Entry Date : 24/08/2007

Gender : M

Hospitalisation :

Weight (kg) : 96

Onset Date : 18/08/2007

Age :

DOB : 29/04/1988

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Muscle spasms	Caused or prolonged inpatient hospitalisation	legs, arms and along spine.	
Abdominal pain upper	Caused or prolonged inpatient hospitalisation		
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Myalgia	Caused or prolonged inpatient hospitalisation		

Medicine details :

Lexapro (Suspected)	Reason :		
Tablet	20 Milligram	1 time	Oral
Batch :	Started : 26/06/2007	Stopped : 24/08/2007	

Public Case Detail

Cases Count: 102

Case Number : 232588

Data Entry Date : 28/08/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 12/08/2007

Age :

DOB : 01/02/1959

Outcome :
Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome		Serotonin syndrome, agitated, confused, hot and sweaty lasting a few hours.	Self managed by resting.
Agitation			
Confusional state			
Feeling hot			
Hyperhidrosis			

Medicine details :				
CITALOPRAM HYDROBROMIDE (Interaction)				
Tablet		20 Milligram	Daily	Oral
Batch :	Started :		Stopped :	Continuing.
DOLOXENE (Interaction)				
Capsule		200 Milligram	Daily	Oral
Batch :	Started :		Stopped :	0
PHENERGAN (Interaction)				
Tablet		50 Milligram	Daily	Oral
Batch :	Started : 12/08/2007		Stopped : 12/08/2007	0

Public Case Detail

Cases Count: 102

Case Number : 232597

Data Entry Date : 28/08/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 95

Onset Date : 15/07/2007

Age :

DOB : 05/01/1940

Outcome :
Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urticaria		Patient developed an urticarial rash.	Cessation of escitalopram.

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	10 Milligram	Daily	Oral
Batch :	Started : 15/07/2007	Stopped : 15/07/2007	
SEROQUEL (Other drug)		Reason : Anxiety neurosis	
Tablet	300 Milligram	Daily	Oral
Batch :	Started : 15/07/2006	Stopped :	

Case Number : 232599

Data Entry Date : 28/08/2007

Gender : F

Hospitalisation : Required a specialist consultation

Weight (kg) : 0

Onset Date : 23/07/2007

Age : 32Y

Outcome : 25/07/2007

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Confusional state	Caused or prolonged inpatient hospitalisation	Confusion, altered mental state, drowsiness, nausea and vomiting.	Withheld Epilim, Valium and Stilnox.
Mental disorder	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		
Somnolence	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine details :

EPILIM EC 500 (Suspected)	Reason : Other&unspecified epilepsy		
1 Gram	Daily	Oral	
Batch :	Started :	Stopped : 23/07/2007	
Lexapro (Suspected)	Reason : Depression		
10 Milligram	Daily	Oral	
Batch :	Started : 20/07/2007	Stopped : 23/07/2007	
Stilnox CR (Suspected)	Reason : Specific disorders of sleep		
Tablet	6.3 Milligram	As necessary	Oral
Batch :	Started :	Stopped : 23/07/2007	
SEROQUEL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
VALIUM (Other drug)	Reason : Anxiety neurosis		
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 233026

Data Entry Date : 04/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 60

Onset Date : 01/08/2007

Age :

DOB : 31/12/1958

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Rash erythematous			

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
Tablet	10 Milligram	1 time	Oral
Batch :	Started : 06/01/2007	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 233086

Data Entry Date : 06/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 20/10/2006

Age :

DOB : 15/02/1987

Outcome : 05/01/2007

Causality : Causality possible

Death, maybe drug

Information: No family history of clotting disorders.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Deep vein thrombosis	Death	Patient developed a very large deep vein thrombosis whilst on Lexapro.(this report, SEQ .1)	Warfarin and Panadeine Forte

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	20 Milligram Daily Oral
Batch :	Started : 15/08/2006 Stopped : 03/01/2007

Public Case Detail

Cases Count: 102

Case Number : 233114

Data Entry Date : 06/09/2007

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 13/04/2007

Age :

DOB : 14/10/1946

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome	Caused or prolonged inpatient hospitalisation	Serotonin syndrome, manifest as syncope, agitation, hyperreflexia, sweating, cold feet, diarrhoea, vomiting.	cease citalopram, iv fluids

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)	Reason :
Tablet	40 Milligram Daily
Batch :	Started : 11/04/2007 Stopped : 13/04/2007

Case Number : 233116

Data Entry Date : 06/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2007

Age :

DOB : 05/04/1946

Outcome :

Causality : Causality possible

Unknown

Information: history of ischaemic heart disease post acute myocardial infarction
233116 is a seq of 233489.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Chromaturia	Incapacity/disability	dark urine	
Blood creatine phosphokinase increased	Incapacity/disability	up to 8000	
Liver function test abnormal	Incapacity/disability		
Muscular weakness	Incapacity/disability		
Myalgia	Incapacity/disability		
Myopathy	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Milligram Daily Oral	
Batch :	Started : 24/05/2007 Stopped : 16/08/2007 0
LIPITOR (Suspected)	Reason :
Tablet 80 Milligram Daily Oral	
Batch :	Started : 15/03/2006 Stopped : 16/08/2007 0
ALLOPURINOL (Other drug)	Reason :
100 Milligram	
Batch :	Started : Stopped :
ASPIRIN (Other drug)	Reason :
100 Milligram	
Batch :	Started : Stopped :
METOPROLOL TARTRATE (Other drug)	Reason :
25 Milligram	
Batch :	Started : Stopped :
RAMIPRIL (Other drug)	Reason :
2.5 Milligram	
Batch :	Started : Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Liver function tests				refer to attached CIOMS for data

Case Number : 233166

Data Entry Date : 07/09/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 70

Onset Date : 13/12/2006

Age :

Outcome : 27/12/2006

DOB : 16/07/1942

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Liver function test abnormal		Abnormal LFT's and neutropenia.	
Neutropenia			

Medicine details :

CIPRAMIL (Suspected)	Reason : Anxiety neurosis		
Tablet			Oral
Batch :	Started : 01/12/2006	Stopped : 13/12/2006	0
Dithiazide (Other drug)	Reason : Essential benign hypertension		
Tablet	12.5 Milligram	Daily	Oral
Batch :	Started : 30/10/2006	Stopped : 13/12/2006	
Dithiazide (Other drug)	Reason :		
Tablet	12.5 Milligram	Daily	Oral
Batch :	Started : 30/10/2006	Stopped : 13/12/2006	
RAMIPRIL (Other drug)	Reason : Essential benign hypertension		
	10 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
ALT = SGPT				ALT = 275
Neutrophils				Neutropenia = 0.8

Public Case Detail

Cases Count: 102

Case Number : 233236

Data Entry Date : 10/09/2007

Gender : F

Hospitalisation : Required a specialist consultation

Weight (kg) : 60.4

Onset Date : 12/03/2007

Age :

DOB : 20/04/1993

Outcome : 13/03/2007

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicidal ideation	Caused or prolonged inpatient hospitalisation	Child experienced suicidal ideation.	Drug withdrawn until review.

Medicine details :			
CIPRAMIL (Suspected)		Reason :	
Tablet	40 Milligram	Daily	Oral
Batch :	Started : 20/02/2007	Stopped :	13/03/2007

Public Case Detail

Cases Count: 102

Case Number : 233361

Data Entry Date : 13/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 52Y

Outcome :

DOB :

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Whilst on Cipramil "worst six days of my life". Patient is a nurse and very aware of medications and management of her depression. Changed from Efexor to Cipramil and became actively suicidal. Wanted to set herself on fire or "take pills". Kept picturing it - one thought all the time. Had panic attacks about her capability to lose control. Terrified.	Changed from Cipramil to Edronex..

Medicine details :			
CIPRAMIL (Suspected)			
Tablet		10 Milligram Daily	Oral
Batch :	Started :	Stopped :	
Centrum Select 50+ (Other drug)			
Tablet		1 Dose Unspec Daily	Oral
Batch :	Started :	Stopped :	
OROXINE (Other drug)			
Tablet		500 Microgram Weekly	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 233489

Data Entry Date : 18/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase increased Liver function test abnormal		Creatine kinase increased. Liver function tests raised.	Lexapro ceased

Medicine details :	
Lexapro (Suspected)	Reason : Depression
Batch :	Started :
	Stopped :

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Creatine phosphokinase				8000
Liver function tests				Elevated

Public Case Detail

Cases Count: 102

Case Number : 233662

Data Entry Date : 20/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 77

Onset Date :

Age :

DOB : 03/01/1990

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicide attempt		precipitated suicide act 2 x OD within 2 weeks, and continuing suicide ideation after starting escitalopram 10mg m. Never experience that before and can't explained why OD occurred.	
Suicidal ideation			

Medicine details :			
Escitalopram (Suspected)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 20/08/2007	Stopped : 14/09/2007	

Public Case Detail

Cases Count: 102

Case Number : 233907

Data Entry Date : 02/10/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 82.5

Onset Date :

Age : 45Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Weight increased		Patient has been taking Lexapro with an initial dose of 10mg. After 6 weeks it was increased to 20mg. Her initial weight was 63.5kg and by Sept 2007 it was 82.5kg.	Ceased medication.

Medicine details :			
Lexapro (Suspected)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 234014

Data Entry Date : 04/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 04/09/2007

Age : 73Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Cerebral haemorrhage		Intracerebral/ventricular bleed.	

Medicine details :			
CLEXANE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
Escitalopram (Suspected)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
WARFARIN SODIUM (Suspected)		Reason :	
Batch :	Started :	Stopped :	
CEPHAZOLIN SODIUM (Other drug)		Reason :	
Batch :	Started :	Stopped :	
MIXTARD 30/70 (Other drug)		Reason :	
Batch :	Started :	Stopped :	
MODURETIC (Other drug)		Reason :	
Batch :	Started :	Stopped :	
PARACETAMOL (Other drug)		Reason :	
Batch :	Started :	Stopped :	
SOTALOL HYDROCHLORIDE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 234058

Data Entry Date : 05/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 74

Onset Date : 01/06/2007

Age : 52Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hepatitis	Incapacity/disability	suspected drug induced hepatitis	
Hypertension	Incapacity/disability		
Visual impairment	Incapacity/disability		

Medicine details :			
EDRONAX (Suspected)		Reason : Depression	
Tablet	4 Milligram	2 times	Oral
Batch :	Started : 10/03/2005	Stopped :	
Lexapro (Suspected)		Reason : Depression	
Tablet	30 Milligram	1 time	Oral
Batch :	Started : 30/06/2006	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 234303

Data Entry Date : 12/10/2007

Hospitalisation :

Onset Date : 15/09/2007

Outcome :

Not yet recovered

Gender : F

Weight (kg) : 0

Age : 99U

DOB :

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hot flush	Caused or prolonged inpatient hospitalisation	After taking the first escitalopram tablet the patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Ceased drug
Dysuria	Caused or prolonged inpatient hospitalisation		
Feeling of body temperature change	Caused or prolonged inpatient hospitalisation		

Medicine details :

Esipram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/09/2007	Stopped : 16/09/2007	

Case Number : 234721

Data Entry Date : 23/10/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 11/10/2007

Age :

DOB : 18/07/1963

Outcome :

Causality : Causality possible

Not yet recovered

Information: Patient had the same issue with Zoloft in 2006.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Paraesthesia		Burning paraesthesia of soles of foot 2 days after commencing Cipramil.	
Burning sensation			

Medicine details :

CIPRAMIL (Suspected)	Reason :	
Tablet		Oral
Batch :	Started :	Stopped :
Seretide 125/25 MDI (Other drug)	Reason :	
Inhalation		Inhalation
Batch :	Started :	Stopped :
VENTOLIN (Other drug)	Reason :	
Inhalation		Inhalation
Batch :	Started :	Stopped :
Vesicare (Other drug)	Reason :	
Tablet	5 Milligram Daily	Oral
Batch :	Started : 24/09/2007	Stopped :

Public Case Detail

Cases Count: 102

Case Number : 235265

Data Entry Date : 14/11/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 78

Onset Date : 31/07/2007

Age :

DOB : 10/12/1964

Outcome : 07/08/2007

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Pruritus generalised		Generalised itch, 4/7 after starting Lexapro. No rash noted.	Ceased Lexapro.

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 27/07/2007	Stopped : 06/08/2007	

Public Case Detail

Cases Count: 102

Case Number : 235377

Data Entry Date : 16/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 62

Onset Date : 15/09/2007

Age :

DOB : 05/05/1943

Outcome :

Causality : Causality possible

Not yet recovered

Information: Patient was also on Hormone replacement therapy.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing	Caused or prolonged inpatient hospitalisation	Patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Escitalopram discontinued.
Dysuria	Caused or prolonged inpatient hospitalisation		
Vision blurred	Caused or prolonged inpatient hospitalisation		

Medicine details :

Esipram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/09/2007	Stopped : 16/09/2007	

Public Case Detail

Cases Count: 102

Case Number : 235619

Data Entry Date : 24/11/2007

Gender : M

Hospitalisation :

Weight (kg) : 92

Onset Date : 07/11/2007

Age :

DOB : 12/09/1945

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome	Incapacity/disability	serotonin syndrome - sweating profusely, impending doom, agitation, chest pain	Stopped naltrexone. reduced lexapro to 5mg. Much better in 24 hours. Hypomania for a week after. then stopped lexapro. started seroquel, hypomania abated in another week.

Medicine details :

Lexapro (Interaction)		Reason : Depression	
Tablet	20 Milligram	1 time	Oral
Batch :	Started : 11/01/2007	Stopped : 11/07/2007	0
NALTREXONE HYDROCHLORIDE (Interaction)		Reason :	
Tablet			Oral
Batch :	Started : 11/01/2007	Stopped : 11/07/2007	

Public Case Detail

Cases Count: 102

Case Number : 235828

Data Entry Date : 03/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 93

Onset Date : 09/11/2007

Age : 75Y

Outcome : 09/11/2007

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
<p>Syncope</p> <p>Convulsion</p> <p>Diarrhoea</p>		<p>Patient collapsed in the shower where she had a ~10 second convulsion, she had had a large, explosive, loose bowel action.</p>	<p>Gelofusine 500ml, oxygen.</p>

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 09/11/2007		Stopped : 09/11/2007
ASPIRIN (Other drug)		Reason :	
Batch :	Started :		Stopped :
ATORVASTATIN (Other drug)		Reason :	
Batch :	Started :		Stopped :
ENOXAPARIN (Other drug)		Reason :	
Batch :	Started :		Stopped :
OMEPRAZOLE (Other drug)		Reason :	
Batch :	Started :		Stopped :
RAMIPRIL (Other drug)		Reason :	
Batch :	Started :		Stopped :
THYROXINE SODIUM (Other drug)		Reason :	
Batch :	Started :		Stopped :

Case Number : 236033

Data Entry Date : 07/12/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 23/11/2007

Age : 56Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: Also taking Mannatech products for OsteoArthritis: Ambrotose Complex, PhytAloe and Ambrotose AO Capsules and Plus capsules.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicide attempt		<p>Patient had been acting strangely, with aggressive mood swings for past 3 months (since starting Stilnox). Does not believe Stilnox helped him sleep. Just lay awake for hours, getting anxious. Began taking more Serepax due to increased anxiety and at least one panic attack, day and night. Doctor started him on Cipramil on 13/11/07 saying it was just depression.. On morning of 23/11/07 patient got up early, ?wide awake? and said the only thought he had in his mind was to end his life. He said ? In my mind it was perfectly justified and made perfect sense?. First he took ?a handful of Serepax, but that didn?t work?. Then he took about 20x Doloxene and what was left in the Stilnox box (~6x). He said he has no recollection of what happened after that. His wife found him asleep in the bedroom, and he slept all day. Still hasn?t told her what he tried to do. Read about Stilnox in paper last week so went to his doctor and confessed his suicide attempt. Doctor told him to stop taking Cipramil and Stilnox, just take Serepax. Has been feeling much better. Anxiety and agitation significantly reduced, and sleeping better (all night).</p>	
Aggression			

Reaction :**Preferred Term****Severity****Report Description****Treatment**

Anxiety

Drug ineffective

Mood swings

Panic attack

Medicine details :**CIPRAMIL (Suspected)****Reason :** Depression

20 Milligram Daily

Batch :**Started :** 13/11/2007**Stopped :** 29/11/2007**STILNOX (Suspected)****Reason :** Specific disorders of sleep

Tablet 10 Milligram Daily Oral

Batch :**Started :** 15/10/2007**Stopped :** 29/11/2007**DOLOXENE (Other drug)****Reason :** Osteoarthritis

800 Milligram Daily

Batch :**Started :** L TERM**Stopped :****KEPPRA (Other drug)****Reason :**

2 Gram

Batch :**Started :** 15/11/2006**Stopped :****LIPITOR (Other drug)****Reason :**

20 Milligram Daily

Batch :**Started :** L TERM**Stopped :****NORVASC (Other drug)****Reason :**

5 Milligram Daily

Batch :**Started :** L TERM**Stopped :****SEREPAX (Other drug)****Reason :** Specific disorders of sleep

15 Milligram As necessary Oral

Batch :**Started :** L TERM**Stopped :**

Public Case Detail

Cases Count: 102

Case Number : 236055

Data Entry Date : 10/12/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 04/12/2007

Age :

DOB : 23/08/1942

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Somnolence	Incapacity/disability	difficult to rouse	
Cold sweat	Incapacity/disability		
Pyrexia	Incapacity/disability		

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	10 Milligram	1 time	Oral
Batch :	Started : 04/12/2007	Stopped : 04/12/2007	

Public Case Detail

Cases Count: 102

Case Number : 236165

Data Entry Date : 11/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 95

Onset Date : 10/11/2007

Age : 65Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Langerhans' cell granulomatosis	Incapacity/disability	rash biopsy result enclosed Clinical Notes: Biopsy red raised sl blistery rash present for at least 3 weeks pretibial ?? drug reaction and secondary contact dermatitis. Macroscopic: 'Biopsy left leg rash': Pale punch biopsy 3 x 3 x 3 mm. Embedded whole. (sj) Microscopic: Sections of the biopsy show very mild spongiosis and compact hyperkeratosis. The underlying dermis contains a perivascular and interstitial chronic inflammatory infiltrate with readily visible eosinophils present. There is a background of oedema. The infiltrate is histiocytic with giant cells present. Distinct granulomas are not seen. There is no evidence of fungus, atypia or malignancy. Summary: BIOPSY SKIN LEFT LEG: STRONGLY SUGGESTIVE OF INTERSTITIAL GRANULOMATOUS DRUG REACTION.	
Drug eruption	Incapacity/disability		
Rash	Incapacity/disability		

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)		Reason :	
			Oral
Batch :	Started : 30/10/2007	Stopped : 20/11/2007	0

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Skin biopsy				Macroscopic: 'Biopsy left leg rash': Pale punch biopsy 3 x 3 x 3 mm. Embedded whole. (sj) Microscopic: Sections of the biopsy show very mild spongiosis and compact hyperkeratosis. The underlying dermis contains a perivascular and interstitial chronic inflammatory infiltrate with readily visible eosinophils present. There is a background of oedema. The infiltrate is histiocytic with giant cells present. Distinct granulomas are not seen. There is no evidence of fungus, atypia or malignancy. Summary: BIOPSY SKIN LEFT LEG: STRONGLY SUGGESTIVE OF INTERSTITIAL GRANULOMATOUS DRUG REACTION.

Public Case Detail

Cases Count: 102

Case Number : 236361

Data Entry Date : 17/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 13/11/2007

Age :

DOB : 10/05/1960

Outcome : 15/11/2007

Causality : Causality possible

Recovered

Information: Patient is hepatitis C Virus positive.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Coagulopathy		Patient experienced ongoing haemoserous ooze for 2 days. External dressing applied (changed every 20-30 minutes). ? SSRI - associated coagulopathy.	Tranexamic acid 1g tds, Vitamin K 5mg stat, Kaltostat packing into nasal passages.
Haemorrhage			
Secretion discharge			

Medicine details :

Escitalopram (Suspected)

Reason : Depression

10 Milligram Daily

Batch :

Started :

Stopped :

ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)

Reason : Other diseases of esophagus

20 Milligram Daily

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 102

Case Number : 236458

Data Entry Date : 20/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 01/06/2007

Age : 70Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: Transaminases >2000.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis	Caused or prolonged inpatient hospitalisation	? Drug induced hepatitis, dark urine, pruritis and arthralgias.	Withdrawal of SSRI and statin.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Chromaturia	Caused or prolonged inpatient hospitalisation		
Jaundice	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)		Reason :	
Batch :	Started : 21/05/2007	Stopped : 01/06/2007	
SIMVASTATIN (Suspected)		Reason :	
Tablet	40 Milligram	Oral	
Batch :	Started :	Stopped :	0
FLUVAX (Other drug)		Reason : Prophylactic inoculation and vaccination	
Injection	1 Dose Unspec 1 time	Subcutaneous	
Batch :	Started : 28/04/2007	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Bilirubin	20	01/06/2007	63	

Case Number : 236869

Data Entry Date : 10/01/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 10/11/2007

Age : 41Y

Outcome : 14/11/2007

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing		Flushing, hot and cold rigers, mild headache, nausea, sweats, dizzy on standing, photophobia, myalgia, neck stiffness, tremor, weaknes, hyperaesthesia.	ceased Buprenorphine and escitalopram.
Asthenia			
Chills			
Dizziness postural			
Headache			
Hyperaesthesia			
Hyperhidrosis			
Musculoskeletal stiffness			
Myalgia			
Nausea			
Photophobia			
Therapy regimen changed			
Tremor			

Medicine details :

BUPRENORPHINE HYDROCHLORIDE (Suspected)		Reason :	
Drug delivery system, transder	5 Milligram	Weekly	Transdermal
Batch :	Started : 01/11/2007	Stopped :	
Escitalopram (Suspected)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
TRAMADOL HYDROCHLORIDE (Suspected)		Reason : Otr&unsp vertebrogen pain synd	
Tablet	400 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
MELOXICAM (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Medicine details :

PANTOPRAZOLE (Other drug)

Reason :

Batch :

Started :

Stopped :

Symbicort Turbuhaler (Other drug)

Reason :

Batch :

Started :

Stopped :

VENTOLIN (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 102

Case Number : 237437

Data Entry Date : 30/01/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 15/06/2007

Age : 37Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Influenza like illness		Flu-like reaction, rash developed 7 days after flu injection and starting Lexapro.	Lexapro stopped.
Rash			

Medicine details :

INFLUENZA VACCINE (Suspected)

Reason : Prophylactic inoculation and vaccination

Injection 1 Dose Unspec 1 time

Batch : **Started :** 15/06/2007 **Stopped :** 15/06/2007

Lexapro (Suspected)

Reason : Depression

Tablet Oral

Batch : **Started :** 15/06/2007 **Stopped :**

Case Number : 237443

Data Entry Date : 30/01/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2007

Age : 64Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: Leveteracetam induced per (oncologist).
"Would never go back on 'Keppra' again".

Reaction :

Preferred Term	Severity	Report Description	Treatment
Acute psychosis	Caused or prolonged inpatient hospitalisation	Aggression, aggravation, anxiety, distressed, vacant, confused. Psychotic symptoms. Tried to jump out of car travelling 80 km/hr.	Ceased Keppra.
Anxiety	Caused or prolonged inpatient hospitalisation		
Confusional state	Caused or prolonged inpatient hospitalisation		

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)	Reason :		
Batch :	Started : 15/10/2006	Stopped : 14/09/2007	0
DEXAMETHASONE (Suspected)	Reason :		
	4 Milligram Daily		
Batch :	Started : L TERM	Stopped :	0
FLUDROCORTISONE (Suspected)	Reason :		
	0.1 Milligram Daily		
Batch :	Started : 12/01/2007	Stopped : 20/09/2007	0
KEPPRA (Suspected)	Reason : Convulsions		
Batch :	Started : 15/05/2006 L TERM	Stopped : 03/09/2007	
TEGRETOL CR (Suspected)	Reason :		
	800 Milligram Daily		
Batch :	Started : 15/02/2007	Stopped :	0
NEXIUM (Other drug)	Reason :		
	20 Milligram Daily		
Batch :	Started : L TERM	Stopped :	0
NULAX FRUIT LAXATIVE (Other drug)	Reason :		
	1 Dose Unspec Daily		
Batch :	Started :	Stopped :	0

Medicine details :

TEMAZEPAM (Other drug)

Reason :

Batch :

Started :

Stopped :

Case Number : 238234

Data Entry Date : 22/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 65

Onset Date : 03/07/2007

Age :

DOB : 08/12/1940

Outcome : 31/07/2007

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tachycardia	Caused or prolonged inpatient hospitalisation	Patient experienced tachycardia, hypotension, sweaty, decreased level of consciousness, oxygen levels decreased to 64%.	
Depressed level of consciousness	Caused or prolonged inpatient hospitalisation		
Hypotension	Caused or prolonged inpatient hospitalisation		
Oxygen saturation decreased	Caused or prolonged inpatient hospitalisation		

Medicine details :

TALOHEXAL (Suspected)	Reason :
Tablet	20 Milligram Daily Oral
Batch :	Started : 03/07/2007 Stopped : 03/07/2007
AVAPRO (Other drug)	Reason :
Batch :	Started : Stopped :
CLEXANE (Other drug)	Reason :
Batch :	Started : Stopped :
COUMADIN (Other drug)	Reason :
Batch :	Started : Stopped :
PRAVACHOL (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 238415

Data Entry Date : 28/02/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 11/01/2008

Age : 65Y

Outcome : 22/01/2008

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		suffering from mild anxiety and depression. She was prescribed Talam 20 mg 6 wks ago. She took it for 6 days, during which she couldn't sleep, had suicidal thoughts and could hardly eat because of dry mouth and inappetence and she lost 2 kg over 6 days	cease Talam
Anorexia			
Dry mouth			
Insomnia			
Weight decreased			

Medicine details :

Talam (Suspected)	Reason : Depression
	20 Milligram Daily
Batch :	Started : 10/01/2008 Stopped : 16/01/2008

Public Case Detail

Cases Count: 102

Case Number : 238530

Data Entry Date : 03/03/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 70

Onset Date : 10/02/2008

Age : 46Y

Outcome :

DOB :

Recovered

Causality : Causality certain

Information: Cert(rechall)
Same symptoms recurred after re-exposure of Citalopram.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea		Nausea on Citalopram	

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)	Reason :
	10 Milligram Daily
Batch :	Started : 05/02/2008 Stopped : 19/02/2008

Public Case Detail

Cases Count: 102

Case Number : 238586

Data Entry Date : 04/03/2008

Gender : F

Hospitalisation :

Weight (kg) : 61.5

Onset Date : 26/01/2007

Age :

DOB : 26/05/1959

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Aggression		<p>Took Lexapro in early evening. Symptoms 30 mins later, felt euphoric, 2 hours later getting agitation, then agro - mean and snappy, aching and arthralgia all main joints, awful, skin felt on fire at same time, started nuchal area - back of head - something burning, crept all over, including hands and feet, then half an hour after that neck felt itchy, then nausea. Sharp central frontal headache. Had swallowing sensation, lump in throat, tingly bottom lip. Next day twitches in multiple muscle groups. This was the second time this happened.</p>	
Agitation			
Arthralgia			
Euphoric mood			
Headache			
Nausea			
Pruritus			
Skin burning sensation			

Medicine details :

Lexapro (Suspected)	Reason :
	10 Milligram 1 time
Batch :	Started : 26/01/2007 Stopped :

Public Case Detail

Cases Count: 102

Case Number : 238674

Data Entry Date : 06/03/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 75

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Pathological gambling		Client had begun gambling, lost \$5000, and developed compulsive behaviours like nail biting, washing hands.	
Impulsive behaviour			
Onychophagia			

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 08/10/2007	Stopped : 31/01/2008	

Public Case Detail

Cases Count: 102

Case Number : 238689

Data Entry Date : 06/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 76

Onset Date : 22/01/2008

Age :

Outcome : 23/01/2008

DOB : 08/02/1942

Recovered

Causality : Causality probable

Information: History: of type 2 diabetes.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nightmare		Patient reported that for the third time he had noted that whenever he forgot to take his daily dose of escitalopram he experienced nightmares for that night only.	
Drug withdrawal syndrome			

Medicine details :

Lexapro (Suspected)	Reason : Anxiety neurosis
Tablet	30 Milligram Daily Oral
Batch :	Started : 27/03/2007 Stopped :
STILNOX (Other drug)	Reason : Specific disorders of sleep
Tablet	10 Milligram Daily Oral
Batch :	Started : 07/11/2007 Stopped :

Public Case Detail

Cases Count: 102

Case Number : 238722

Data Entry Date : 07/03/2008
Hospitalisation : Admitted to hospital
Onset Date : 02/12/2007
Outcome : 04/12/2007
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 04/01/1965
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	The patient was a smoker and was advised by a respiratory physician to quit smoking due to recent finding of decreased lung function. After seeking advice from both her GP (who according to patient provided thorough counselling including psychiatric adverse effect risk) and her psychiatrist, the patient agreed to try varenicline (Champix) to help her quit smoking. A few days after starting the medication, patient gradually developed depression and agitation (patient stated that the symptoms started at around day 7), and later patient threatened to kill people around her and developed suicidal behaviour. While in-patient the patient was transferred from general ward to the Psychiatric Intensive Care Unit due to aggressive and erratic behaviour towards ward staff.	
Agitation	Life threatening		
Homicidal ideation	Life threatening		
Suicidal behaviour	Life threatening		

Medicine details :

Champix (Interaction)	Reason : Smoker
Tablet	1 Dose Unspec Daily Oral
Batch :	Started : 07/11/2007 Stopped : 02/12/2007 0

Medicine details :

Escitalopram (Interaction)

Reason : Depression

Tablet 30 Milligram Daily Oral

Batch : Started : Stopped :

METHYLPREDNISOLONE (Interaction)

Reason :

40 Milligram Daily

Batch : Started : Stopped : 0

SODIUM VALPROATE (Interaction)

Reason : Unspecifid affective psychosis

Tablet 1.5 Gram Daily Oral

Batch : Started : Stopped :

ALPRAZOLAM (Other drug)

Reason :

1 Milligram Daily Oral

Batch : Started : Stopped :

RABEPRAZOLE SODIUM (Other drug)

Reason :

Tablet 20 Milligram Daily Oral

Batch : Started : Stopped :

Case Number : 238724

Data Entry Date : 07/03/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 02/12/2007

Age :

Outcome : 04/12/2007

DOB : 04/01/1965

Recovered

Causality : Causality certain

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Overdose	Life threatening	Previously stabilised on psychiatric medications, was admitted to emergency on 03/12/07 with low conscious state secondary to overdose with sodium valproate.	
Depressed level of consciousness	Life threatening		

Medicine details :

ALPRAZOLAM (Interaction)	Reason : Depression
Tablet	1 Milligram Daily Oral
Batch :	Started : Stopped :
Escitalopram (Interaction)	Reason : Depression
Tablet	30 Milligram Daily Oral
Batch :	Started : Stopped :
METHYLPREDNISOLONE (Interaction)	Reason :
	40 Milligram Daily
Batch :	Started : Stopped :
SODIUM VALPROATE (Interaction)	Reason : Unspecifid affective psychosis
Tablet	1.5 Gram Daily Oral
Batch :	Started : Stopped :
MIRTAZAPINE (Other drug)	Reason : Depression
Tablet	75 Milligram Daily Oral
Batch :	Started : Stopped :
RABEPRAZOLE SODIUM (Other drug)	Reason :
Tablet	20 Milligram Daily Oral
Batch :	Started : Stopped :
SALBUTAMOL (Other drug)	Reason : Asthma
Inhalation	6 Dose Unspec Daily Inhalation
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 238860

Data Entry Date : 12/03/2008
Hospitalisation : Admitted to hospital
Onset Date : 18/02/2008
Outcome :
 Not yet recovered

Gender : M
Weight (kg) : 0
Age : 74Y
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation	Drug induced SIADH.	Withdraw carbamazepine, start fludrocortisone.
Circulatory collapse	Caused or prolonged inpatient hospitalisation		
Hyponatraemia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)			
Tablet	40 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
TEGRETOL CR (Suspected)			
Tablet	600 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
DIAZEPAM (Other drug)			
Tablet	5 Milligram		Oral
Batch :	Started :	Stopped :	
OMEPRAZOLE (Other drug)			
	20 Milligram		
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 239039

Data Entry Date : 18/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 28Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Panic attack		Complained of Panic attack, agitation, tension, irritability, anxiety, anger, musculoskeletal pain, myalgia and nightmare.	
Agitation			
Anger			
Anxiety			
Irritability			
Musculoskeletal pain			
Myalgia			
Nightmare			
Tension			

Medicine details :

Lexapro (Suspected)	Reason :	
Batch :	Started :	Stopped :
STILNOX (Suspected)	Reason :	Oral
Batch :	Started :	Stopped :

Public Case Detail

Cases Count: 102

Case Number : 239112

Data Entry Date : 19/03/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicide attempt		Suicide attempt; homicidal ideation; overdose; feeling abnormal; fatigue; loss of consciousness; nightmare; somnolence	
Fatigue			
Feeling abnormal			
Homicidal ideation			
Insomnia			
Loss of consciousness			
Nightmare			
Overdose			
Somnolence			
Suicidal ideation			

Medicine details :			
ALCOHOL (Suspected)		Reason :	
Batch :	Started :	Stopped :	
CIPRAMIL (Suspected)		Reason :	
Batch :	Started :	Stopped :	Oral 0
STILNOX (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Case Number : 239117

Data Entry Date : 19/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 24/09/1966

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Amnesia		Delirium; amnesia; drug interaction	
Delirium			
Drug interaction			

Medicine details :

ALPRAZOLAM (Interaction)	Reason :		
Batch :	Started :	Stopped :	
DI-GESIC (Interaction)	Reason :		
Batch :	Started :	Stopped :	
Lexapro (Interaction)	Reason :		
Batch :	Started :	Stopped :	
OXYCODONE HYDROCHLORIDE (Interaction)	Reason :		
Batch :	Started :	Stopped :	
STILNOX (Interaction)	Reason :		
Batch :	Started :	Stopped :	0
TEMAZEPAM (Interaction)	Reason :		
Batch :	Started :	Stopped :	
NOTEN (Other drug)	Reason :		
Batch :	Started :	Stopped :	
ZANIDIP (Other drug)	Reason :		
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 239402

Data Entry Date : 31/03/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 58

Onset Date : 13/03/2008

Age :

DOB : 07/11/1988

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Somnolence		Somnolence	

Medicine details :

Lexapro (Suspected)

Reason : Depression

10 Milligram Daily

Batch :

Started : 13/03/2008

Stopped : 16/03/2008

Public Case Detail

Cases Count: 102

Case Number : 239497

Data Entry Date : 02/04/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 24/04/1988

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder	Incapacity/disability	extrapyramidal reaction - jerking of both arms and legs - ceased after im cogentin injection Cipramil ceased	Cogentin im

Medicine details :

CIPRAMIL (Suspected)	Reason : Depression
	20 Milligram Daily Oral
Batch :	Started : 17/10/2006 Stopped : 16/03/2008

Public Case Detail

Cases Count: 102

Case Number : 239784

Data Entry Date : 10/04/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 90

Onset Date : 06/06/2007

Age :

DOB : 27/05/1969

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Gingival bleeding		Bleeding gums to light pressure, vaginal bleeding - unusual mid-cycle.	
Vaginal haemorrhage			

Medicine details :			
CIPRAMIL (Suspected)		Reason : Anxiety neurosis	
Tablet	40 Milligram	Daily	Oral
Batch :	Started : 15/10/2006	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 239873

Data Entry Date : 11/04/2008

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 08/10/2007

Age :

DOB : 21/11/1959

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Vomiting	Incapacity/disability	vomitning, visual disturbance and insomnia for 24 after taking one 10mg lexapro tablet	cease medication
Insomnia	Incapacity/disability		
Visual impairment	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	1 time	Oral
Batch :	Started : 08/10/2007	Stopped : 08/10/2007	

Case Number : 240023

Data Entry Date : 15/04/2008
Hospitalisation : Admitted to hospital
Onset Date : 18/02/2007
Outcome :
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 27/11/1927
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Chest pain	Caused or prolonged inpatient hospitalisation	Rash - itchy, erythematous spots on her thighs, back, forearms, lip swelling, chest pain.	Ceased statin, citalopram, risedronate and diazepam. Given promethazine 10mg oral stat, hydrocortisone 100mg IV, anginine. Required 5 further doses of promethazine over the next 24 hours then changed to cetirizine 10mg daily with gradual resolution of symptoms.
Chest discomfort	Caused or prolonged inpatient hospitalisation		
Lip swelling	Caused or prolonged inpatient hospitalisation		
Pruritus	Caused or prolonged inpatient hospitalisation		
Rash	Caused or prolonged inpatient hospitalisation		

Medicine details :

Actonel Combi (Suspected)	Reason : Osteoporosis
35 Milligram Daily	
Batch :	Started : 15/12/2006 Stopped : 18/02/2007
ATORVASTATIN (Suspected)	Reason :
10 Milligram Daily	
Batch :	Started : 15/12/2006 Stopped : 18/02/2007
CITALOPRAM HYDROBROMIDE (Suspected)	Reason :
20 Milligram Daily	
Batch :	Started : 15/12/2006 Stopped : 18/02/2007
DIAZEPAM (Suspected)	Reason :
1 Milligram Daily	
Batch :	Started : Stopped :
ASPIRIN (Other drug)	Reason :
100 Milligram Daily	
Batch :	Started : Stopped :

Medicine details :

CHOLECALCIFEROL (Other drug)

Reason :

25 Microgram Daily

Batch :

Started :

Stopped :

THYROXINE SODIUM (Other drug)

Reason :

100 Microgram Daily

Batch :

Started :

Stopped :

Case Number : 240119

Data Entry Date : 17/04/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 09/04/2008

Age :

DOB : 26/11/1953

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Epilepsy		had influenza vaccine on 9/4/08 am. She had a "black-out" late afternoon on the same day and 3 more on 10/4/08. She said she had fallen over onto her back each time and her back is sore. Follow-up 17/4/08: She had had 2 more ?black-outs? with falls on 11 & 12/4/08. A locum doctor visited her 12/4/08, said her blood pressure was fairly low (did not tell her the reading), and said she had internal bruising, but he thought her spine was all right. On 16/4/08 she had seen her GP who prescribed Brufen 400mg tid for her back pain. Her blood pressure was OK then. doctor did not think she needed further treatment or change of treatment for the ?blackouts?. She says she is still in a lot of pain	Brufen 400mg tid for back pain
Fall			
Loss of consciousness			

Medicine details :

ENDEP (Suspected)	Reason : Depression
50 Milligram	Daily
Batch :	Started : 07/04/0110 Stopped : 0
INFLUENZA VACCINE (Suspected)	Reason : Prophylactic inoculation and vaccination
1 Dose Unspec	1 time
Batch :	Started : 09/04/2008 Stopped : 0

Medicine details :

Lexapro (Suspected)

Reason :

25 Milligram Daily

Batch :

Started : 01/10/2007

Stopped :

0

EPILIM (Other drug)

Reason : Epilepsy

200 Milligram Daily

Batch :

Started :

Stopped :

FEMARA (Other drug)

Reason : Malignant neoplasm of breast

2.5 Milligram Daily

Batch :

Started :

Stopped :

Case Number : 240233

Data Entry Date : 22/04/2008
Hospitalisation : Admitted to hospital
Onset Date : 29/02/2008
Outcome : 03/03/2008
 Recovered

Gender : F
Weight (kg) : 83
Age :
DOB : 07/09/1947
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea	Caused or prolonged inpatient hospitalisation	Serotonin Syndrome - hot, sweaty, sense of impending doom, nausea, diarrhoea, feeling of anxiety, nightmares, auditory and visual hallucinations, legs moving involuntarily, febrile (38C)	Ceased tramadol and citalopram
Anxiety	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Dyskinesia	Caused or prolonged inpatient hospitalisation		
Feeling hot	Caused or prolonged inpatient hospitalisation		
Hallucination	Caused or prolonged inpatient hospitalisation		
Hyperhidrosis	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Respiratory rate increased	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)

Reason : Depression

20 Milligram Daily

Batch :

Started :

Stopped : 01/03/2008

TRAMADOL HYDROCHLORIDE (Suspected)

Reason : Pain

100 Milligram Daily

Batch :

Started : 24/02/2008

Stopped : 01/03/2008

TRAMADOL HYDROCHLORIDE (Suspected)

Reason : Pain

50 Milligram Daily

Batch :

Started : 21/02/2008

Stopped : 22/02/2008

BRICANYL (Other drug)

Reason :

2 Dose Unspec Daily Inhalation

Batch :

Started :

Stopped :

DILTIAZEM HYDROCHLORIDE (Other drug)

Reason :

180 Milligram Daily

Batch :

Started :

Stopped :

FRUSEMIDE (Other drug)

Reason :

80 Milligram Daily

Batch :

Started :

Stopped :

Case Number : 240532

Data Entry Date : 01/05/2008
Hospitalisation : Admitted to hospital
Onset Date : 04/12/2007
Outcome :
 Recovered

Gender : M
Weight (kg) : 0
Age :
DOB : 29/12/1924
Causality : Causality possible

Information:

Reaction :	Severity	Report Description	Treatment
Preferred Term Lethargy	Caused or prolonged inpatient hospitalisation	Increased lethargy and sleeplessness secondary to hyponatraemia and hypoglycaemia.	Escitalopram ceased. Given mirtazepine instead.
Hypoglycaemia	Caused or prolonged inpatient hospitalisation		
Hyponatraemia	Caused or prolonged inpatient hospitalisation		
Insomnia	Caused or prolonged inpatient hospitalisation		

Medicine details :	Reason :
Escitalopram (Suspected)	Reason :
Oral	
Batch :	Started :
	Stopped : 04/12/2007
ASPIRIN (Other drug)	Reason :
150 Milligram	Oral
Batch :	Started :
	Stopped :
CLOPIDOGREL (Other drug)	Reason :
75 Milligram	Oral
Batch :	Started :
	Stopped : 0
CRANBERRY (Other drug)	Reason :
Tablet	1 Dose Unspec
Batch :	Started :
	Stopped :
ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)	Reason :
20 Milligram	Oral
Batch :	Started :
	Stopped :
IRBESARTAN (Other drug)	Reason :
300 Milligram	Oral
Batch :	Started :
	Stopped :

Medicine details :

OSTELIN 1000 (Other drug)

Reason :

1 Dose Unspec

Oral

Batch :

Started :

Stopped :

Ranoxyl (Other drug)

Reason :

16 Milligram

Oral

Batch :

Started :

Stopped :

SIMVASTATIN (Other drug)

Reason :

40 Milligram

Oral

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		03/12/2007	120	
Sodium		10/12/2007	129	

Public Case Detail

Cases Count: 102

Case Number : 241134

Data Entry Date : 23/05/2008

Gender : M

Hospitalisation :

Weight (kg) : 72

Onset Date : 15/04/2008

Age :

DOB : 12/11/1962

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urinary retention		Acute urine retention.	Ceased Lexapro.

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 02/04/2008	Stopped :	15/04/2008

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Ultrasound				But ultrasound -> incomplete emptying.

Public Case Detail

Cases Count: 102

Case Number : 241208

Data Entry Date : 22/05/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 75

Onset Date : 01/11/2007

Age :

DOB : 04/07/1970

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Furuncle		3 weeks after commencement of Lexapro, skin boils over torso, thighs and upperarm. Also hair loss.	Lexapro ceased.
Alopecia			

Medicine details :

Lexapro (Suspected)	Reason : Depression
10 Milligram	Daily
	Oral
Batch :	Started : 15/10/2007
	Stopped :

Public Case Detail

Cases Count: 102

Case Number : 241873

Data Entry Date : 13/06/2008

Gender : M

Hospitalisation :

Weight (kg) : 96

Onset Date : 18/04/2008

Age :

DOB : 09/12/1974

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Syncope	Life threatening	Syncopal episode while driving .	

Medicine details :			
TALOHEXAL (Suspected)		Reason : Depression	
Tablet	40 Milligram	Daily	Oral
Batch :	Started : 04/12/2007	Stopped :	

Case Number : 241949

Data Entry Date : 16/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 22/05/2008

Age :

DOB : 23/01/1983

Outcome : 22/05/2008

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dystonia	Life threatening	Dystonia reaction, tongue protrusion, airway obstructions.	Benzotropine
Dyskinesia	Life threatening		
Obstructive airways disorder	Life threatening		

Medicine details :

CLOPIXOL-ACUPHASE (Suspected)	Reason : Otr spec symp psychopathol nec		
Injection	100 Milligram	1 time	Intramuscular
Batch :	Started : 22/05/2008	Stopped :	
Lexapro (Suspected)	Reason : Depression		
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped : 22/05/2008	0
ATIVAN (Other drug)	Reason : Otr spec symp psychopathol nec		
Tablet	2 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped :	
SEROQUEL (Other drug)	Reason : Unspecified psychosis		
Tablet	300 Milligram	Daily	Oral
Batch :	Started : 18/04/2008	Stopped :	

Case Number : 242175

Data Entry Date : 23/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 09/05/2008

Age : 89Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Inappropriate antidiuretic hormone secretion		Drug induced SIADH. Presented with nausea, lethargy, and anorexia following 4 days of paroxetine.	Citalopram withheld. Ceased paroxetine. Fluid restriction
Anorexia			
Lethargy			
Nausea			

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)	Reason :
20 Milligram Daily	
Batch :	Started :
	Stopped : 02/05/2008
PAROXETINE HYDROCHLORIDE (Suspected)	Reason :
Batch :	Started :
	Stopped :
ALENDRONATE SODIUM (Other drug)	Reason :
70 Milligram Weekly	
Batch :	Started :
	Stopped :
COLOXYL (Other drug)	Reason :
1 Dose Unspec As necessary	
Batch :	Started :
	Stopped :
IRBESARTAN (Other drug)	Reason :
300 Milligram Daily	
Batch :	Started :
	Stopped :
OMEPRAZOLE (Other drug)	Reason :
20 Milligram Daily	
Batch :	Started :
	Stopped :
OXAZEPAM (Other drug)	Reason :
7.5 Milligram Daily	
Batch :	Started :
	Stopped : 02/05/2008

Medicine details :

PARACETAMOL (Other drug)

Reason :

2 Dose Unspec As necessary

Batch :

Started :

Stopped :

TIMOLOL MALEATE (Other drug)

Reason :

0.5 Percent Daily

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		12/03/2007	120	
Sodium		13/03/2007	122	
Sodium		14/03/2007	128	
Sodium		23/03/2007	129	
Sodium		08/05/2008	127	

Public Case Detail

Cases Count: 102

Case Number : 242215

Data Entry Date : 24/06/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 76

Onset Date : 30/04/2008

Age :

DOB : 03/04/1936

Outcome : 01/05/2008

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hallucination		Auditory and visual hallucinations.	Ceased Cipramil.

Medicine details :			
CIPRAMIL (Suspected)		Reason : Depression	
	20 Milligram	Daily	
Batch :	Started : 15/10/2007	Stopped : 30/04/2008	

Case Number : 242316

Data Entry Date : 26/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 12/05/2008

Age : 51Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tongue disorder		Writhing tongue, twitching muscles, upper and lower lips, slurred speech, twitching in fingers.	
Muscle twitching			

Medicine details :

Lexapro (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 21/04/2008	Stopped :	14/05/2008
CELEBREX (Other drug)		Reason :	
Batch :	Started :	Stopped :	
Humira (Other drug)		Reason : Other rheumatoid arthritis	
Injection	40 Milligram	Fortnightly	Intravenous
Batch :	Started : 15/01/2007	Stopped :	
METHOTREXATE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
OROXINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 242319

Data Entry Date : 26/06/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/06/2007

Age : 50Y

Outcome :

DOB :

Recovered

Causality : Causality probable

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Convulsion		consumer report : Increased seizure frequency. The patient used to experience 5 seizures per week and since starting Celapram has experienced 8 per week. The patient had a past history of complex partial seizure	

Medicine details :

CELAPRAM (Suspected)	Reason : Depression
Tablet	40 Milligram 2 times Oral
Batch :	Started : 15/06/2007 Stopped : 15/10/2007 0
DILANTIN (Other drug)	Reason :
Batch :	Started : Stopped :
EPILIM (Other drug)	Reason :
Batch :	Started : Stopped :
LAMOTRIGINE (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 242322

Data Entry Date : 26/06/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 87

Onset Date :

Age : 52Y

Outcome :

DOB :

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Severe ankle oedema	Ceased Citalopram

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 15/11/2002	Stopped :	15/05/2008

Public Case Detail

Cases Count: 102

Case Number : 242542

Data Entry Date : 02/07/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 57

Onset Date : 09/06/2008

Age :

DOB : 06/08/1961

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Urticaria		Severe urticaria.	High dose steroids.

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped :	18/06/2008

Case Number : 242792

Data Entry Date : 10/07/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 60

Onset Date : 25/05/2008

Age :

Outcome : 26/05/2008

DOB : 20/05/1940

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Night sweats	Caused or prolonged inpatient hospitalisation	4 days of night sweats, fever, diarrhoea, rash, (bilateral arm to back) and reduced appetite. ?? serotonin syndrone.	Escitaloprim stopped.
Decreased appetite	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Rash	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 03/05/2008	Stopped : 25/05/2008	
IRBESARTAN (Other drug)		Reason :	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
NIFEDIPINE (Other drug)		Reason :	
	30 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
SEROQUEL (Other drug)		Reason :	
Tablet	25 Milligram		Oral
Batch :	Started :		Stopped :

Public Case Detail

Cases Count: 102

Case Number : 243119

Data Entry Date : 22/07/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 75

Onset Date : 15/05/2008

Age :

DOB : 26/07/1959

Outcome :
Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Purpura		Bruising easily and purpura.	Ceased Citalopram
Increased tendency to bruise			

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 15/04/2008	Stopped : 25/06/2008	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Other data				Bloods NAD

Public Case Detail

Cases Count: 102

Case Number : 243280

Data Entry Date : 29/07/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 17/06/2008

Age : 63Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: Mechanism of Action: Cipramil weak inhibition of CIP2D6 - hepatic enzyme. increase of Risperidone.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome		The patient was treated with Risperidone long acting injection (microspheres, intra-muscular) 50 mg initiated on an unknown date for an unknown indication and Risperidone (tablets, oral) 2 mg twice a day, indication unknown on an unknown date for an unknown indication. It was reported that patient started taking Risperidone (tablets, oral) about 6 weeks prior to the suspected onset of neuroleptic malignant syndrome. On 17/06/08, the patient developed suspected neuroleptic malignant syndrome and on an unknown date, the patient showed signs of extrapyramidal syndrome like side effects; he experienced increase in blood pressure, increase in creatine kinase and suffered from rigidity.	Risperidone LAI and Risperidone tablets withdrawn.
Blood creatine phosphokinase increased			
Blood pressure increased			
Extrapyramidal disorder			
Muscle rigidity			

Medicine details :

CIPRAMIL (Suspected)

Reason :

Batch :

Started :

Stopped :

Medicine details :

Risperdal Consta (Suspected) Reason :

Injection 50 Milligram Daily Intramuscular

Batch : Started : Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Blood pressure				Blood pressure increased
Creatine kinase MB				Creatine kinase increased

Public Case Detail

Cases Count: 102

Case Number : 243668

Data Entry Date : 11/08/2008
Hospitalisation : Admitted to hospital
Onset Date : 31/07/2008
Outcome :
 Not yet recovered

Gender : M
Weight (kg) : 2.9
Age :
DOB : 31/07/2008
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neonatal respiratory distress syndrome	Caused or prolonged inpatient hospitalisation	Born with significant respiratory distress, ongoing jitteriness.	Respiratory support with oxygen.
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		
Drug withdrawal syndrome neonatal	Caused or prolonged inpatient hospitalisation		
Feeling jittery	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	20 Milligram	Daily	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 243744

Data Entry Date : 12/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 69

Onset Date : 15/07/2008

Age :

DOB : 31/10/1989

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hallucination		Visual hallucinations, sleep disturbance, depression worsened and agitation.	Lexapro ceased
Agitation			
Depression			
Sleep disorder			

Medicine details :

Lexapro (Suspected) Reason : Depression
10 Milligram Daily
Batch : Started : 26/06/2008 Stopped : 30/07/2008

Public Case Detail

Cases Count: 102

Case Number : 243806

Data Entry Date : 13/08/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 0
Age : 33Y
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation	Patient experienced a manic episode, with a predominately irritable mood, agitation, flight of ideas and pressured speech, reduced need for sleep and an increase in goal-directed behaviour.	Citalopram ceased, quetiapine increased to 150mg.

Medicine details :			
CIPRAMIL (Suspected)		Reason : Depression	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
<hr/>			
Interferon NOS (Other drug)		Reason :	
Batch :	Started :	Stopped :	
<hr/>			
QUETIAPINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
<hr/>			
RIBAVIRIN (Other drug)		Reason :	
Batch :	Started :	Stopped :	
<hr/>			

Public Case Detail

Cases Count: 102

Case Number : 244105

Data Entry Date : 25/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 04/09/2007

Age :

DOB : 19/11/1924

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hyponatraemia	Caused or prolonged inpatient hospitalisation	Significant hyponatremia, hypokalemia secondary to recent commencement of escitalopram for anxiety / depression	Escitalopram ceased; fluid restriction commenced. 3% normal saline given, carefully titrating to increase sodium levels. Mirtazapine later commenced
Hypokalaemia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Escitalopram (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 30/08/2007	Stopped : 04/09/2007	

Case Number : 244318

Data Entry Date : 02/09/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 16/07/2008

Age : 59Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		Raised LFT's, swelling of ankles, rash, fever.	Ceased amlodipine, atorvastatin, escitalopram, reduced dose paracetamol.
Hepatic function abnormal			
Joint swelling			
Pyrexia			

Medicine details :

Lexapro (Suspected)	Reason : Depression
15 Milligram Daily	
Batch :	Started : 07/07/2008 Stopped : 22/07/2008 0
LIPITOR (Suspected)	Reason : Othr&unspec metabolic diseases
40 Milligram Daily	
Batch :	Started : 18/06/2008 Stopped : 22/07/2008 0
AMLODIPINE (Other drug)	Reason :
5 Milligram Daily	
Batch :	Started : Stopped :
ASPIRIN (Other drug)	Reason :
100 Milligram Daily	
Batch :	Started : Stopped :
DIAZEPAM (Other drug)	Reason :
2.5 Milligram As necessary	
Batch :	Started : Stopped :
PARACETAMOL (Other drug)	Reason :
1 Dose Unspec As necessary	
Batch :	Started : Stopped :
PROCHLORPERAZINE MALEATE (Other drug)	Reason :
5 Milligram As necessary	
Batch :	Started : Stopped :
QUETIAPINE (Other drug)	Reason :
12.5 Milligram As necessary	
Batch :	Started : Stopped :

Medicine details :	
ZOPICLONE (Other drug)	Reason :
	15 Milligram As necessary
Batch :	Started :
	Stopped :

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
SAP = ALP		16/07/2008	408	
SAP = ALP		24/06/2008	76	
ALT = SGPT		16/07/2008	316	
ALT = SGPT		24/06/2008	46	
GGT = SGGT = GGTP		16/07/2008	342	
GGT = SGGT = GGTP		24/06/2008	51	

Public Case Detail

Cases Count: 102

Case Number : 244392

Data Entry Date : 04/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/12/1968

Outcome : 16/07/2008

Causality : Causality certain

Recovered

Information: Cert/rechallenge.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		After patient took the generic brand of escitalopram, he developed facial rash. When he stopped the facial rash disappeared, when he started the escitalopram again the rash came back.	Esipram stopped.
Therapeutic response unexpected with drug substitution			

Medicine details :

Esipram (Suspected)	Reason : Depression
Tablet	20 Milligram Daily Oral
Batch :	Started : L TERM Stopped : 14/07/2008 0
ASCORBIC ACID (Other drug)	Reason :
Batch :	Started : Stopped :
FISH OIL NOS (Other drug)	Reason :
Batch :	Oral Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 244490

Data Entry Date : 08/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 65

Onset Date :

Age :

DOB : 27/04/1954

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dyskinesia		Rapid onset of involuntary movements of face and jaw but not tongue.	Lexapro ceased, cogentin

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 04/07/2005	Stopped : 23/10/2007	
DIAZEPAM (Other drug)		Reason :	
	570 Milligram	As necessary	
Batch :	Started :	Stopped :	

Case Number : 245232

Data Entry Date : 08/10/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 11/03/1933
Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Fall	Caused or prolonged inpatient hospitalisation	? Delusional disorder, Seroquel ceased because of fall and postural hypotension.	Seroquel ceased. Medication changed to risperidone 0.5mg daily.
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation		

Medicine details :			
ARICEPT (Interaction)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
Escitalopram (Interaction)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
SEROQUEL (Suspected)		Reason :	
Tablet	400 Milligram	Daily	Oral
Batch :	Started : 01/02/2008	Stopped : 02/05/2008	

Case Number : 245249

Data Entry Date : 08/10/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 75

Onset Date :

Age :

Outcome : 15/09/2008

DOB : 11/03/1928

Recovered

Causality : Causality possible

Information: Symptomatic - no seizures
Allergies: Penicillin/Sulpha
Metoprolol - excessive bradycardia

Reaction :

Preferred Term	Severity	Report Description	Treatment
Malaise	Life threatening	Hyponatraemia	Cessation of escitalopram, IV saline to Na 120mmol/L - slow resolution
Hyponatraemia	Life threatening		

Medicine details :

Escitalopram (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/08/2008	Stopped : 08/09/2008	
TELMISARTAN (Suspected)	Reason : Essential benign hypertension		
	40 Milligram	Daily	
Batch :	Started :	Stopped : 0	
COLGOUT (Other drug)	Reason :		
	500 Microgram	Daily	Oral
Batch :	Started :	Stopped : 08/09/2008	
MOVICOL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
MYLANTA (Other drug)	Reason :		
	400 Milligram	As necessary	
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium				113 mmol/L

Public Case Detail

Cases Count: 102

Case Number : 245363

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 63

Onset Date : 08/10/2008

Age : 38Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Arthralgia	Incapacity/disability	Have taken 10mg for 2 months with no side effects. Increased dose to 2x10mg and on next day had aching joints and slight fever, strong headache, lethargy, loss of appetite, nausea, crazy dreams - lasted 5 days - decreasing in severity after day 3. Had day off work on day 2. Unable to drive or work due to headache or stand due to dizziness and aches fine mottled rash appeared - mainly on torso. Decreased to 1 and a half 10 mg tablets on 13th.	Disprin Max - ineffective. Aspalgin - moderately effective. Panadeine forte - more useful but cannot drive or care for children while so drowsy. Nil treatment for rash - not itchy.
Abnormal dreams	Incapacity/disability		
Anorexia	Incapacity/disability		
Dizziness	Incapacity/disability		
Headache	Incapacity/disability		
Lethargy	Incapacity/disability		
Pyrexia	Incapacity/disability		
Rash	Incapacity/disability		
Therapy regimen changed	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	20 Milligram	Daily	Oral
Batch : 8912	Started : 07/10/2008	Stopped :	0

Public Case Detail

Cases Count: 102

Case Number : 245367

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2008

Age : 33Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: Past history of heroin dependence.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation	Mania	

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)	Reason : Depression
20 Milligram Daily	
Batch :	Started :
	Stopped : 0
Peg Interferon Alfa-2a (Other drug)	Reason :
Batch :	Started :
	Stopped :
QUETIAPINE (Other drug)	Reason :
Batch :	Started :
	Stopped :
RIBAVIRIN (Other drug)	Reason :
Batch :	Started :
	Stopped :

Public Case Detail

Cases Count: 102

Case Number : 245376

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 29/06/2008

Age :

DOB : 20/02/1975

Outcome : 29/06/2008

Causality : Causality possible

Death, maybe drug

Information: History includes two previous pregnancies, mild asthma, non smoker, half a glass of wine daily throughout this and previous two pregnancies, chronic psychotic illness and psychotic disorder.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Stillbirth		- Drug Exposure during pregnancy - Stillbirth at 33/40 weeks gestation NOTE: Patient was enrolled in a Pregnancy Registry Program (The National Register of Antipsychotic Medication in Pregnancy).	

Drug exposure during pregnancy
Intra-uterine death

Medicine details :

CIPRAMIL (Suspected)	Reason : Depression		
Tablet	100 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
SEROQUEL (Suspected)	Reason : Unspecified psychosis		
Tablet	1.2 Gram	Daily	Oral
Batch :	Started :	Stopped :	0
FOLIC ACID (Other drug)	Reason : Unspec vitamin deficien states		
Batch :	Started :	Stopped :	0

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Ultrasound				On the 29/06/2008, the baby stopped moving in utero, ultrasound revealed fetal demise.

Public Case Detail

Cases Count: 102

Case Number : 245385

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 52

Onset Date : 01/10/2008

Age :

Outcome : 10/06/2008

DOB : 11/01/1973

Death

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Foetal cardiac disorder	Congenital anomaly / birth defect	Fetal abnormality. - Atrial isomerism, double outlet right ventricle, left ventricular hypoplasia, stomach on right side	Termination of pregnancy
Abortion induced	Congenital anomaly / birth defect		
Congenital anomaly	Congenital anomaly / birth defect		
Drug exposure during pregnancy	Congenital anomaly / birth defect		
Foetal disorder	Congenital anomaly / birth defect		
Ventricular hypoplasia	Congenital anomaly / birth defect		

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 06/06/2007	Stopped :	0

Case Number : 245389

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 30/08/2008

Age :

DOB : 10/02/1927

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Headache	Caused or prolonged inpatient hospitalisation	Constant headache, nausea, increased confusion.	
Confusional state	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)	Reason :
Tablet	10 Milligram Daily Oral
Batch :	Started : 29/08/2008 Stopped : 31/08/2008
FEFOL (Other drug)	Reason :
Batch :	Started : Stopped :
ISCOVER (Other drug)	Reason :
Batch :	Started : Stopped :
NEXIUM (Other drug)	Reason :
Batch :	Started : Stopped :
NOTEN (Other drug)	Reason :
Batch :	Started : Stopped :
PRAVACHOL (Other drug)	Reason :
Batch :	Started : Stopped :

Case Number : 245439

Data Entry Date : 14/10/2008
Hospitalisation : Admitted to hospital
Onset Date : 17/09/2008
Outcome :
 Recovered

Gender : M
Weight (kg) : 0
Age :
DOB : 01/03/1974
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Patient developed fever, and later in the day had a grand mal seizure. Patient had also developed Neuroleptic malignant syndrome on an unknown date and symptoms of fever and cardiovascular instability persisted for some days and creatine kinase peaked at 13000	Ceased ziprasidone. Treated with bromocriptine
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Cardiovascular insufficiency	Caused or prolonged inpatient hospitalisation		
Grand mal convulsion	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		

Medicine details :

CLOZAPINE (Suspected)	Reason :		
Batch :	Started :	Stopped :	
Lexapro (Suspected)	Reason : Depression		
	10 Milligram	Daily	Oral
Batch :	Started : 30/03/2008	Stopped :	
PERIACTIN (Suspected)	Reason :		
	4 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
Zeldox (Suspected)	Reason : Unspecified schizophrenia		
Capsule	160 Milligram	Daily	Oral
Batch :	Started : 17/07/2008	Stopped :	0

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine phosphokinase	<200	29/09/2008	13000	
Creatine phosphokinase	<200	22/09/2008	4000	
Creatine phosphokinase	<200	29/09/2008	164	

Public Case Detail

Cases Count: 102

Case Number : 246019

Data Entry Date : 06/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tinnitus	Incapacity/disability	Patient developed tinnitus and arthralgia of her hands.	Ceased Cipramil
Arthralgia	Incapacity/disability		

Medicine details :			
CIPRAMIL (Suspected)	Reason :		
Tablet	5 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Case Number : 246165

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 11/06/2008

Age :

DOB : 11/03/1933

Outcome :

Causality : Causality possible

Recovered

Information: Recent suspected NMS secondary to risperidone 0.5mg. (Admitted 05/05 -08/05/08)

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pyrexia		Lower oral intake, lower mobility, fever.	Ceased amisulpride and simvastatin, given antipyretics, IV fluids.
Blood creatine phosphokinase increased			
Cogwheel rigidity			
Hyperglycaemia			
Hypophagia			
Hypotension			
Mobility decreased			
Neuroleptic malignant syndrome			
Tachycardia			

Medicine details :

AMISULPRIDE (Suspected)	Reason :
200 Milligram Daily	
Batch :	Started : 15/05/2008 Stopped : 11/06/2008
DONEPEZIL HYDROCHLORIDE (Suspected)	Reason :
10 Milligram Daily	
Batch :	Started : Stopped :
Escitalopram (Suspected)	Reason :
20 Milligram Daily	
Batch :	Started : Stopped :
QUETIAPINE (Suspected)	Reason :
400 Milligram Daily	
Batch :	Started : Stopped :
RISPERIDONE (Suspected)	Reason :
0.5 Milligram Daily	
Batch :	Started : Stopped :
SIMVASTATIN (Suspected)	Reason :
40 Milligram Daily	
Batch :	Started : Stopped : 11/06/2008

Medicine details :

ASPIRIN (Other drug)

Reason :

100 Milligram Daily Oral

Batch :

Started :

Stopped :

CALTRATE (Other drug)

Reason :

600 Milligram Daily Oral

Batch :

Started :

Stopped :

CHOLECALCIFEROL (Other drug)

Reason :

1

Batch :

Started :

Stopped :

METFORMIN HYDROCHLORIDE (Other drug)

Reason :

1 Gram Daily

Batch :

Started :

Stopped : 11/06/2008

Novomix 30 (Other drug)

Reason :

16 Unit Daily Subcutaneous

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				Febrile 38.1C, MSU (-), BCs (-), CK peaked @7211 on 12/06/08.
Heart Rate				100
Blood pressure				106/40
Serum glucose				11.8
Creatine kinase MB		19/06/2008	154	

Public Case Detail

Cases Count: 102

Case Number : 246176

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 03/09/2008

Age : 8D

Outcome : 08/09/2008

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Bradycardia	Caused or prolonged inpatient hospitalisation	Bradycardia.	Monitored
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		

Medicine details :			
CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Unspecif personality disorder	
	20 Milligram	Daily	
Batch :	Started :	Stopped :	
CLEXANE (Other drug)		Reason :	
	60 Milligram		
Batch :	Started :	Stopped :	
FRAGMIN (Other drug)		Reason : Phleb&thrombophleb lowr extrem	
	10		
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Other data				Sinus bradycardia 58-176

Case Number : 246203

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 63

Onset Date :

Age :

DOB : 17/02/1934

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tremor		Tremor	

Medicine details :			
Medicine	Reason :	Batch :	Started :
Escitalopram (Suspected)			
			Stopped :
ALEPAM (Other drug)			
	60 Milligram As necessary		Oral
			Stopped :
ANTENEX (Other drug)			
	5 Milligram As necessary		
			Stopped :
ATACAND (Other drug)			
	16 Milligram Daily		Oral
			Stopped :
LIPITOR (Other drug)			
	20 Milligram Daily		Oral
			Stopped :
Norspan 5 (Other drug)			
	5 Milligram Weekly		Transdermal
			Stopped :
PARIET (Other drug)			
	20 Milligram Daily		Oral
			Stopped :

Public Case Detail

Cases Count: 102

Case Number : 246314

Data Entry Date : 17/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 05/09/2008

Age : 41Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis		Acute active hepatitis - ?	
Jaundice		secondary to Champix.	

Medicine details :

AMOXYCILLIN SODIUM (Suspected)

Reason :

Batch :

Started : 03/09/2008

Stopped : 05/09/2008

Champix (Suspected)

Reason : Smoker

Tablet

0.5 Milligram

Daily

Oral

Batch :

Started : 15/08/2008

Stopped : 05/09/2008

Escitalopram (Suspected)

Reason : Depression

10 Milligram

Daily

Batch :

Started : 31/08/2008

Stopped : 05/09/2008

NEXIUM (Suspected)

Reason :

40 Milligram

Daily

Batch :

Started :

L TERM

Stopped : 05/09/2008

Public Case Detail

Cases Count: 102

Case Number : 246562

Data Entry Date : 25/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: History of depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Self-injurious ideation		Patient experienced thoughts of self harm, crying, weight gain of 15kgs and drug ineffective.	
Crying			
Drug ineffective			
Weight increased			

Medicine details :

Lexapro (Suspected)

Reason : Depression

Tablet

20 Milligram

Daily

Oral

Batch :

Started :

L TERM

Stopped :

Public Case Detail

Cases Count: 102

Case Number : 246567

Data Entry Date : 25/11/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 99

Onset Date : 28/10/2008

Age :

DOB : 20/01/1972

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Akathisia		Akathisia, anxiety and insomnia.	
Anxiety			
Insomnia			

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 23/10/2008	Stopped : 28/10/2008	

Case Number : 246627

Data Entry Date : 26/11/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 27/12/2007

Age :

DOB : 14/03/1980

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	<p>On presentation this patient was febrile with deranged LFTs and jaundice, malaise, a maculo-papular rash to the trunk and arms that was causing desquamation of the skin (initially itchy), joint pain (+++), and severe ulceration to the tongue and throat. Initial diagnosis was Steven's Johnson Syndrome with cholestatic jaundice of unknown cause.</p> <p>The pts LFTs continued to deteriorate and the jaundice worsened over the seven days post admission. An atypical pulmonary infection (eg mycoplasma) was queried. Vasculitis was also queried.</p> <p>By the 09/01/2008 the itching had improved (jaundice still present, LFTs remained significantly elevated). Despite extensive investigation, no diagnosis could be made at this time. The subsequent diagnosis, made by the consultant physician, in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".</p>	<p>It was discussed as to whether to cease the patient's citalopram, however this was not done during admission. Supportive care for rash/ulceration.; Aciclovir was used for the queried viral infection. Azithromycin was used for the non specific URTI. ursodeoycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.</p>

Reaction :

Preferred Term	Severity	Report Description	Treatment
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	On presentation this patient was febrile with deranged LFTs and jaundice, malaise, a maculo-papular rash to the trunk and arms that was causing desquamation of the skin (initially itchy), joint pain (+++), and severe ulceration to the tongue and throat. Initial diagnosis was Steven's Johnson Syndrome with cholestatic jaundice of unknown cause. The subsequent diagnosis, made by the consultant physician, in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".	Supportive care; ursodeoxycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	The overall diagnosis made by the consultant physician in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".	Supportive care; ursodeoxycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Exfoliative rash	Caused or prolonged inpatient hospitalisation		
Jaundice cholestatic	Caused or prolonged inpatient hospitalisation		

Medicine details :

CITALOPRAM HYDROBROMIDE (Suspected)		Reason : Depression	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 01/12/2006	Stopped : 01/02/2008	0
VENTOLIN (Other drug)		Reason : Asthma	
Inhalation	Dose Unspec	As necessary	Inhalation
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Chest X-ray				? infiltrates
Ultrasound				Liver no cholestasis, no bile duct dilatation
Other data				Q fever PCR
Liver biopsy				1. destruction of bile ducts 2. (post citalopram) regeneration of bile ducts

Public Case Detail

Cases Count: 102

Case Number : 246917

Data Entry Date : 08/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 22/07/1984

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Lethargy	Incapacity/disability	generalized lethargy with use of lexapro	cessation of medication and changed to sertraline 25 mg daily

Medicine details :			
Lexapro (Suspected)	Reason :		
	10 Milligram	1 time	Oral
Batch :	Started : 08/05/2007	Stopped : 08/12/2008	

Public Case Detail

Cases Count: 102

Case Number : 247052

Data Entry Date : 10/12/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term

Severity

Report Description

Treatment

Drug ineffective

Esipram does not work, it does nothing for the patient.

Therapeutic response unexpected with drug substitution

Medicine details :

Esipram (Suspected)

Reason :

Tablet

20 Milligram

Daily

Oral

Batch : FA01323 11/2010

Started :

Stopped :

Public Case Detail

Cases Count: 102

Case Number : 247306

Data Entry Date : 22/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 10/11/2008

Age :

Outcome : 17/11/2008

DOB : 15/07/1977

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Headache		Severe headache, sensitive to light and sound, diarrhoea.	Panadol- 6/day for 4 days.
Diarrhoea			
Hyperacusis			
Photophobia			

Medicine details :			
Esipram (Suspected)	Reason :		
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 08/11/2008	Stopped : 15/11/2008	

Public Case Detail

Cases Count: 102

Case Number : 247657

Data Entry Date : 13/01/2009

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 03/10/2008

Age : 48Y

DOB :

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Delirium		Delirium, hallucinations.	Olanzapine stat wafer with good effect.
Hallucination			

Medicine details :			
AMITRIPTYLINE HYDROCHLORIDE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
CITALOPRAM HYDROBROMIDE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
FENTANYL TRANSDERMAL (Suspected)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 102

Case Number : 247852

Data Entry Date : 21/01/2009

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 20/10/2008

Age : 91Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia		Asymptomatic hyponatraemia	Ceased Lexapro, fluid restricted, sodium replacement

Medicine details :

Lexapro (Suspected)	Reason :
Tablet	10 Milligram Daily
Batch :	Started : 23/09/2008
	Stopped : 20/10/2008
ARICEPT (Other drug)	Reason :
Batch :	Started :
	Stopped :
ATACAND (Other drug)	Reason :
Batch :	Started :
	Stopped :
CALTRATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
OSTELIN 1000 (Other drug)	Reason :
Batch :	Started :
	Stopped :
VITAMINORUM B.P.C. (Other drug)	Reason :
Batch :	Started :
	Stopped :
WARFARIN SODIUM (Other drug)	Reason :
Batch :	Started :
	Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		22/09/2008	139	

Public Case Detail

Cases Count: 102

Case Number : 247870

Data Entry Date : 21/01/2009
Hospitalisation : Admitted to hospital
Onset Date : 13/10/2008
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 60
Age :
DOB : 13/11/1976
Causality : Causality possible

Information: History: Used heroine and methamphetamines 10 years ago. Suffers from depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Migraine	Caused or prolonged inpatient hospitalisation	Patient experienced episodes of fainting, slurred speech and unilateral weakness. This was followed by a severe headache and nightmares.	Lexapro discontinued.
Nightmare	Caused or prolonged inpatient hospitalisation		

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 17/06/2008	Stopped : 03/11/2008	

Case Number : 247872

Data Entry Date : 21/01/2009

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 70

Onset Date :

Age :

DOB : 06/05/1947

Outcome :

Causality : Causality possible

Recovered

Information: History of asthma, hayfever and depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Urticaria	Caused or prolonged inpatient hospitalisation	Two weeks after being prescribed Lexapro, patient developed a possible allergic reaction, developing three episodes of severe urticaria and laryngel swelling.	Lexapro discontinued. Changed to Cipramil 20mg.
Pharyngeal oedema	Caused or prolonged inpatient hospitalisation		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	10 Milligram Daily Oral
Batch :	Started : 18/06/2008 Stopped : 03/07/2008
PHENERGAN (Other drug)	Reason :
Batch :	Started : Stopped :
RHINOCORT (Other drug)	Reason :
Batch :	Started : Stopped :
VENTOLIN (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 102

Case Number : 247941

Data Entry Date : 23/01/2009

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

Outcome :

DOB : 18/01/1976

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Abdominal pain upper	Caused or prolonged inpatient hospitalisation	Patient experienced epigastric pains, duodenal ulcerationl.	Told to cease Buprofen, started on Nexium 40mg daily. IV potassium infusion, oral potassium supplements, 2 unit blood transfusion and iron infusion.
Duodenal ulcer	Caused or prolonged inpatient hospitalisation		

Medicine details :			
IBUPROFEN (Suspected)		Reason : Headache	
Batch :	Started :	Stopped :	
Talam (Suspected)		Reason : Depression	
	20 Milligram	Daily	
Batch :	Started : 15/04/2008	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Gastroscopy				Gastroscopy showed duodenal ulceration.

Case Number : 247985

Data Entry Date : 28/01/2009
Hospitalisation : Admitted to hospital
Onset Date : 11/08/2008
Outcome : 21/08/2008
 Recovered

Gender : M
Weight (kg) : 105
Age :
DOB : 29/06/1936
Causality : Causality possible

Information: Two cases from same doctor linking temazepam with venous thromboembolism ADRAC no. 247984. Lexapro has been associated with DVT.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Embolism venous	Life threatening	Patient given Temazepam 16/6/2008 for insomnia after death of wife. Stopped use of Lexapro May 2008 for a short while. Used Temazepam infrequently. Developed pulmonary embolism 11/8/08.	
Pulmonary embolism	Life threatening		

Medicine details :

Lexapro (Suspected)	Reason :
10 Milligram Daily	
Batch :	Started : 07/05/2008 Stopped :
TEMAZEPAM (Suspected)	Reason : Specific disorders of sleep
10 Milligram As necessary	
Batch :	Started : 16/06/2008 Stopped : 11/08/2008
AVAPRO (Other drug)	Reason : Essential benign hypertension
1 Dose Unspec Daily	
Batch :	Started : Stopped :
LIPEX (Other drug)	Reason :
Milligram Daily	
Batch :	Started : Stopped :
PANAMAX (Other drug)	Reason :
Batch :	Started : Stopped :

Selection Parameters : Date Range: 01/08/2007 To 31/01/2009 Unclear causality excluded GM medicines Only Medicine Names: CELAPRAM, CIPRAMIL, CITALOPRAM HYDROBROMIDE, TALOHXAL, Escitalopram, Lexapro, Talam, Chem Mart Citalopram, GenRx Citalopram, Ciazil, Esipram