

# Public Case Detail

Cases Count: 102

**Case Number : 231483**

**Data Entry Date :** 02/08/2007

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 25/06/2007

**Age :**

**DOB :** 12/11/1989

**Outcome :** 27/06/2007

**Causality :** Causality possible

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Opisthotonus		Patient experienced a dystonic reaction (opisthotonus) lasting in a mild way for a further 24 hours.	

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 05/06/2007	<b>Stopped :</b> 07/06/2007	
<b>Logicin Flu Strength Day &amp; Night (Suspected)</b>		<b>Reason :</b> Acute nasopharyngitis,com cold	
Tablet	1 Dose Unspec	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 05/06/2007	<b>Stopped :</b> 07/06/2007	

# Public Case Detail

Cases Count: 102

## Case Number : 231507

**Data Entry Date :** 03/08/2007  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 15/03/2006  
**Outcome :**  
 Recovered

**Gender :** F  
**Weight (kg) :** 100  
**Age :**  
**DOB :** 26/10/1953  
**Causality :** Causality possible

**Information:** Patient was changed from sertraline (on which she was stable) to escitalopram. When changed back to sertraline she improved.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	Patient experienced severe depression, attempted suicide.	Ceased Lexapro, started Sertraline.
Suicide attempt	Life threatening		

### Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
Tablet	10 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 15/03/2006 <b>Stopped :</b>
<b>ALODORM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ENDONE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PANADEINE FORTE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PREDNISONE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>TEMTABS (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 231605**

**Data Entry Date :** 07/08/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 48

**Onset Date :**

**Age :**

**DOB :** 22/09/1938

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Chest pain	Caused or prolonged inpatient hospitalisation	Patient experienced retrosternal chest pain, aching and constant in quality, oesophageal movements essentially normal.	Gastroscopy, cardiac angiogram. Cipramil ceased.

**Medicine details :**

<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b> Depression
Tablet	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 25/01/2007 <b>Stopped :</b> 23/06/2007 0
<b>INDERAL (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>KARVEA (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>NEXIUM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>OSTELIN 1000 (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>XANAX (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

**Case Number : 231803**

**Data Entry Date :** 10/08/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 99

**Onset Date :** 04/07/2007

**Age :**

**DOB :** 15/10/1970

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Feeling jittery		Jittery feeling, hand tremor, involuntary jaw clenching and feeling of tightness when opening mouth.	Cease Talohexal
Joint stiffness			
Tremor			
Trismus			

**Medicine details :**

<b>TALOHEXAL (Suspected)</b>		<b>Reason :</b> Anxiety neurosis	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 22/06/2007	<b>Stopped :</b> 16/07/2007	
<b>LIPEX (Other drug)</b>		<b>Reason :</b> Othr&unspec metabolic diseases	
Tablet	80 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>OROXINE (Other drug)</b>		<b>Reason :</b>	
Tablet	150 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Case Number : 231929

Data Entry Date : 14/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 91Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: recovered from everything except memory loss

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Drug withdrawal syndrome		An elderly patient missed approximately 5 days dosing of Celapram and experienced severe shaking, trance-like state and accelerated memory loss. Memory loss had been declining prior to event but more rapidly since missing doses	

### Medicine details :

<b>CELAPRAM (Suspected)</b>	<b>Reason :</b> Depression
Tablet	20 Milligram 1 time Oral
<b>Batch :</b>	<b>Started :</b> L TERM <b>Stopped :</b>
<b>Blackmores Macu Vision (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>FOSAMAX (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>KARVEA (Other drug)</b>	<b>Reason :</b>
	75 Milligram Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>NORVASC (Other drug)</b>	<b>Reason :</b>
	10 Milligram
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>OMEPRAZOLE (Other drug)</b>	<b>Reason :</b>
	40 Milligram Daily
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0
<b>PREDNISONE (Other drug)</b>	<b>Reason :</b>
	25 Milligram Daily
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0

## Medicine details :

SOLPRIN (Other drug)

Reason :

Batch :

Started :

Stopped :

---

TAMBOCOR (Other drug)

Reason :

50 Milligram

Batch :

Started :

Stopped :

---

VITAMIN D NOS (Other drug)

Reason :

Batch :

Started :

Stopped :

---

## Case Number : 232023

Data Entry Date : 15/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 25/05/2007

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: Patient has no history of sleep walking, no alcohol.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Abnormal sleep-related event		Patient got in her car drove on the footpath and ploughed into a phone box, taken to hospital, woke up during the CAT scan. She ran away from the hospital, police caught her and took her to a psych hospital. Patient had taken 6 extra Stilnox tablets, she had no memory of the whole day.	Ceased Stilnox.

### Medicine details :

<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b> Contin
<b>STILNOX (Suspected)</b>		<b>Reason :</b>	
Tablet	10 Milligram	As necessary	Oral
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b> 25/05/2007
<b>VALPRO (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet	1 Gram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b> Contin
<b>LEVLEN ED (Other drug)</b>		<b>Reason :</b> Contraception	
Tablet	1 Dose Unspec	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 232490**

**Data Entry Date :** 24/08/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 96

**Onset Date :** 18/08/2007

**Age :**

**DOB :** 29/04/1988

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Muscle spasms	Caused or prolonged inpatient hospitalisation	legs, arms and along spine.	
Abdominal pain upper	Caused or prolonged inpatient hospitalisation		
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Myalgia	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

<b>Lexapro (Suspected)</b>	<b>Reason :</b>		
Tablet	20 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 26/06/2007	<b>Stopped :</b> 24/08/2007	



# Public Case Detail

Cases Count: 102

**Case Number : 232588**

**Data Entry Date :** 28/08/2007

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 12/08/2007

**Age :**

**DOB :** 01/02/1959

**Outcome :**  
Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Serotonin syndrome		Serotonin syndrome, agitated, confused, hot and sweaty lasting a few hours.	Self managed by resting.
Agitation			
Confusional state			
Feeling hot			
Hyperhidrosis			

<b>Medicine details :</b>				
<b>CITALOPRAM HYDROBROMIDE (Interaction)</b>				
Tablet		20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>	Continuing.
<b>DOLOXENE (Interaction)</b>				
Capsule		200 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>	0
<b>PHENERGAN (Interaction)</b>				
Tablet		50 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started : 12/08/2007</b>		<b>Stopped : 12/08/2007</b>	0

# Public Case Detail

Cases Count: 102

**Case Number : 232597**

**Data Entry Date :** 28/08/2007

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 95

**Onset Date :** 15/07/2007

**Age :**

**DOB :** 05/01/1940

**Outcome :**  
Recovered

**Causality :** Causality probable

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Urticaria		Patient developed an urticarial rash.	Cessation of escitalopram.

<b>Medicine details :</b>			
<b>Escitalopram (Suspected)</b>		<b>Reason :</b> Depression	
	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/07/2007	<b>Stopped :</b> 15/07/2007	
<b>SEROQUEL (Other drug)</b>		<b>Reason :</b> Anxiety neurosis	
Tablet	300 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/07/2006	<b>Stopped :</b>	

**Case Number : 232599**

**Data Entry Date :** 28/08/2007

**Gender :** F

**Hospitalisation :** Required a specialist consultation

**Weight (kg) :** 0

**Onset Date :** 23/07/2007

**Age :** 32Y

**Outcome :** 25/07/2007

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Confusional state	Caused or prolonged inpatient hospitalisation	Confusion, altered mental state, drowsiness, nausea and vomiting.	Withheld Epilim, Valium and Stilnox.
Mental disorder	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		
Somnolence	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

<b>EPILIM EC 500 (Suspected)</b>	<b>Reason :</b> Other&unspecified epilepsy		
1 Gram	Daily	Oral	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 23/07/2007	
<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
10 Milligram	Daily	Oral	
<b>Batch :</b>	<b>Started :</b> 20/07/2007	<b>Stopped :</b> 23/07/2007	
<b>Stilnox CR (Suspected)</b>	<b>Reason :</b> Specific disorders of sleep		
Tablet	6.3 Milligram	As necessary	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 23/07/2007	
<b>SEROQUEL (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>VALIUM (Other drug)</b>	<b>Reason :</b> Anxiety neurosis		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 233026**

**Data Entry Date :** 04/09/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 60

**Onset Date :** 01/08/2007

**Age :**

**DOB :** 31/12/1958

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Rash erythematous			

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	10 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 06/01/2007	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 233086**

**Data Entry Date :** 06/09/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 80

**Onset Date :** 20/10/2006

**Age :**

**DOB :** 15/02/1987

**Outcome :** 05/01/2007

**Causality :** Causality possible

Death, maybe drug

**Information:** No family history of clotting disorders.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Deep vein thrombosis	Death	Patient developed a very large deep vein thrombosis whilst on Lexapro.(this report, SEQ .1)	Warfarin and Panadeine Forte

## Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/08/2006	<b>Stopped :</b> 03/01/2007	

# Public Case Detail

Cases Count: 102

**Case Number : 233114**

**Data Entry Date :** 06/09/2007

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :** 13/04/2007

**Age :**

**DOB :** 14/10/1946

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome	Caused or prolonged inpatient hospitalisation	Serotonin syndrome, manifest as syncope, agitation, hyperreflexia, sweating, cold feet, diarrhoea, vomiting.	cease citalopram, iv fluids

**Medicine details :**

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b>
Tablet	40 Milligram Daily
<b>Batch :</b>	<b>Started :</b> 11/04/2007 <b>Stopped :</b> 13/04/2007

## Case Number : 233116

Data Entry Date : 06/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2007

Age :

DOB : 05/04/1946

Outcome :

Causality : Causality possible

Unknown

**Information:** history of ischaemic heart disease post acute myocardial infarction  
233116 is a seq of 233489.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Chromaturia	Incapacity/disability	dark urine	
Blood creatine phosphokinase increased	Incapacity/disability	up to 8000	
Liver function test abnormal	Incapacity/disability		
Muscular weakness	Incapacity/disability		
Myalgia	Incapacity/disability		
Myopathy	Incapacity/disability		

### Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> 24/05/2007 <b>Stopped :</b> 16/08/2007 0
<b>LIPITOR (Suspected)</b>	<b>Reason :</b>
Tablet 80 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> 15/03/2006 <b>Stopped :</b> 16/08/2007 0
<b>ALLOPURINOL (Other drug)</b>	<b>Reason :</b>
100 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ASPIRIN (Other drug)</b>	<b>Reason :</b>
100 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>METOPROLOL TARTRATE (Other drug)</b>	<b>Reason :</b>
25 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>RAMIPRIL (Other drug)</b>	<b>Reason :</b>
2.5 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Liver function tests				refer to attached CIOMS for data

## Case Number : 233166

Data Entry Date : 07/09/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 70

Onset Date : 13/12/2006

Age :

DOB : 16/07/1942

Outcome : 27/12/2006

Causality : Causality possible

Recovered

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Liver function test abnormal		Abnormal LFT's and neutropenia.	
Neutropenia			

#### Medicine details :

<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b> Anxiety neurosis	
Tablet			Oral
<b>Batch :</b>	<b>Started :</b> 01/12/2006	<b>Stopped :</b> 13/12/2006	0
<b>Dithiazide (Other drug)</b>		<b>Reason :</b> Essential benign hypertension	
Tablet	12.5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 30/10/2006	<b>Stopped :</b> 13/12/2006	
<b>Dithiazide (Other drug)</b>		<b>Reason :</b>	
Tablet	12.5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 30/10/2006	<b>Stopped :</b> 13/12/2006	
<b>RAMIPRIL (Other drug)</b>		<b>Reason :</b> Essential benign hypertension	
	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

#### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
ALT = SGPT				ALT = 275
Neutrophils				Neutropenia = 0.8



# Public Case Detail

Cases Count: 102

**Case Number : 233236**

**Data Entry Date :** 10/09/2007

**Gender :** F

**Hospitalisation :** Required a specialist consultation

**Weight (kg) :** 60.4

**Onset Date :** 12/03/2007

**Age :**

**DOB :** 20/04/1993

**Outcome :** 13/03/2007

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Suicidal ideation	Caused or prolonged inpatient hospitalisation	Child experienced suicidal ideation.	Drug withdrawn until review.

<b>Medicine details :</b>			
<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b>	
Tablet	40 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 20/02/2007	<b>Stopped :</b>	13/03/2007

# Public Case Detail

Cases Count: 102

**Case Number : 233361**

**Data Entry Date :** 13/09/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 52Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality probable

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Whilst on Cipramil "worst six days of my life". Patient is a nurse and very aware of medications and management of her depression. Changed from Efexor to Cipramil and became actively suicidal. Wanted to set herself on fire or "take pills". Kept picturing it - one thought all the time. Had panic attacks about her capability to lose control. Terrified.	Changed from Cipramil to Edronex..

**Medicine details :**

<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b>	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>Centrum Select 50+ (Other drug)</b>		<b>Reason :</b>	
Tablet	1 Dose Unspec	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>OROXINE (Other drug)</b>		<b>Reason :</b>	
Tablet	500 Microgram	Weekly	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 233398**

**Data Entry Date :** 12/09/2007

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 95

**Onset Date :** 01/06/2007

**Age :**

**DOB :** 15/06/1972

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:** Operations on both ears (gramets) when 7-10 years of age.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Deafness unilateral		High pitch whistle in right ear only - also hearing loss in right ear only. Tinnitus a real problem in last few days.	
Tinnitus			

## Medicine details :

**CELAPRAM (Suspected)**

**Reason :** Depression

Tablet

20 Milligram

Daily

Oral

**Batch :**

**Started :** 01/09/2006

**Stopped :**

0

# Public Case Detail

Cases Count: 102

**Case Number : 233489**

**Data Entry Date :** 18/09/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 60Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase increased Liver function test abnormal		Creatine kinase increased. Liver function tests raised.	Lexapro ceased

<b>Medicine details :</b>	
Lexapro (Suspected)	Reason : Depression
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Creatine phosphokinase				8000
Liver function tests				Elevated

# Public Case Detail

Cases Count: 102

**Case Number : 233662**

**Data Entry Date :** 20/09/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 77

**Onset Date :**

**Age :**

**DOB :** 03/01/1990

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Suicide attempt		precipitated suicide act 2 x OD within 2 weeks, and continuing suicide ideation after starting escitalopram 10mg m. Never experience that before and can't explained why OD occurred.	
Suicidal ideation			

**Medicine details :**

<b>Escitalopram (Suspected)</b>		<b>Reason :</b>	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 20/08/2007	<b>Stopped :</b> 14/09/2007	

# Public Case Detail

Cases Count: 102

**Case Number : 233907**

**Data Entry Date :** 02/10/2007

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 82.5

**Onset Date :**

**Age :** 45Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Weight increased		Patient has been taking Lexapro with an initial dose of 10mg. After 6 weeks it was increased to 20mg. Her initial weight was 63.5kg and by Sept 2007 it was 82.5kg.	Ceased medication.

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b>	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 234014**

Data Entry Date : 04/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 04/09/2007

Age : 73Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

**Information:**

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Cerebral haemorrhage		Intracerebral/ventricular bleed.	

<b>Medicine details :</b>			
<b>CLEXANE (Suspected)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>Escitalopram (Suspected)</b>		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
<b>WARFARIN SODIUM (Suspected)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>CEPHAZOLIN SODIUM (Other drug)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>MIXTARD 30/70 (Other drug)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>MODURETIC (Other drug)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>PARACETAMOL (Other drug)</b>		Reason :	
Batch :	Started :	Stopped :	
<b>SOTALOL HYDROCHLORIDE (Other drug)</b>		Reason :	
Batch :	Started :	Stopped :	

# Public Case Detail

Cases Count: 102

**Case Number : 234058**

**Data Entry Date :** 05/10/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 74

**Onset Date :** 01/06/2007

**Age :** 52Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hepatitis	Incapacity/disability	suspected drug induced hepatitis	
Hypertension	Incapacity/disability		
Visual impairment	Incapacity/disability		

**Medicine details :**

<b>EDRONAX (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	4 Milligram	2 times	Oral
<b>Batch :</b>	<b>Started :</b> 10/03/2005	<b>Stopped :</b>	
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	30 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 30/06/2006	<b>Stopped :</b>	



# Public Case Detail

Cases Count: 102

## Case Number : 234303

Data Entry Date : 12/10/2007

Hospitalisation :

Onset Date : 15/09/2007

Outcome :

Not yet recovered

Gender : F

Weight (kg) : 0

Age : 99U

DOB :

Causality : Causality possible

### Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hot flush	Caused or prolonged inpatient hospitalisation	After taking the first escitalopram tablet the patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Ceased drug
Dysuria	Caused or prolonged inpatient hospitalisation		
Feeling of body temperature change	Caused or prolonged inpatient hospitalisation		

Medicine details :			
<b>Esipram (Suspected)</b>		<b>Reason : Depression</b>	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started : 15/09/2007</b>	<b>Stopped : 16/09/2007</b>	

## Case Number : 234721

**Data Entry Date :** 23/10/2007

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 11/10/2007

**Age :**

**DOB :** 18/07/1963

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:** Patient had the same issue with Zoloft in 2006.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Paraesthesia		Burning paraesthesia of soles of foot 2 days after commencing Cipramil.	
Burning sensation			

### Medicine details :

<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b>	
Tablet		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>Seretide 125/25 MDI (Other drug)</b>	<b>Reason :</b>	
Inhalation		Inhalation
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>VENTOLIN (Other drug)</b>	<b>Reason :</b>	
Inhalation		Inhalation
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>Vesicare (Other drug)</b>	<b>Reason :</b>	
Tablet	5 Milligram Daily	Oral
<b>Batch :</b>	<b>Started :</b> 24/09/2007	<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 235265**

**Data Entry Date :** 14/11/2007

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 78

**Onset Date :** 31/07/2007

**Age :**

**DOB :** 10/12/1964

**Outcome :** 07/08/2007

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Pruritus generalised		Generalised itch, 4/7 after starting Lexapro. No rash noted.	Ceased Lexapro.

**Medicine details :**

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
	10 Milligram Daily
<b>Batch :</b>	<b>Started :</b> 27/07/2007
	<b>Stopped :</b> 06/08/2007

# Public Case Detail

Cases Count: 102

**Case Number : 235377**

**Data Entry Date :** 16/11/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 62

**Onset Date :** 15/09/2007

**Age :**

**DOB :** 05/05/1943

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:** Patient was also on Hormone replacement therapy.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing	Caused or prolonged inpatient hospitalisation	Patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Escitalopram discontinued.
Dysuria	Caused or prolonged inpatient hospitalisation		
Vision blurred	Caused or prolonged inpatient hospitalisation		

## Medicine details :

<b>Esipram (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/09/2007	<b>Stopped :</b> 16/09/2007	

# Public Case Detail

Cases Count: 102

**Case Number : 235619**

**Data Entry Date :** 24/11/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 92

**Onset Date :** 07/11/2007

**Age :**

**DOB :** 12/09/1945

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Serotonin syndrome	Incapacity/disability	serotonin syndrome - sweating profusely, impending doom, agitation, chest pain	Stopped naltrexone. reduced lexapro to 5mg. Much better in 24 hours. Hypomania for a week after. then stopped lexapro. started seroquel, hypomania abated in another week.

<b>Medicine details :</b>			
<b>Lexapro (Interaction)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 11/01/2007	<b>Stopped :</b> 11/07/2007	0
<b>NALTREXONE HYDROCHLORIDE (Interaction)</b>		<b>Reason :</b>	
Tablet			Oral
<b>Batch :</b>	<b>Started :</b> 11/01/2007	<b>Stopped :</b> 11/07/2007	

# Public Case Detail

Cases Count: 102

**Case Number : 235828**

**Data Entry Date :** 03/12/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 93

**Onset Date :** 09/11/2007

**Age :** 75Y

**Outcome :** 09/11/2007

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
<p>Syncope</p>          <p>Convulsion</p> <p>Diarrhoea</p>		<p>Patient collapsed in the shower where she had a ~10 second convulsion, she had had a large, explosive, loose bowel action.</p>	<p>Gelofusine 500ml, oxygen.</p>

<b>Medicine details :</b>			
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 09/11/2007		<b>Stopped :</b> 09/11/2007
<b>ASPIRIN (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<b>ATORVASTATIN (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<b>ENOXAPARIN (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<b>OMEPRAZOLE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<b>RAMIPRIL (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<b>THYROXINE SODIUM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>

**Case Number : 236033**

**Data Entry Date :** 07/12/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 23/11/2007

**Age :** 56Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:** Also taking Mannatech products for OsteoArthritis: Ambrotose Complex, PhytAloe and Ambrotose AO Capsules and Plus capsules.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicide attempt		<p>Patient had been acting strangely, with aggressive mood swings for past 3 months (since starting Stilnox). Does not believe Stilnox helped him sleep. Just lay awake for hours, getting anxious. Began taking more Serepax due to increased anxiety and at least one panic attack, day and night. Doctor started him on Cipramil on 13/11/07 saying it was just depression.. On morning of 23/11/07 patient got up early, ?wide awake? and said the only thought he had in his mind was to end his life. He said ? In my mind it was perfectly justified and made perfect sense?. First he took ?a handful of Serepax, but that didn?t work?. Then he took about 20x Doloxene and what was left in the Stilnox box (~6x). He said he has no recollection of what happened after that. His wife found him asleep in the bedroom, and he slept all day. Still hasn?t told her what he tried to do. Read about Stilnox in paper last week so went to his doctor and confessed his suicide attempt. Doctor told him to stop taking Cipramil and Stilnox, just take Serepax. Has been feeling much better. Anxiety and agitation significantly reduced, and sleeping better (all night).</p>	
Aggression			

**Reaction :****Preferred Term****Severity****Report Description****Treatment**

Anxiety

Drug ineffective

Mood swings

Panic attack

**Medicine details :****CIPRAMIL (Suspected)****Reason :** Depression

20 Milligram Daily

**Batch :****Started :** 13/11/2007**Stopped :** 29/11/2007**STILNOX (Suspected)****Reason :** Specific disorders of sleep

Tablet 10 Milligram Daily Oral

**Batch :****Started :** 15/10/2007**Stopped :** 29/11/2007**DOLOXENE (Other drug)****Reason :** Osteoarthritis

800 Milligram Daily

**Batch :****Started :** L TERM**Stopped :****KEPPRA (Other drug)****Reason :**

2 Gram

**Batch :****Started :** 15/11/2006**Stopped :****LIPITOR (Other drug)****Reason :**

20 Milligram Daily

**Batch :****Started :** L TERM**Stopped :****NORVASC (Other drug)****Reason :**

5 Milligram Daily

**Batch :****Started :** L TERM**Stopped :****SEREPAX (Other drug)****Reason :** Specific disorders of sleep

15 Milligram As necessary Oral

**Batch :****Started :** L TERM**Stopped :**



# Public Case Detail

Cases Count: 102

**Case Number : 236055**

**Data Entry Date :** 10/12/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 04/12/2007

**Age :**

**DOB :** 23/08/1942

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Somnolence	Incapacity/disability	difficult to rouse	
Cold sweat	Incapacity/disability		
Pyrexia	Incapacity/disability		

<b>Medicine details :</b>			
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	10 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 04/12/2007	<b>Stopped :</b> 04/12/2007	

# Public Case Detail

Cases Count: 102

**Case Number : 236165**

**Data Entry Date :** 11/12/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 95

**Onset Date :** 10/11/2007

**Age :** 65Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Langerhans' cell granulomatosis	Incapacity/disability	rash biopsy result enclosed Clinical Notes: Biopsy red raised sl blistery rash present for at least 3 weeks pretibial ?? drug reaction and secondary contact dermatitis. Macroscopic: 'Biopsy left leg rash': Pale punch biopsy 3 x 3 x 3 mm. Embedded whole. (sj) Microscopic: Sections of the biopsy show very mild spongiosis and compact hyperkeratosis. The underlying dermis contains a perivascular and interstitial chronic inflammatory infiltrate with readily visible eosinophils present. There is a background of oedema. The infiltrate is histiocytic with giant cells present. Distinct granulomas are not seen. There is no evidence of fungus, atypia or malignancy. Summary: BIOPSY SKIN LEFT LEG: STRONGLY SUGGESTIVE OF INTERSTITIAL GRANULOMATOUS DRUG REACTION.	
Drug eruption	Incapacity/disability		
Rash	Incapacity/disability		

**Medicine details :**

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b>	
			Oral
<b>Batch :</b>	<b>Started :</b> 30/10/2007	<b>Stopped :</b> 20/11/2007	0

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Skin biopsy				Macroscopic: 'Biopsy left leg rash': Pale punch biopsy 3 x 3 x 3 mm. Embedded whole. (sj) Microscopic: Sections of the biopsy show very mild spongiosis and compact hyperkeratosis. The underlying dermis contains a perivascular and interstitial chronic inflammatory infiltrate with readily visible eosinophils present. There is a background of oedema. The infiltrate is histiocytic with giant cells present. Distinct granulomas are not seen. There is no evidence of fungus, atypia or malignancy. Summary: BIOPSY SKIN LEFT LEG: STRONGLY SUGGESTIVE OF INTERSTITIAL GRANULOMATOUS DRUG REACTION.

# Public Case Detail

Cases Count: 102

**Case Number : 236361**

**Data Entry Date :** 17/12/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 13/11/2007

**Age :**

**Outcome :** 15/11/2007

**DOB :** 10/05/1960

Recovered

**Causality :** Causality possible

**Information:** Patient is hepatitis C Virus positive.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Coagulopathy		Patient experienced ongoing haemorrhagic ooze for 2 days. External dressing applied (changed every 20-30 minutes). ? SSRI - associated coagulopathy.	Tranexamic acid 1g tds, Vitamin K 5mg stat, Kaltostat packing into nasal passages.
Haemorrhage			
Secretion discharge			

## Medicine details :

<b>Escitalopram (Suspected)</b>	<b>Reason :</b> Depression
10 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)</b>	<b>Reason :</b> Other diseases of esophagus
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 236458**

**Data Entry Date :** 20/12/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 01/06/2007

**Age :** 70Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** Transaminases >2000.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis	Caused or prolonged inpatient hospitalisation	? Drug induced hepatitis, dark urine, pruritis and arthralgias.	Withdrawal of SSRI and statin.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Chromaturia	Caused or prolonged inpatient hospitalisation		
Jaundice	Caused or prolonged inpatient hospitalisation		

## Medicine details :

<b>Escitalopram (Suspected)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> 21/05/2007 <b>Stopped :</b> 01/06/2007
<b>SIMVASTATIN (Suspected)</b>	<b>Reason :</b>
Tablet	40 Milligram Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0
<b>FLUVAX (Other drug)</b>	<b>Reason :</b> Prophylactic inoculation and vaccination
Injection	1 Dose Unspec 1 time Subcutaneous
<b>Batch :</b>	<b>Started :</b> 28/04/2007 <b>Stopped :</b>

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Bilirubin	20	01/06/2007	63	

## Case Number : 236869

Data Entry Date : 10/01/2008

Hospitalisation :

Onset Date : 10/11/2007

Outcome : 14/11/2007

Recovered

Gender : F

Weight (kg) : 0

Age : 41Y

DOB :

Causality : Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing		Flushing, hot and cold rigers, mild headache, nausea, sweats, dizzy on standing, photophobia, myalgia, neck stiffness, tremor, weaknes, hyperaesthesia.	ceased Buprenorphine and escitalopram.
Asthenia			
Chills			
Dizziness postural			
Headache			
Hyperaesthesia			
Hyperhidrosis			
Musculoskeletal stiffness			
Myalgia			
Nausea			
Photophobia			
Therapy regimen changed			
Tremor			

### Medicine details :

<b>BUPRENORPHINE HYDROCHLORIDE (Suspected)</b>		<b>Reason :</b>	
Drug delivery system, transder	5 Milligram	Weekly	Transdermal
<b>Batch :</b>	<b>Started :</b> 01/11/2007	<b>Stopped :</b>	
<b>Escitalopram (Suspected)</b>		<b>Reason :</b>	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>TRAMADOL HYDROCHLORIDE (Suspected)</b>		<b>Reason :</b> Otr&unsp vertebrogen pain synd	
Tablet	400 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>MELOXICAM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Medicine details :

PANTOPRAZOLE (Other drug)

Reason :

Batch :

Started :

Stopped :

---

Symbicort Turbuhaler (Other drug)

Reason :

Batch :

Started :

Stopped :

---

VENTOLIN (Other drug)

Reason :

Batch :

Started :

Stopped :

---

# Public Case Detail

Cases Count: 102

**Case Number : 237437**

**Data Entry Date :** 30/01/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 15/06/2007

**Age :** 37Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Influenza like illness		Flu-like reaction, rash developed 7 days after flu injection and starting Lexapro.	Lexapro stopped.
Rash			

<b>Medicine details :</b>			
<b>INFLUENZA VACCINE (Suspected)</b>		<b>Reason :</b> Prophylactic inoculation and vaccination	
Injection		1 Dose Unspec 1 time	
<b>Batch :</b>	<b>Started :</b> 15/06/2007	<b>Stopped :</b> 15/06/2007	
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet		Oral	
<b>Batch :</b>	<b>Started :</b> 15/06/2007	<b>Stopped :</b>	



## Case Number : 237443

Data Entry Date : 30/01/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2007

Age : 64Y

Outcome :

DOB :

Recovered

Causality : Causality possible

**Information:** Leveteracetam induced per (oncologist).  
"Would never go back on 'Keppra' again".

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Acute psychosis	Caused or prolonged inpatient hospitalisation	Aggression, aggravation, anxiety, distressed, vacant, confused. Psychotic symptoms. Tried to jump out of car travelling 80 km/hr.	Ceased Keppra.
Anxiety	Caused or prolonged inpatient hospitalisation		
Confusional state	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b>		
Batch :	Started : 15/10/2006	Stopped : 14/09/2007	0
<b>DEXAMETHASONE (Suspected)</b>	<b>Reason :</b>		
	4 Milligram Daily		
Batch :	Started : L TERM	Stopped :	0
<b>FLUDROCORTISONE (Suspected)</b>	<b>Reason :</b>		
	0.1 Milligram Daily		
Batch :	Started : 12/01/2007	Stopped : 20/09/2007	0
<b>KEPPRA (Suspected)</b>	<b>Reason : Convulsions</b>		
Batch :	Started : 15/05/2006 L TERM	Stopped : 03/09/2007	
<b>TEGRETOL CR (Suspected)</b>	<b>Reason :</b>		
	800 Milligram Daily		
Batch :	Started : 15/02/2007	Stopped :	0
<b>NEXIUM (Other drug)</b>	<b>Reason :</b>		
	20 Milligram Daily		
Batch :	Started : L TERM	Stopped :	0
<b>NULAX FRUIT LAXATIVE (Other drug)</b>	<b>Reason :</b>		
	1 Dose Unspec Daily		
Batch :	Started :	Stopped :	0

**Medicine details :**

TEMAZEPAM (Other drug)

Reason :

Batch :

Started :

Stopped :

## Case Number : 238234

Data Entry Date : 22/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 65

Onset Date : 03/07/2007

Age :

DOB : 08/12/1940

Outcome : 31/07/2007

Causality : Causality probable

Recovered

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Tachycardia	Caused or prolonged inpatient hospitalisation	Patient experienced tachycardia, hypotension, sweaty, decreased level of consciousness, oxygen levels decreased to 64%.	
Depressed level of consciousness	Caused or prolonged inpatient hospitalisation		
Hypotension	Caused or prolonged inpatient hospitalisation		
Oxygen saturation decreased	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>TALOHEXAL (Suspected)</b>	<b>Reason :</b>
Tablet	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started : 03/07/2007</b> <b>Stopped : 03/07/2007</b>
<b>AVAPRO (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>CLEXANE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>COUMADIN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PRAVACHOL (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

## Case Number : 238415

Data Entry Date : 28/02/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 11/01/2008

Age : 65Y

Outcome : 22/01/2008

DOB :

Not yet recovered

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		suffering from mild anxiety and depression. She was prescribed Talam 20 mg 6 wks ago. She took it for 6 days, during which she couldn't sleep, had suicidal thoughts and could hardly eat because of dry mouth and inappetence and she lost 2 kg over 6 days	cease Talam
Anorexia			
Dry mouth			
Insomnia			
Weight decreased			

#### Medicine details :

Talam (Suspected)	Reason : Depression
	20 Milligram Daily
Batch :	Started : 10/01/2008 Stopped : 16/01/2008

# Public Case Detail

Cases Count: 102

**Case Number : 238530**

**Data Entry Date :** 03/03/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 70

**Onset Date :** 10/02/2008

**Age :** 46Y

**DOB :**

**Outcome :**

**Causality :** Causality certain

Recovered

**Information:** Cert(rechall)  
Same symptoms recurred after re-exposure of Citalopram.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea		Nausea on Citalopram	

## Medicine details :

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b>
	10 Milligram Daily
<b>Batch :</b>	<b>Started :</b> 05/02/2008
	<b>Stopped :</b> 19/02/2008

# Public Case Detail

Cases Count: 102

**Case Number : 238586**

**Data Entry Date :** 04/03/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 61.5

**Onset Date :** 26/01/2007

**Age :**

**DOB :** 26/05/1959

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Aggression		<p>Took Lexapro in early evening. Symptoms 30 mins later, felt euphoric, 2 hours later getting agitation, then agro - mean and snappy, aching and arthralgia all main joints, awful, skin felt on fire at same time, started nuchal area - back of head - something burning, crept all over, including hands and feet, then half an hour after that neck felt itchy, then nausea. Sharp central frontal headache. Had swallowing sensation, lump in throat, tingly bottom lip. Next day twitches in multiple muscle groups. This was the second time this happened.</p>	
Agitation			
Arthralgia			
Euphoric mood			
Headache			
Nausea			
Pruritus			
Skin burning sensation			

**Medicine details :**

**Lexapro (Suspected)**

**Reason :**

10 Milligram 1 time

**Batch :**

**Started :** 26/01/2007

**Stopped :**



# Public Case Detail

Cases Count: 102

**Case Number : 238674**

**Data Entry Date :** 06/03/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 75

**Onset Date :**

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

## Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Pathological gambling		Client had begun gambling, lost \$5000, and developed compulsive behaviours like nail biting, washing hands.	
Impulsive behaviour			
Onychophagia			

### Medicine details :

**Escitalopram (Suspected)** Reason : Depression  
10 Milligram Daily  
**Batch :** Started : 08/10/2007 Stopped : 31/01/2008

# Public Case Detail

Cases Count: 102

**Case Number : 238689**

**Data Entry Date :** 06/03/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 76

**Onset Date :** 22/01/2008

**Age :**

**DOB :** 08/02/1942

**Outcome :** 23/01/2008

**Causality :** Causality probable

Recovered

**Information:** History: of type 2 diabetes.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Nightmare		Patient reported that for the third time he had noted that whenever he forgot to take his daily dose of escitalopram he experienced nightmares for that night only.	
Drug withdrawal syndrome			

## Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Anxiety neurosis
Tablet	30 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 27/03/2007 <b>Stopped :</b>
<b>STILNOX (Other drug)</b>	<b>Reason :</b> Specific disorders of sleep
Tablet	10 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 07/11/2007 <b>Stopped :</b>



# Public Case Detail

Cases Count: 102

**Case Number : 238722**

**Data Entry Date :** 07/03/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 02/12/2007  
**Outcome :** 04/12/2007  
 Recovered

**Gender :** F  
**Weight (kg) :** 0  
**Age :**  
**DOB :** 04/01/1965  
**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	The patient was a smoker and was advised by a respiratory physician to quit smoking due to recent finding of decreased lung function. After seeking advice from both her GP ( who according to patient provided thorough counselling including psychiatric adverse effect risk) and her psychiatrist, the patient agreed to try varenicline (Champix) to help her quit smoking. A few days after starting the medication, patient gradually developed depression and agitation (patient stated that the symptoms started at around day 7), and later patient threatened to kill people around her and developed suicidal behaviour. While in-patient the patient was transferred from general ward to the Psychiatric Intensive Care Unit due to aggressive and erratic behaviour towards ward staff.	
Agitation	Life threatening		
Homicidal ideation	Life threatening		
Suicidal behaviour	Life threatening		

**Medicine details :**

<b>Champix (Interaction)</b>	<b>Reason :</b> Smoker
Tablet	1 Dose Unspec Daily Oral
<b>Batch :</b>	<b>Started :</b> 07/11/2007 <b>Stopped :</b> 02/12/2007 0

## Medicine details :

### Escitalopram (Interaction)

Reason : Depression

Tablet 30 Milligram Daily Oral

Batch :

Started :

Stopped :

### METHYLPREDNISOLONE (Interaction)

Reason :

40 Milligram Daily

Batch :

Started :

Stopped :

0

### SODIUM VALPROATE (Interaction)

Reason : Unspecifid affective psychosis

Tablet 1.5 Gram Daily Oral

Batch :

Started :

Stopped :

### ALPRAZOLAM (Other drug)

Reason :

1 Milligram Daily Oral

Batch :

Started :

Stopped :

### RABEPRAZOLE SODIUM (Other drug)

Reason :

Tablet 20 Milligram Daily Oral

Batch :

Started :

Stopped :

**Case Number : 238724**

**Data Entry Date :** 07/03/2008

**Gender :** F

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :** 02/12/2007

**Age :**

**Outcome :** 04/12/2007

**DOB :** 04/01/1965

Recovered

**Causality :** Causality certain

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Overdose	Life threatening	Previously stabilised on psychiatric medications, was admitted to emergency on 03/12/07 with low conscious state secondary to overdose with sodium valproate.	
Depressed level of consciousness	Life threatening		

**Medicine details :**

<b>ALPRAZOLAM (Interaction)</b>	<b>Reason :</b> Depression
Tablet	1 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>Escitalopram (Interaction)</b>	<b>Reason :</b> Depression
Tablet	30 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>METHYLPREDNISOLONE (Interaction)</b>	<b>Reason :</b>
	40 Milligram Daily
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>SODIUM VALPROATE (Interaction)</b>	<b>Reason :</b> Unspecifid affective psychosis
Tablet	1.5 Gram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>MIRTAZAPINE (Other drug)</b>	<b>Reason :</b> Depression
Tablet	75 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>RABEPRAZOLE SODIUM (Other drug)</b>	<b>Reason :</b>
Tablet	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>SALBUTAMOL (Other drug)</b>	<b>Reason :</b> Asthma
Inhalation	6 Dose Unspec Daily Inhalation
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 238860**

**Data Entry Date :** 12/03/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 18/02/2008  
**Outcome :**  
 Not yet recovered

**Gender :** M  
**Weight (kg) :** 0  
**Age :** 74Y  
**DOB :**  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation	Drug induced SIADH.	Withdraw carbamazepine, start fludrocortisone.
Circulatory collapse	Caused or prolonged inpatient hospitalisation		
Hyponatraemia	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b>	
Tablet	40 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>TEGRETOL CR (Suspected)</b>		<b>Reason : Other&amp;unspecified epilepsy</b>	
Tablet	600 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>DIAZEPAM (Other drug)</b>		<b>Reason :</b>	
Tablet	5 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>OMEPRAZOLE (Other drug)</b>		<b>Reason :</b>	
	20 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 239039**

**Data Entry Date :** 18/03/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 28Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Panic attack		Complained of Panic attack, agitation, tension, irritability, anxiety, anger, musculoskeletal pain, myalgia and nightmare.	
Agitation			
Anger			
Anxiety			
Irritability			
Musculoskeletal pain			
Myalgia			
Nightmare			
Tension			

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>STILNOX (Suspected)</b>		<b>Reason :</b>	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

## Case Number : 239112

Data Entry Date : 19/03/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

### Information:

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Suicide attempt		Suicide attempt; homicidal ideation; overdose; feeling abnormal; fatigue; loss of consciousness; nightmare; somnolence	
Fatigue			
Feeling abnormal			
Homicidal ideation			
Insomnia			
Loss of consciousness			
Nightmare			
Overdose			
Somnolence			
Suicidal ideation			

<b>Medicine details :</b>			
<b>ALCOHOL (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	Oral
		0	
<b>STILNOX (Suspected)</b>		<b>Reason :</b>	
Tablet			Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 239117**

**Data Entry Date :** 19/03/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 24/09/1966

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Amnesia		Delirium; amnesia; drug interaction	
Delirium			
Drug interaction			

<b>Medicine details :</b>			
<b>ALPRAZOLAM (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>DI-GESIC (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>Lexapro (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>OXYCODONE HYDROCHLORIDE (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>STILNOX (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>TEMAZEPAM (Interaction)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>NOTEN (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ZANIDIP (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 239402**

**Data Entry Date :** 31/03/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 58

**Onset Date :** 13/03/2008

**Age :**

**DOB :** 07/11/1988

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Somnolence		Somnolence	

**Medicine details :**

Lexapro (Suspected)

**Reason :** Depression

10 Milligram Daily

**Batch :**

**Started :** 13/03/2008

**Stopped :** 16/03/2008



# Public Case Detail

Cases Count: 102

**Case Number : 239497**

**Data Entry Date :** 02/04/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 24/04/1988

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Extrapyramidal disorder	Incapacity/disability	extrapyramidal reaction - jerking of both arms and legs - ceased after im cogentin injection Cipramil ceased	Cogentin im

**Medicine details :**

<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b> Depression
	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 17/10/2006 <b>Stopped :</b> 16/03/2008

# Public Case Detail

Cases Count: 102

**Case Number : 239784**

**Data Entry Date :** 10/04/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 90

**Onset Date :** 06/06/2007

**Age :**

**DOB :** 27/05/1969

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Gingival bleeding		Bleeding gums to light pressure, vaginal bleeding - unusual mid-cycle.	
Vaginal haemorrhage			

**Medicine details :**

<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b> Anxiety neurosis
Tablet	40 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 15/10/2006 <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 239873**

**Data Entry Date :** 11/04/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 70

**Onset Date :** 08/10/2007

**Age :**

**DOB :** 21/11/1959

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Vomiting	Incapacity/disability	vomitning, visual disturbance and insomnia for 24 after taking one 10mg lexapro tablet	cease medication
Insomnia	Incapacity/disability		
Visual impairment	Incapacity/disability		

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	10 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 08/10/2007	<b>Stopped :</b> 08/10/2007	

## Case Number : 240023

**Data Entry Date :** 15/04/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 18/02/2007  
**Outcome :**  
 Recovered

**Gender :** F  
**Weight (kg) :** 0  
**Age :**  
**DOB :** 27/11/1927  
**Causality :** Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Chest pain	Caused or prolonged inpatient hospitalisation	Rash - itchy, erythematous spots on her thighs, back, forearms, lip swelling, chest pain.	Ceased statin, citalopram, risedronate and diazepam. Given promethazine 10mg oral stat, hydrocortisone 100mg IV, anginine. Required 5 further doses of promethazine over the next 24 hours then changed to cetirizine 10mg daily with gradual resolution of symptoms.
Chest discomfort	Caused or prolonged inpatient hospitalisation		
Lip swelling	Caused or prolonged inpatient hospitalisation		
Pruritus	Caused or prolonged inpatient hospitalisation		
Rash	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>Actonel Combi (Suspected)</b>	<b>Reason :</b> Osteoporosis
35 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/12/2006 <b>Stopped :</b> 18/02/2007
<b>ATORVASTATIN (Suspected)</b>	<b>Reason :</b>
10 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/12/2006 <b>Stopped :</b> 18/02/2007
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b>
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/12/2006 <b>Stopped :</b> 18/02/2007
<b>DIAZEPAM (Suspected)</b>	<b>Reason :</b>
1 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ASPIRIN (Other drug)</b>	<b>Reason :</b>
100 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

## Medicine details :

CHOLECALCIFEROL (Other drug)

Reason :

25 Microgram Daily

Batch :

Started :

Stopped :

---

THYROXINE SODIUM (Other drug)

Reason :

100 Microgram Daily

Batch :

Started :

Stopped :

---

# Public Case Detail

Cases Count: 102

**Case Number : 240119**

**Data Entry Date :** 17/04/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 09/04/2008

**Age :**

**DOB :** 26/11/1953

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Epilepsy		had influenza vaccine on 9/4/08 am. She had a "black-out" late afternoon on the same day and 3 more on 10/4/08. She said she had fallen over onto her back each time and her back is sore. Follow-up 17/4/08: She had had 2 more ?black-outs? with falls on 11 & 12/4/08. A locum doctor visited her 12/4/08, said her blood pressure was fairly low (did not tell her the reading), and said she had internal bruising, but he thought her spine was all right. On 16/4/08 she had seen her GP who prescribed Brufen 400mg tid for her back pain. Her blood pressure was OK then. doctor did not think she needed further treatment or change of treatment for the ?blackouts?. She says she is still in a lot of pain	Brufen 400mg tid for back pain
Fall			
Loss of consciousness			

**Medicine details :**

<b>ENDEP (Suspected)</b>	<b>Reason :</b> Depression
50 Milligram	Daily
<b>Batch :</b>	<b>Started :</b> 07/04/0110 <b>Stopped :</b> 0
<b>INFLUENZA VACCINE (Suspected)</b>	<b>Reason :</b> Prophylactic inoculation and vaccination
1 Dose Unspec	1 time
<b>Batch :</b>	<b>Started :</b> 09/04/2008 <b>Stopped :</b> 0

## Medicine details :

Lexapro (Suspected)

Reason :

25 Milligram Daily

Batch :

Started : 01/10/2007

Stopped :

0

---

EPILIM (Other drug)

Reason : Epilepsy

200 Milligram Daily

Batch :

Started :

Stopped :

---

FEMARA (Other drug)

Reason : Malignant neoplasm of breast

2.5 Milligram Daily

Batch :

Started :

Stopped :

---

## Case Number : 240233

**Data Entry Date :** 22/04/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 29/02/2008  
**Outcome :** 03/03/2008  
 Recovered

**Gender :** F  
**Weight (kg) :** 83  
**Age :**  
**DOB :** 07/09/1947  
**Causality :** Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea	Caused or prolonged inpatient hospitalisation	Serotonin Syndrome - hot, sweaty, sense of impending doom, nausea, diarrhoea, feeling of anxiety, nightmares, auditory and visual hallucinations, legs moving involuntarily, febrile (38C)	Ceased tramadol and citalopram
Anxiety	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Dyskinesia	Caused or prolonged inpatient hospitalisation		
Feeling hot	Caused or prolonged inpatient hospitalisation		
Hallucination	Caused or prolonged inpatient hospitalisation		
Hyperhidrosis	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Respiratory rate increased	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		



## Medicine details :

**CITALOPRAM HYDROBROMIDE (Suspected)**

**Reason :** Depression

20 Milligram Daily

**Batch :**

**Started :**

**Stopped :** 01/03/2008

---

**TRAMADOL HYDROCHLORIDE (Suspected)**

**Reason :** Pain

100 Milligram Daily

**Batch :**

**Started :** 24/02/2008

**Stopped :** 01/03/2008

---

**TRAMADOL HYDROCHLORIDE (Suspected)**

**Reason :** Pain

50 Milligram Daily

**Batch :**

**Started :** 21/02/2008

**Stopped :** 22/02/2008

---

**BRICANYL (Other drug)**

**Reason :**

2 Dose Unspec Daily Inhalation

**Batch :**

**Started :**

**Stopped :**

---

**DILTIAZEM HYDROCHLORIDE (Other drug)**

**Reason :**

180 Milligram Daily

**Batch :**

**Started :**

**Stopped :**

---

**FRUSEMIDE (Other drug)**

**Reason :**

80 Milligram Daily

**Batch :**

**Started :**

**Stopped :**

---

## Case Number : 240532

Data Entry Date : 01/05/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 04/12/2007

Age :

DOB : 29/12/1924

Outcome :

Causality : Causality possible

Recovered

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Lethargy	Caused or prolonged inpatient hospitalisation	Increased lethargy and sleeplessness secondary to hyponatraemia and hypoglycaemia.	Escitalopram ceased. Given mirtazepine instead.
Hypoglycaemia	Caused or prolonged inpatient hospitalisation		
Hyponatraemia	Caused or prolonged inpatient hospitalisation		
Insomnia	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>Escitalopram (Suspected)</b>	<b>Reason :</b>	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 04/12/2007
<b>ASPIRIN (Other drug)</b>	<b>Reason :</b>	Oral
	150 Milligram	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>CLOPIDOGREL (Other drug)</b>	<b>Reason :</b>	Oral
	75 Milligram	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 0
<b>CRANBERRY (Other drug)</b>	<b>Reason :</b>	Oral
Tablet	1 Dose Unspec	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)</b>	<b>Reason :</b>	Oral
	20 Milligram	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>IRBESARTAN (Other drug)</b>	<b>Reason :</b>	Oral
	300 Milligram	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>

## Medicine details :

OSTELIN 1000 (Other drug)

Reason :

1 Dose Unspec

Oral

Batch :

Started :

Stopped :

Ranoxyl (Other drug)

Reason :

16 Milligram

Oral

Batch :

Started :

Stopped :

SIMVASTATIN (Other drug)

Reason :

40 Milligram

Oral

Batch :

Started :

Stopped :

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		03/12/2007	120	
Sodium		10/12/2007	129	

# Public Case Detail

Cases Count: 102

**Case Number : 241134**

**Data Entry Date :** 23/05/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 72

**Onset Date :** 15/04/2008

**Age :**

**DOB :** 12/11/1962

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Urinary retention		Acute urine retention.	Ceased Lexapro.

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 02/04/2008	<b>Stopped :</b>	15/04/2008

<b>Laboratory Investigations :</b>				
<b>Type</b>	<b>Range</b>	<b>Date Tested</b>	<b>Result</b>	<b>Details</b>
Ultrasound				But ultrasound -> incomplete emptying.



# Public Case Detail

Cases Count: 102

**Case Number : 241208**

**Data Entry Date :** 22/05/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 75

**Onset Date :** 01/11/2007

**Age :**

**DOB :** 04/07/1970

**Outcome :**  
Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Furuncle		3 weeks after commencement of Lexapro, skin boils over torso, thighs and upperarm. Also hair loss.	Lexapro ceased.
Alopecia			

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/10/2007	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 241873**

**Data Entry Date :** 13/06/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 96

**Onset Date :** 18/04/2008

**Age :**

**DOB :** 09/12/1974

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Syncope	Life threatening	Syncopal episode while driving .	

<b>Medicine details :</b>			
<b>TALOHEXAL (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	40 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 04/12/2007	<b>Stopped :</b>	

## Case Number : 241949

Data Entry Date : 16/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 22/05/2008

Age :

Outcome : 22/05/2008

DOB : 23/01/1983

Recovered

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Dystonia	Life threatening	Dystonia reaction, tongue protrusion, airway obstructions.	Benzotropine
Dyskinesia	Life threatening		
Obstructive airways disorder	Life threatening		

#### Medicine details :

<b>CLOPIXOL-ACUPHASE (Suspected)</b>	<b>Reason :</b> Otr spec symp psychopathol nec		
Injection	100 Milligram	1 time	Intramuscular
<b>Batch :</b>	<b>Started :</b> 22/05/2008	<b>Stopped :</b>	
<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 28/04/2008	<b>Stopped :</b> 22/05/2008	0
<b>ATIVAN (Other drug)</b>	<b>Reason :</b> Otr spec symp psychopathol nec		
Tablet	2 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 28/04/2008	<b>Stopped :</b>	
<b>SEROQUEL (Other drug)</b>	<b>Reason :</b> Unspecified psychosis		
Tablet	300 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 18/04/2008	<b>Stopped :</b>	

## Case Number : 242175

Data Entry Date : 23/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 09/05/2008

Age : 89Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Inappropriate antidiuretic hormone secretion		Drug induced SIADH. Presented with nausea, lethargy, and anorexia following 4 days of paroxetine.	Citalopram withheld. Ceased paroxetine. Fluid restriction
Anorexia			
Lethargy			
Nausea			

### Medicine details :

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b>
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 02/05/2008
<b>PAROXETINE HYDROCHLORIDE (Suspected)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>ALENDRONATE SODIUM (Other drug)</b>	<b>Reason :</b>
70 Milligram Weekly	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>COLOXYL (Other drug)</b>	<b>Reason :</b>
1 Dose Unspec As necessary	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>IRBESARTAN (Other drug)</b>	<b>Reason :</b>
300 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>OMEPRAZOLE (Other drug)</b>	<b>Reason :</b>
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>OXAZEPAM (Other drug)</b>	<b>Reason :</b>
7.5 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 02/05/2008



## Medicine details :

PARACETAMOL (Other drug)

Reason :

2 Dose Unspec As necessary

Batch :

Started :

Stopped :

TIMOLOL MALEATE (Other drug)

Reason :

0.5 Percent Daily

Batch :

Started :

Stopped :

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		12/03/2007	120	
Sodium		13/03/2007	122	
Sodium		14/03/2007	128	
Sodium		23/03/2007	129	
Sodium		08/05/2008	127	

# Public Case Detail

Cases Count: 102

**Case Number : 242215**

**Data Entry Date :** 24/06/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 76

**Onset Date :** 30/04/2008

**Age :**

**DOB :** 03/04/1936

**Outcome :** 01/05/2008

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hallucination		Auditory and visual hallucinations.	Ceased Cipramil.

<b>Medicine details :</b>			
<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b> Depression	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 15/10/2007	<b>Stopped :</b> 30/04/2008	

## Case Number : 242316

Data Entry Date : 26/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 12/05/2008

Age : 51Y

Outcome :

DOB :

Recovered

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Tongue disorder		Writhing tongue, twitching muscles, upper and lower lips, slurred speech, twitching in fingers.	
Muscle twitching			

#### Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
Tablet	10 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 21/04/2008 <b>Stopped :</b> 14/05/2008
<b>CELEBREX (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>Humira (Other drug)</b>	<b>Reason :</b> Other rheumatoid arthritis
Injection	40 Milligram Fortnightly Intravenous
<b>Batch :</b>	<b>Started :</b> 15/01/2007 <b>Stopped :</b>
<b>METHOTREXATE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>OROXINE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 242319**

**Data Entry Date :** 26/06/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 15/06/2007

**Age :** 50Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality probable

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Convulsion		consumer report : Increased seizure frequency. The patient used to experience 5 seizures per week and since starting Celapram has experienced 8 per week. The patient had a past history of complex partial seizure	

<b>Medicine details :</b>			
<b>CELAPRAM (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	40 Milligram	2 times	Oral
<b>Batch :</b>	<b>Started :</b> 15/06/2007	<b>Stopped :</b> 15/10/2007	0
<b>DILANTIN (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>EPILIM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>LAMOTRIGINE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 242322**

**Data Entry Date :** 26/06/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 87

**Onset Date :**

**Age :** 52Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality probable

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Severe ankle oedema	Ceased Citalopram

**Medicine details :**

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/11/2002	<b>Stopped :</b>	15/05/2008

# Public Case Detail

Cases Count: 102

**Case Number : 242542**

**Data Entry Date :** 02/07/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 57

**Onset Date :** 09/06/2008

**Age :**

**DOB :** 06/08/1961

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Urticaria		Severe urticaria.	High dose steroids.

**Medicine details :**

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 28/04/2008	<b>Stopped :</b>	18/06/2008

## Case Number : 242792

Data Entry Date : 10/07/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 60

Onset Date : 25/05/2008

Age :

Outcome : 26/05/2008

DOB : 20/05/1940

Recovered

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Night sweats	Caused or prolonged inpatient hospitalisation	4 days of night sweats, fever, diarrhoea, rash, (bilateral arm to back) and reduced appetite. ?? serotonin syndrone.	Escitaloprim stopped.
Decreased appetite	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Rash	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>Escitalopram (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 03/05/2008	<b>Stopped :</b> 25/05/2008	
<b>IRBESARTAN (Other drug)</b>		<b>Reason :</b>	
Tablet	300 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>NIFEDIPINE (Other drug)</b>		<b>Reason :</b>	
	30 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>SEROQUEL (Other drug)</b>		<b>Reason :</b>	
Tablet	25 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 243119**

**Data Entry Date :** 22/07/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 75

**Onset Date :** 15/05/2008

**Age :**

**DOB :** 26/07/1959

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Purpura		Bruising easily and purpura.	Ceased Citalopram
Increased tendency to bruise			

**Medicine details :**

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/04/2008	<b>Stopped :</b> 25/06/2008	

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Other data				Bloods NAD



## Case Number : 243280

Data Entry Date : 29/07/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 17/06/2008

Age : 63Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

**Information:** Mechanism of Action: Cipramil weak inhibition of CIP2D6 - hepatic enzyme. increase of Risperidone.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome		The patient was treated with Risperidone long acting injection (microspheres, intra-muscular) 50 mg initiated on an unknown date for an unknown indication and Risperidone (tablets, oral) 2 mg twice a day, indication unknown on an unknown date for an unknown indication. It was reported that patient started taking Risperidone (tablets, oral) about 6 weeks prior to the suspected onset of neuroleptic malignant syndrome. On 17/06/08, the patient developed suspected neuroleptic malignant syndrome and on an unknown date, the patient showed signs of extrapyramidal syndrome like side effects; he experienced increase in blood pressure, increase in creatine kinase and suffered from rigidity.	Risperidone LAI and Risperidone tablets withdrawn.
Blood creatine phosphokinase increased			
Blood pressure increased			
Extrapyramidal disorder			
Muscle rigidity			

### Medicine details :

CIPRAMIL (Suspected)

Reason :

Batch :

Started :

Stopped :

**Medicine details :**

Risperdal Consta (Suspected) Reason :

Injection 50 Milligram Daily Intramuscular

Batch : Started : Stopped :

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Blood pressure				Blood pressure increased
Creatine kinase MB				Creatine kinase increased

# Public Case Detail

Cases Count: 102

**Case Number : 243668**

**Data Entry Date :** 11/08/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 31/07/2008  
**Outcome :**  
 Not yet recovered

**Gender :** M  
**Weight (kg) :** 2.9  
**Age :**  
**DOB :** 31/07/2008  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Neonatal respiratory distress syndrome	Caused or prolonged inpatient hospitalisation	Born with significant respiratory distress, ongoing jitteriness.	Respiratory support with oxygen.
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		
Drug withdrawal syndrome neonatal	Caused or prolonged inpatient hospitalisation		
Feeling jittery	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>Escitalopram (Suspected)</b>		<b>Reason :</b> Depression	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 243744**

**Data Entry Date :** 12/08/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 69

**Onset Date :** 15/07/2008

**Age :**

**DOB :** 31/10/1989

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Hallucination		Visual hallucinations, sleep disturbance, depression worsened and agitation.	Lexapro ceased
Agitation			
Depression			
Sleep disorder			

**Medicine details :**

**Lexapro (Suspected)** Reason : Depression  
10 Milligram Daily  
**Batch :** Started : 26/06/2008 Stopped : 30/07/2008

# Public Case Detail

Cases Count: 102

**Case Number : 243806**

**Data Entry Date :** 13/08/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :**  
**Outcome :**  
 Not yet recovered

**Gender :** F  
**Weight (kg) :** 0  
**Age :** 33Y  
**DOB :**  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Mania	Caused or prolonged inpatient hospitalisation	Patient experienced a manic episode, with a predominately irritable mood, agitation, flight of ideas and pressured speech, reduced need for sleep and an increase in goal-directed behaviour.	Citalopram ceased, quetiapine increased to 150mg.

<b>Medicine details :</b>			
<b>CIPRAMIL (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			
<b>Interferon NOS (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			
<b>QUETIAPINE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			
<b>RIBAVIRIN (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			

# Public Case Detail

Cases Count: 102

**Case Number : 244105**

**Data Entry Date :** 25/08/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 04/09/2007

**Age :**

**DOB :** 19/11/1924

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia	Caused or prolonged inpatient hospitalisation	Significant hyponatremia, hypokalemia secondary to recent commencement of escitalopram for anxiety / depression	Escitalopram ceased; fluid restriction commenced. 3% normal saline given, carefully titrating to increase sodium levels. Mirtazapine later commenced
Hypokalaemia	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

**Escitalopram (Suspected)**

**Reason :** Depression

Tablet

10 Milligram

Daily

Oral

**Batch :**

**Started :** 30/08/2007

**Stopped :** 04/09/2007

## Case Number : 244318

Data Entry Date : 02/09/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 16/07/2008

Age : 59Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		Raised LFT's, swelling of ankles, rash, fever.	Ceased amlodipine, atorvastatin, escitalopram, reduced dose paracetamol.
Hepatic function abnormal			
Joint swelling			
Pyrexia			

### Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
15 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 07/07/2008 <b>Stopped :</b> 22/07/2008 0
<b>LIPITOR (Suspected)</b>	<b>Reason :</b> Othr&unspec metabolic diseases
40 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 18/06/2008 <b>Stopped :</b> 22/07/2008 0
<b>AMLODIPINE (Other drug)</b>	<b>Reason :</b>
5 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ASPIRIN (Other drug)</b>	<b>Reason :</b>
100 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>DIAZEPAM (Other drug)</b>	<b>Reason :</b>
2.5 Milligram As necessary	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PARACETAMOL (Other drug)</b>	<b>Reason :</b>
1 Dose Unspec As necessary	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PROCHLORPERAZINE MALEATE (Other drug)</b>	<b>Reason :</b>
5 Milligram As necessary	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>QUETIAPINE (Other drug)</b>	<b>Reason :</b>
12.5 Milligram As necessary	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

<b>Medicine details :</b>	
ZOPICLONE (Other drug)	<b>Reason :</b>
	15 Milligram      As necessary
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
SAP = ALP		16/07/2008	408	
SAP = ALP		24/06/2008	76	
ALT = SGPT		16/07/2008	316	
ALT = SGPT		24/06/2008	46	
GGT = SGGT = GGTP		16/07/2008	342	
GGT = SGGT = GGTP		24/06/2008	51	



# Public Case Detail

Cases Count: 102

**Case Number : 244392**

**Data Entry Date :** 04/09/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 20/12/1968

**Outcome :** 16/07/2008

**Causality :** Causality certain

Recovered

**Information:** Cert/rechallenge.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		After patient took the generic brand of escitalopram, he developed facial rash. When he stopped the facial rash disappeared, when he started the escitalopram again the rash came back.	Esipram stopped.
Therapeutic response unexpected with drug substitution			

## Medicine details :

<b>Esipram (Suspected)</b>	<b>Reason :</b> Depression
Tablet	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> L TERM <b>Stopped :</b> 14/07/2008 0
<b>ASCORBIC ACID (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>FISH OIL NOS (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	Oral <b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 244490**

**Data Entry Date :** 08/09/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 65

**Onset Date :**

**Age :**

**DOB :** 27/04/1954

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Dyskinesia		Rapid onset of involuntary movements of face and jaw but not tongue.	Lexapro ceased, cogentin

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	15 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 04/07/2005	<b>Stopped :</b> 23/10/2007	
<b>DIAZEPAM (Other drug)</b>		<b>Reason :</b>	
	570 Milligram	As necessary	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 245232**

**Data Entry Date :** 08/10/2008

**Gender :** F

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 11/03/1933

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Fall	Caused or prolonged inpatient hospitalisation	? Delusional disorder, Seroquel ceased because of fall and postural hypotension.	Seroquel ceased. Medication changed to risperidone 0.5mg daily.
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

<b>ARICEPT (Interaction)</b>		<b>Reason :</b>	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 11/04/2008	<b>Stopped :</b>	
<b>Escitalopram (Interaction)</b>		<b>Reason :</b>	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 11/04/2008	<b>Stopped :</b>	
<b>SEROQUEL (Suspected)</b>		<b>Reason :</b>	
Tablet	400 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/02/2008	<b>Stopped :</b> 02/05/2008	

# Public Case Detail

Cases Count: 102

**Case Number : 245249**

**Data Entry Date :** 08/10/2008

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 75

**Onset Date :**

**Age :**

**Outcome :** 15/09/2008

**DOB :** 11/03/1928

Recovered

**Causality :** Causality possible

**Information:** Symptomatic - no seizures  
Allergies: Penicillin/Sulpha  
Metoprolol - excessive bradycardia

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Malaise	Life threatening	Hyponatraemia	Cessation of escitalopram, IV saline to Na 120mmol/L - slow resolution
Hyponatraemia	Life threatening		

## Medicine details :

<b>Escitalopram (Suspected)</b>	<b>Reason :</b> Depression
Tablet	10 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 15/08/2008 <b>Stopped :</b> 08/09/2008
<b>TELMISARTAN (Suspected)</b>	<b>Reason :</b> Essential benign hypertension
	40 Milligram Daily
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0
<b>COLGOUT (Other drug)</b>	<b>Reason :</b>
	500 Microgram Daily Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 08/09/2008
<b>MOVICOL (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>MYLANTA (Other drug)</b>	<b>Reason :</b>
	400 Milligram As necessary
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium				113 mmol/L

# Public Case Detail

Cases Count: 102

**Case Number : 245363**

**Data Entry Date :** 13/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 63

**Onset Date :** 08/10/2008

**Age :** 38Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Arthralgia	Incapacity/disability	Have taken 10mg for 2 months with no side effects. Increased dose to 2x10mg and on next day had aching joints and slight fever, strong headache, lethargy, loss of appetite, nausea, crazy dreams - lasted 5 days - decreasing in severity after day 3. Had day off work on day 2. Unable to drive or work due to headache or stand due to dizziness and aches fine mottled rash appeared - mainly on torso. Decreased to 1 and a half 10 mg tablets on 13th.	Disprin Max - ineffective. Aspalgin - moderately effective. Panadeine forte - more useful but cannot drive or care for children while so drowsy. Nil treatment for rash - not itchy.
Abnormal dreams	Incapacity/disability		
Anorexia	Incapacity/disability		
Dizziness	Incapacity/disability		
Headache	Incapacity/disability		
Lethargy	Incapacity/disability		
Pyrexia	Incapacity/disability		
Rash	Incapacity/disability		
Therapy regimen changed	Incapacity/disability		

**Medicine details :**

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b> 8912	<b>Started :</b> 07/10/2008	<b>Stopped :</b>	0

# Public Case Detail

Cases Count: 102

**Case Number : 245367**

**Data Entry Date :** 13/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 15/07/2008

**Age :** 33Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:** Past history of heroin dependence.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation	Mania	

## Medicine details :

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>	<b>Reason :</b> Depression
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 0
<b>Peg Interferon Alfa-2a (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>QUETIAPINE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>RIBAVIRIN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 245376**

**Data Entry Date :** 13/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 29/06/2008

**Age :**

**Outcome :** 29/06/2008

**DOB :** 20/02/1975

Death, maybe drug

**Causality :** Causality possible

**Information:** History includes two previous pregnancies, mild asthma, non smoker, half a glass of wine daily throughout this and previous two pregnancies, chronic psychotic illness and psychotic disorder.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Stillbirth		- Drug Exposure during pregnancy - Stillbirth at 33/40 weeks gestation NOTE: Patient was enrolled in a Pregnancy Registry Program (The National Register of Antipsychotic Medication in Pregnancy).	
Drug exposure during pregnancy Intra-uterine death			

## Medicine details :

<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	100 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>SEROQUEL (Suspected)</b>	<b>Reason :</b> Unspecified psychosis		
Tablet	1.2 Gram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>FOLIC ACID (Other drug)</b>	<b>Reason :</b> Unspec vitamin deficien states		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Ultrasound				On the 29/06/2008, the baby stopped moving in utero, ultrasound revealed fetal demise.

# Public Case Detail

Cases Count: 102

**Case Number : 245385**

**Data Entry Date :** 13/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 52

**Onset Date :** 01/10/2008

**Age :**

**Outcome :** 10/06/2008

**DOB :** 11/01/1973

Death

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Foetal cardiac disorder	Congenital anomaly / birth defect	Fetal abnormality. - Atrial isomerism, double outlet right ventricle, left ventricular hypoplasia, stomach on right side	Termination of pregnancy
Abortion induced	Congenital anomaly / birth defect		
Congenital anomaly	Congenital anomaly / birth defect		
Drug exposure during pregnancy	Congenital anomaly / birth defect		
Foetal disorder	Congenital anomaly / birth defect		
Ventricular hypoplasia	Congenital anomaly / birth defect		

<b>Medicine details :</b>			
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 06/06/2007	<b>Stopped :</b>	0



## Case Number : 245389

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 30/08/2008

Age :

DOB : 10/02/1927

Outcome :

Causality : Causality possible

Not yet recovered

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Headache	Caused or prolonged inpatient hospitalisation	Constant headache, nausea, increased confusion.	
Confusional state	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>Escitalopram (Suspected)</b>	<b>Reason :</b>		
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 29/08/2008	<b>Stopped :</b>	31/08/2008
<b>FEFOL (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ISCOVER (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>NEXIUM (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>NOTEN (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>PRAVACHOL (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Case Number : 245439

**Data Entry Date :** 14/10/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 17/09/2008  
**Outcome :**  
 Recovered

**Gender :** M  
**Weight (kg) :** 0  
**Age :**  
**DOB :** 01/03/1974  
**Causality :** Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Patient developed fever, and later in the day had a grand mal seizure. Patient had also developed Neuroleptic malignant syndrome on an unknown date and symptoms of fever and cardiovascular instability persisted for some days and creatine kinase peaked at 13000	Ceased ziprasidone. Treated with bromocriptine
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Cardiovascular insufficiency	Caused or prolonged inpatient hospitalisation		
Grand mal convulsion	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>CLOZAPINE (Suspected)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 30/03/2008	<b>Stopped :</b>	
<b>PERIACTIN (Suspected)</b>	<b>Reason :</b>		
	4 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>Zeldox (Suspected)</b>	<b>Reason :</b> Unspecified schizophrenia		
Capsule	160 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 17/07/2008	<b>Stopped :</b>	0

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Creatine phosphokinase	<200	29/09/2008	13000	
Creatine phosphokinase	<200	22/09/2008	4000	
Creatine phosphokinase	<200	29/09/2008	164	

# Public Case Detail

Cases Count: 102

**Case Number : 246019**

**Data Entry Date :** 06/11/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99u

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Tinnitus	Incapacity/disability	Patient developed tinnitus and arthralgia of her hands.	Ceased Cipramil
Arthralgia	Incapacity/disability		

<b>Medicine details :</b>			
<b>CIPRAMIL (Suspected)</b>	<b>Reason :</b>		
Tablet	5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

**Case Number : 246165**

**Data Entry Date :** 12/11/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 11/06/2008

**Age :**

**DOB :** 11/03/1933

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:** Recent suspected NMS secondary to risperidone 0.5mg. (Admitted 05/05 -08/05/08)

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Pyrexia		Lower oral intake, lower mobility, fever.	Ceased amisulpride and simvastatin, given antipyretics, IV fluids.
Blood creatine phosphokinase increased			
Cogwheel rigidity			
Hyperglycaemia			
Hypophagia			
Hypotension			
Mobility decreased			
Neuroleptic malignant syndrome			
Tachycardia			

## Medicine details :

<b>AMISULPRIDE (Suspected)</b>	<b>Reason :</b>
200 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/05/2008 <b>Stopped :</b> 11/06/2008
<b>DONEPEZIL HYDROCHLORIDE (Suspected)</b>	<b>Reason :</b>
10 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>Escitalopram (Suspected)</b>	<b>Reason :</b>
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>QUETIAPINE (Suspected)</b>	<b>Reason :</b>
400 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>RISPERIDONE (Suspected)</b>	<b>Reason :</b>
0.5 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>SIMVASTATIN (Suspected)</b>	<b>Reason :</b>
40 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 11/06/2008

## Medicine details :

### ASPIRIN (Other drug)

#### Reason :

100 Milligram Daily Oral

Batch :

Started :

Stopped :

### CALTRATE (Other drug)

#### Reason :

600 Milligram Daily Oral

Batch :

Started :

Stopped :

### CHOLECALCIFEROL (Other drug)

#### Reason :

1

Batch :

Started :

Stopped :

### METFORMIN HYDROCHLORIDE (Other drug)

#### Reason :

1 Gram Daily

Batch :

Started :

Stopped : 11/06/2008

### Novomix 30 (Other drug)

#### Reason :

16 Unit Daily Subcutaneous

Batch :

Started :

Stopped :

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				Febrile 38.1C, MSU (-), BCs (-), CK peaked @7211 on 12/06/08.
Heart Rate				100
Blood pressure				106/40
Serum glucose				11.8
Creatine kinase MB		19/06/2008	154	

# Public Case Detail

Cases Count: 102

## Case Number : 246176

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 03/09/2008

Age : 8D

Outcome : 08/09/2008

DOB :

Recovered

Causality : Causality possible

### Information:

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Bradycardia	Caused or prolonged inpatient hospitalisation	Bradycardia.	Monitored
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Unspecif personality disorder	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>CLEXANE (Other drug)</b>		<b>Reason :</b>	
	60 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>FRAGMIN (Other drug)</b>		<b>Reason :</b> Phleb&thrombophleb lowr extrem	
	10		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Other data				Sinus bradycardia 58-176

## Case Number : 246203

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 63

Onset Date :

Age :

DOB : 17/02/1934

Outcome :

Causality : Causality possible

Recovered

### Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tremor		Tremor	

Medicine details :			
Medicine	Reason :	Batch :	Started :
Escitalopram (Suspected)			
			Stopped :
ALEPAM (Other drug)			
	60 Milligram As necessary		Oral
			Stopped :
ANTENEX (Other drug)			
	5 Milligram As necessary		
			Stopped :
ATACAND (Other drug)			
	16 Milligram Daily		Oral
			Stopped :
LIPITOR (Other drug)			
	20 Milligram Daily		Oral
			Stopped :
Norspan 5 (Other drug)			
	5 Milligram Weekly		Transdermal
			Stopped :
PARIET (Other drug)			
	20 Milligram Daily		Oral
			Stopped :



# Public Case Detail

Cases Count: 102

**Case Number : 246314**

**Data Entry Date :** 17/11/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 05/09/2008

**Age :** 41Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:** DOCI report.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis		Acute active hepatitis - ?	
Jaundice		secondary to Champix.	

## Medicine details :

**AMOXYCILLIN SODIUM (Suspected)**

**Reason :**

**Batch :**

**Started :** 03/09/2008

**Stopped :** 05/09/2008

**Champix (Suspected)**

**Reason :** Smoker

Tablet

0.5 Milligram

Daily

Oral

**Batch :**

**Started :** 15/08/2008

**Stopped :** 05/09/2008

**Escitalopram (Suspected)**

**Reason :** Depression

10 Milligram

Daily

**Batch :**

**Started :** 31/08/2008

**Stopped :** 05/09/2008

**NEXIUM (Suspected)**

**Reason :**

40 Milligram

Daily

**Batch :**

**Started :**

L TERM

**Stopped :** 05/09/2008

# Public Case Detail

Cases Count: 102

**Case Number : 246562**

**Data Entry Date :** 25/11/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99u

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** History of depression.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Self-injurious ideation		Patient experienced thoughts of self harm, crying, weight gain of 15kgs and drug ineffective.	
Crying			
Drug ineffective			
Weight increased			

## Medicine details :

**Lexapro (Suspected)**

**Reason :** Depression

Tablet

20 Milligram

Daily

Oral

**Batch :**

**Started :**

L TERM

**Stopped :**

# Public Case Detail

Cases Count: 102

**Case Number : 246567**

**Data Entry Date :** 25/11/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 99

**Onset Date :** 28/10/2008

**Age :**

**DOB :** 20/01/1972

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Akathisia		Akathisia, anxiety and insomnia.	
Anxiety			
Insomnia			

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b> Depression	
	10 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 23/10/2008	<b>Stopped :</b> 28/10/2008	

**Case Number : 246627**

**Data Entry Date :** 26/11/2008

**Gender :** F

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :** 27/12/2007

**Age :**

**DOB :** 14/03/1980

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	<p>On presentation this patient was febrile with deranged LFTs and jaundice, malaise, a maculo-papular rash to the trunk and arms that was causing desquamation of the skin (initially itchy), joint pain (+++), and severe ulceration to the tongue and throat. Initial diagnosis was Steven's Johnson Syndrome with cholestatic jaundice of unknown cause.</p> <p>The pts LFTs continued to deteriorate and the jaundice worsened over the seven days post admission. An atypical pulmonary infection (eg mycoplasma) was queried. Vasculitis was also queried.</p> <p>By the 09/01/2008 the itching had improved (jaundice still present, LFTs remained significantly elevated). Despite extensive investigation, no diagnosis could be made at this time. The subsequent diagnosis, made by the consultant physician, in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".</p>	<p>It was discussed as to whether to cease the patient's citalopram, however this was not done during admission. Supportive care for rash/ulceration.; Aciclovir was used for the queried viral infection. Azithromycin was used for the non specific URTI. ursodeoycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.</p>

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	On presentation this patient was febrile with deranged LFTs and jaundice, malaise, a maculo-papular rash to the trunk and arms that was causing desquamation of the skin (initially itchy), joint pain (+++), and severe ulceration to the tongue and throat. Initial diagnosis was Steven's Johnson Syndrome with cholestatic jaundice of unknown cause. The subsequent diagnosis, made by the consultant physician, in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".	Supportive care; ursodeoxycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.
Vanishing bile duct syndrome	Caused or prolonged inpatient hospitalisation	The overall diagnosis made by the consultant physician in light of the timeline and biopsy findings was "citalopram-induced vanishing bile duct syndrome".	Supportive care; ursodeoxycholic acid for jaundice, changed to prednisolone 75mg daily due to little response.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Exfoliative rash	Caused or prolonged inpatient hospitalisation		
Jaundice cholestatic	Caused or prolonged inpatient hospitalisation		

## Medicine details :

<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b> Depression	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/12/2006	<b>Stopped :</b> 01/02/2008	0
<b>VENTOLIN (Other drug)</b>		<b>Reason :</b> Asthma	
Inhalation	Dose Unspec	As necessary	Inhalation
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Chest X-ray				? infiltrates
Ultrasound				Liver no cholestasis, no bile duct dilatation
Other data				Q fever PCR
Liver biopsy				1. destruction of bile ducts 2. (post citalopram ) regeneration of bile ducts

# Public Case Detail

Cases Count: 102

**Case Number : 246917**

**Data Entry Date :** 08/12/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 22/07/1984

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Lethargy	Incapacity/disability	generalized lethargy with use of lexapro	cessation of medication and changed to sertraline 25 mg daily

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>	<b>Reason :</b>		
	10 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 08/05/2007	<b>Stopped :</b> 08/12/2008	

# Public Case Detail

Cases Count: 102

**Case Number : 247052**

**Data Entry Date :** 10/12/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

**Preferred Term**

**Severity**

**Report Description**

**Treatment**

Drug ineffective

Esipram does not work, it does nothing for the patient.

Therapeutic response unexpected with drug substitution

**Medicine details :**

**Esipram (Suspected)**

**Reason :**

Tablet

20 Milligram

Daily

Oral

**Batch :** FA01323 11/2010

**Started :**

**Stopped :**

# Public Case Detail

Cases Count: 102

**Case Number : 247306**

**Data Entry Date :** 22/12/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 80

**Onset Date :** 10/11/2008

**Age :**

**Outcome :** 17/11/2008

**DOB :** 15/07/1977

Recovered

**Causality :** Causality probable

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Headache		Severe headache, sensitive to light and sound, diarrhoea.	Panadol- 6/day for 4 days.
Diarrhoea			
Hyperacusis			
Photophobia			

**Medicine details :**

<b>Esipram (Suspected)</b>	<b>Reason :</b>
Tablet	20 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 08/11/2008 <b>Stopped :</b> 15/11/2008



# Public Case Detail

Cases Count: 102

**Case Number : 247657**

**Data Entry Date :** 13/01/2009

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 03/10/2008

**Age :** 48Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Delirium		Delirium, hallucinations.	Olanzapine stat wafer with good effect.
Hallucination			

<b>Medicine details :</b>			
<b>AMITRIPTYLINE HYDROCHLORIDE (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>CITALOPRAM HYDROBROMIDE (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>FENTANYL TRANSDERMAL (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 102

**Case Number : 247852**

Data Entry Date : 21/01/2009

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 20/10/2008

Age : 91Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

**Information:**

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Hyponatraemia		Asymptomatic hyponatraemia	Ceased Lexapro, fluid restricted, sodium replacement

<b>Medicine details :</b>			
<b>Lexapro (Suspected)</b>		<b>Reason :</b>	
Tablet	10 Milligram	Daily	Ophthalmic
<b>Batch :</b>	<b>Started : 23/09/2008</b>	<b>Stopped : 20/10/2008</b>	
<b>ARICEPT (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ATACAND (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>CALTRATE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>OSTELIN 1000 (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>VITAMINORUM B.P.C. (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>WARFARIN SODIUM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Sodium		22/09/2008	139	

# Public Case Detail

Cases Count: 102

**Case Number : 247870**

**Data Entry Date :** 21/01/2009  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 13/10/2008  
**Outcome :**  
 Not yet recovered

**Gender :** F  
**Weight (kg) :** 60  
**Age :**  
**DOB :** 13/11/1976  
**Causality :** Causality possible

**Information:** History: Used heroine and methamphetamines 10 years ago. Suffers from depression.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Migraine	Caused or prolonged inpatient hospitalisation	Patient experienced episodes of fainting, slurred speech and unilateral weakness. This was followed by a severe headache and nightmares.	Lexapro discontinued.
Nightmare	Caused or prolonged inpatient hospitalisation		

## Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression		
Tablet	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 17/06/2008	<b>Stopped :</b> 03/11/2008	

**Case Number : 247872**

**Data Entry Date :** 21/01/2009

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 70

**Onset Date :**

**Age :**

**DOB :** 06/05/1947

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:** History of asthma, hayfever and depression.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Urticaria	Caused or prolonged inpatient hospitalisation	Two weeks after being prescribed Lexapro, patient developed a possible allergic reaction, developing three episodes of severe urticaria and laryngel swelling.	Lexapro discontinued. Changed to Cipramil 20mg.
Pharyngeal oedema	Caused or prolonged inpatient hospitalisation		

## Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b> Depression
Tablet	10 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 18/06/2008 <b>Stopped :</b> 03/07/2008
<b>PHENERGAN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>RHINOCORT (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>VENTOLIN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 102

**Case Number : 247941**

**Data Entry Date :** 23/01/2009

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**Outcome :**

**DOB :** 18/01/1976

Not yet recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Abdominal pain upper	Caused or prolonged inpatient hospitalisation	Patient experienced epigastric pains, duodenal ulcerationl.	Told to cease Buprofen, started on Nexium 40mg daily. IV potassium infusion, oral potassium supplements, 2 unit blood transfusion and iron infusion.
Duodenal ulcer	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

<b>IBUPROFEN (Suspected)</b>	<b>Reason :</b> Headache	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>
<b>Talam (Suspected)</b>	<b>Reason :</b> Depression	
	20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/04/2008	<b>Stopped :</b>

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Gastroscopy				Gastroscopy showed duodenal ulceration.

## Case Number : 247985

**Data Entry Date :** 28/01/2009  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 11/08/2008  
**Outcome :** 21/08/2008  
 Recovered

**Gender :** M  
**Weight (kg) :** 105  
**Age :**  
**DOB :** 29/06/1936  
**Causality :** Causality possible

**Information:** Two cases from same doctor linking temazepam with venous thromboembolism ADRAC no. 247984. Lexapro has been associated with DVT.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Embolism venous	Life threatening	Patient given Temazepam 16/6/2008 for insomnia after death of wife. Stopped use of Lexapro May 2008 for a short while. Used Temazepam infrequently. Developed pulmonary embolism 11/8/08.	
Pulmonary embolism	Life threatening		

### Medicine details :

<b>Lexapro (Suspected)</b>	<b>Reason :</b>
10 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 07/05/2008 <b>Stopped :</b>
<b>TEMAZEPAM (Suspected)</b>	<b>Reason :</b> Specific disorders of sleep
10 Milligram As necessary	
<b>Batch :</b>	<b>Started :</b> 16/06/2008 <b>Stopped :</b> 11/08/2008
<b>AVAPRO (Other drug)</b>	<b>Reason :</b> Essential benign hypertension
1 Dose Unspec Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>LIPEX (Other drug)</b>	<b>Reason :</b>
Milligram Daily	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>PANAMAX (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

Selection Parameters : Date Range: 01/08/2007 To 31/01/2009 Unclear causality excluded GM medicines Only Medicine Names: CELAPRAM, CIPRAMIL, CITALOPRAM HYDROBROMIDE, TALOHXAL, Escitalopram, Lexapro, Talam, Chem Mart Citalopram, GenRx Citalopram, Ciazil, Esipram