

# Public Case Detail

**Case Number : 195519**

**Data Entry Date :** 16/03/2004

**Hospitalisation :**

**Onset Date :**

**Outcome :**

Recovered

**Gender :** M

**Weight (kg) :** 66

**Age :**

**DOB :** 18/12/1987

**Causality :** Causality probable

**Information:** Changed to Ritalin LA 40 mg and Ritalin 20 mg and has been fine since

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Headache		Headaches, sweating, mood swings, not eating. Had to be sent home from work 3 days in a row.	Ceased Concerta, changed to Ritalin
Anorexia			
Hyperhidrosis			
Mood swings			

## Medicine details :

<b>Concerta (Suspected)</b>		<b>Reason :</b> Behavior disorders of childhood	
Tablet	36 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ZACTIN (Other drug)</b>		<b>Reason :</b> Depression	
	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

**Case Number : 212069**

**Data Entry Date :** 28/09/2005

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 38

**Onset Date :** 23/09/2005

**Age :** 13Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality certain

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Dystonia	Incapacity/disability	Dystonic reaction. Unusual movement of legs, rolling of body. Reproduced on reintroduction of Methylphenidate (different brand).	Removal of Prozac and Concerta. On retrial of Methylphenidate was given Cogentin with result for Dystonia
Dyskinesia	Incapacity/disability		

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b>	
Capsule	54 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/01/1998	<b>Stopped :</b>	
<b>CATAPRES (Other drug)</b>		<b>Reason :</b>	
Tablet	350 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/01/1998	<b>Stopped :</b>	
<b>PROZAC (Other drug)</b>		<b>Reason :</b>	
Capsule	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/01/1998	<b>Stopped :</b>	

# Public Case Detail

**Case Number : 221441**

**Data Entry Date :** 06/09/2006

**Hospitalisation :**

**Onset Date :**

**Outcome :**

Unknown

**Gender :** F

**Weight (kg) :** 0

**Age :** 99Y

**DOB :**

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Tourette's disorder		Tourette's disorder, hyperhidrosis.	
Tic		Tourette's syndrome	
Hyperhidrosis			

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b>	
Tablet			Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

**Case Number : 225390**

**Data Entry Date :** 05/02/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 34

**Onset Date :** 15/01/2007

**Age :**

**DOB :** 17/12/1997

**Outcome :**

**Causality :** Causality possible

Recovered with sequelae

**Information:** Medical History: Asperger's disorder borderline.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Dyskinesia	Incapacity/disability	Developed facial tic, facial contortions, anger, obsessive play with toys and he was emotional and talkative.	Treatment withdrawn.
Anger	Incapacity/disability		
Emotional disorder	Incapacity/disability		
Logorrhoea	Incapacity/disability		
Obsessive thoughts	Incapacity/disability		
Tic	Incapacity/disability		

## Medicine details :

<b>Concerta (Suspected)</b>	<b>Reason :</b> Behavior disorders of childhood		
Tablet	36 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/01/2007	<b>Stopped :</b> 15/01/2007	
<b>RISPERDAL (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

**Case Number : 228510**

**Data Entry Date :** 15/05/2007

**Hospitalisation :**

**Onset Date :** 05/05/2007

**Outcome :**  
Unknown

**Gender :** M

**Weight (kg) :** 0

**Age :** 11Y

**DOB :**

**Causality :** Causality possible

**Information:** Previously taking Ritalin

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Aggression		Described as being out of control, bashing windows, kicking hole through the wall, broke tree branches, let the air out of car tyres	
Disturbance in social behaviour			

## Medicine details :

Concerta (Suspected)		Reason :	
Tablet	36 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 02/05/2007	<b>Stopped :</b>	0

# Public Case Detail

**Case Number : 230977**

**Data Entry Date :** 17/07/2007

**Hospitalisation :**

**Onset Date :** 15/05/2007

**Outcome :**  
Recovered

**Gender :** M

**Weight (kg) :** 0

**Age :** 10Y

**DOB :**

**Causality :** Causality probable

**Information:** Patient was stable on ritalin 10mg/bd.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Condition aggravated		After child was switched from Ritalin to Concerta, his condition of ADHD worsened.	Concerta stopped and switched back to Ritalin.

## Medicine details :

<b>Concerta (Suspected)</b>		<b>Reason :</b> Behavior disorders of childhood	
Tablet	36 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 16/04/2007	<b>Stopped :</b> 16/06/2007	

# Public Case Detail

**Case Number : 232726**

**Data Entry Date :** 29/08/2007

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 27.8

**Onset Date :**

**Age :**

**DOB :** 28/06/2000

**Outcome :**

**Causality :** Causality probable

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hallucination		Major hallucinations on long acting but no similar problems with short acting.	

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b> Behavior disorders of childhood	
Tablet	18 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 19/05/2007	<b>Stopped :</b> 22/05/2007	
<b>CATAPRES (Other drug)</b>		<b>Reason :</b> Specific disorders of sleep	
	100 Microgram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 23/02/2005	

# Public Case Detail

**Case Number : 235980**

**Data Entry Date :** 06/12/2007

**Hospitalisation :**

**Onset Date :**

**Outcome :**

Unknown

**Gender :** M

**Weight (kg) :** 0

**Age :** 14Y

**DOB :**

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Henoch-Schonlein purpura		Henoch-Schonlein Purpura	

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b>	
Tablet		36 Milligram	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	



# Public Case Detail

**Case Number : 236564**

**Data Entry Date :** 28/12/2007

**Hospitalisation :**

**Onset Date :**

**Outcome :**

Unknown

**Gender :** M

**Weight (kg) :** 0

**Age :** 10Y

**DOB :**

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Paranoia		frightened and paranoid about insects	
Weight increased		in 6 months from 6 stone to 11 stone	
Hyperaesthesia		intolerable to touch	
Tic		tic like behaviours, shrugging and head nodding occurred one month after starting concerta	
Fear			
Muscle twitching			

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b>	
	36 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>Movox (Other drug)</b>		<b>Reason :</b>	
			Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>RISPERDAL (Other drug)</b>		<b>Reason :</b>	
	1 Milligram	2 times	Oral
<b>Batch :</b>	<b>Started :</b> 30/06/2005	<b>Stopped :</b>	

# Public Case Detail

**Case Number : 236763**

**Data Entry Date :** 08/01/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 34.2

**Onset Date :** 20/11/2007

**Age :**

**DOB :** 17/05/2001

**Outcome :** 25/11/2007

**Causality :** Causality possible

Recovered

**Information:** A few of my patients have had this issue ? absorption/capsule dissolving issue. Not really an adverse reaction, but I thought it worth mentioning.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Drug ineffective		Changed from Ritalin 10mg/tds to Concerta 27mg/daily. Concerta had no effect at all "as if she was taking nothing". Parents certain she was swallowing the medication.	Changed back to Ritalin 10mg with good effect.

## Medicine details :

<b>Concerta (Suspected)</b>		<b>Reason :</b> Behavior disorders of childhood	
Tablet	27 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 20/11/2007	<b>Stopped :</b> 24/11/2007	

# Public Case Detail

**Case Number : 237114**

**Data Entry Date :** 21/01/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 29

**Onset Date :** 01/03/2007

**Age :**

**DOB :** 18/11/1997

**Outcome :** 15/11/2007

**Causality :** Causality probable

Recovered

**Information:** ADHD/ASD with no medication able to be taken.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Anorexia		Patient experienced loss of appetite, insomnia, skin sores, (scratching of skin sores), head banging on walls, psychosis, violent self harming behaviour with rages lasting up to 1 hour.	Medications ceased.
Aggression			
Head banging			
Insomnia			
Self injurious behaviour			
Skin lesion			

## Medicine details :

<b>Concerta (Suspected)</b>	<b>Reason :</b> Behavior disorders of childhod		
Tablet	18 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/03/2007	<b>Stopped :</b> 31/10/2007	

# Public Case Detail

**Case Number : 239592**

**Data Entry Date :** 03/04/2008

**Hospitalisation :** Required a visit to the doctor

**Onset Date :** 07/01/2008

**Outcome :** 09/01/2008  
Recovered

**Gender :** M

**Weight (kg) :** 38

**Age :**

**DOB :** 30/12/1999

**Causality :** Causality probable

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hallucination		Child with ADHD had been taking ritalin for some time with good effect and no side effects. Tried switching to Concerta for ease of dosage. Within 7 days developed hallucinations (spiders and 'trolls'). Drug was withdrawn and hallucinations stopped.	Concerta withdrawn

<b>Medicine details :</b>			
<b>Concerta (Suspected)</b>		<b>Reason :</b> Behavior disorders of childhood	
	36 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 01/01/2008	<b>Stopped :</b> 08/01/2008	

Selection Parameters : Date Range: 01/01/1960 To 31/12/2059 Unclear causality excluded GM medicines Only Medicine Names: Concerta