

Public Case Detail

Cases Count: 61

Case Number : 231483

Data Entry Date : 02/08/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 25/06/2007

Age :

DOB : 12/11/1989

Outcome : 27/06/2007

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Opisthotonus		Patient experienced a dystonic reaction (opisthotonus) lasting in a mild way for a further 24 hours.	

Medicine details :

Lexapro (Suspected)		Reason : Depression	
Tablet	5 Milligram	Daily	Oral
Batch :	Started : 05/06/2007	Stopped : 07/06/2007	
Logicin Flu Strength Day & Night (Suspected)		Reason : Acute nasopharyngitis,com cold	
Tablet	1 Dose Unspec	Daily	Oral
Batch :	Started : 05/06/2007	Stopped : 07/06/2007	

Case Number : 231507

Data Entry Date : 03/08/2007
Hospitalisation : Admitted to hospital
Onset Date : 15/03/2006
Outcome :
 Recovered

Gender : F
Weight (kg) : 100
Age :
DOB : 26/10/1953
Causality : Causality possible

Information: Patient was changed from sertraline (on which she was stable) to escitalopram. When changed back to sertraline she improved.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	Patient experienced severe depression, attempted suicide.	Ceased Lexapro, started Sertraline.
Suicide attempt	Life threatening		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	10 Milligram Daily Oral
Batch :	Started : 15/03/2006 Stopped :
ALODORM (Other drug)	Reason :
Batch :	Started : Stopped :
ENDONE (Other drug)	Reason :
Batch :	Started : Stopped :
PANADEINE FORTE (Other drug)	Reason :
Batch :	Started : Stopped :
PREDNISON (Other drug)	Reason :
Batch :	Started : Stopped :
TEMTABS (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 61

Case Number : 232490

Data Entry Date : 24/08/2007

Gender : M

Hospitalisation :

Weight (kg) : 96

Onset Date : 18/08/2007

Age :

DOB : 29/04/1988

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Muscle spasms	Caused or prolonged inpatient hospitalisation	legs, arms and along spine.	
Abdominal pain upper	Caused or prolonged inpatient hospitalisation		
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Myalgia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Lexapro (Suspected)	Reason :		
Tablet	20 Milligram	1 time	Oral
Batch :	Started : 26/06/2007	Stopped : 24/08/2007	

Public Case Detail

Cases Count: 61

Case Number : 232597

Data Entry Date : 28/08/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 95

Onset Date : 15/07/2007

Age :

DOB : 05/01/1940

Outcome :
Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urticaria		Patient developed an urticarial rash.	Cessation of escitalopram.

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	10 Milligram	Daily	Oral
Batch :	Started : 15/07/2007	Stopped : 15/07/2007	
SEROQUEL (Other drug)		Reason : Anxiety neurosis	
Tablet	300 Milligram	Daily	Oral
Batch :	Started : 15/07/2006	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 232599

Data Entry Date : 28/08/2007

Gender : F

Hospitalisation : Required a specialist consultation

Weight (kg) : 0

Onset Date : 23/07/2007

Age : 32Y

Outcome : 25/07/2007

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Confusional state	Caused or prolonged inpatient hospitalisation	Confusion, altered mental state, drowsiness, nausea and vomiting.	Withheld Epilim, Valium and Stilnox.
Mental disorder	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		
Somnolence	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine details :			
EPILIM EC 500 (Suspected)		Reason : Other&unspecified epilepsy	
	1 Gram	Daily	Oral
Batch :	Started :	Stopped : 23/07/2007	
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	Oral
Batch :	Started : 20/07/2007	Stopped : 23/07/2007	
Stilnox CR (Suspected)		Reason : Specific disorders of sleep	
Tablet	6.3 Milligram	As necessary	Oral
Batch :	Started :	Stopped : 23/07/2007	
SEROQUEL (Other drug)		Reason :	
Batch :	Started :	Stopped :	
VALIUM (Other drug)		Reason : Anxiety neurosis	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 233086

Data Entry Date : 06/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 20/10/2006

Age :

DOB : 15/02/1987

Outcome : 05/01/2007

Causality : Causality possible

Death, maybe drug

Information: No family history of clotting disorders.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Deep vein thrombosis	Death	Patient developed a very large deep vein thrombosis whilst on Lexapro.(this report, SEQ .1)	Warfarin and Panadeine Forte

Medicine details :

Lexapro (Suspected)

Reason : Depression

Tablet

20 Milligram

Daily

Oral

Batch :

Started : 15/08/2006

Stopped : 03/01/2007

Case Number : 233116

Data Entry Date : 06/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2007

Age :

DOB : 05/04/1946

Outcome :

Causality : Causality possible

Unknown

Information: history of ischaemic heart disease post acute myocardial infarction
233116 is a seq of 233489.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Chromaturia	Incapacity/disability	dark urine	
Blood creatine phosphokinase increased	Incapacity/disability	up to 8000	
Liver function test abnormal	Incapacity/disability		
Muscular weakness	Incapacity/disability		
Myalgia	Incapacity/disability		
Myopathy	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Milligram Daily Oral	
Batch :	Started : 24/05/2007 Stopped : 16/08/2007 0
LIPITOR (Suspected)	Reason :
Tablet 80 Milligram Daily Oral	
Batch :	Started : 15/03/2006 Stopped : 16/08/2007 0
ALLOPURINOL (Other drug)	Reason :
100 Milligram	
Batch :	Started : Stopped :
ASPIRIN (Other drug)	Reason :
100 Milligram	
Batch :	Started : Stopped :
METOPROLOL TARTRATE (Other drug)	Reason :
25 Milligram	
Batch :	Started : Stopped :
RAMIPRIL (Other drug)	Reason :
2.5 Milligram	
Batch :	Started : Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Liver function tests				refer to attached CIOMS for data

Public Case Detail

Cases Count: 61

Case Number : 233489

Data Entry Date : 18/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase increased Liver function test abnormal		Creatine kinase increased. Liver function tests raised.	Lexapro ceased

Medicine details :	
Lexapro (Suspected)	Reason : Depression
Batch :	Started :
	Stopped :

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Creatine phosphokinase				8000
Liver function tests				Elevated

Public Case Detail

Cases Count: 61

Case Number : 233662

Data Entry Date : 20/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 77

Onset Date :

Age :

DOB : 03/01/1990

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicide attempt		precipitated suicide act 2 x OD within 2 weeks, and continuing suicide ideation after starting escitalopram 10mg m. Never experience that before and can't explained why OD occurred.	
Suicidal ideation			

Medicine details :

Escitalopram (Suspected)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 20/08/2007	Stopped :	14/09/2007

Public Case Detail

Cases Count: 61

Case Number : 233907

Data Entry Date : 02/10/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 82.5

Onset Date :

Age : 45Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Weight increased		Patient has been taking Lexapro with an initial dose of 10mg. After 6 weeks it was increased to 20mg. Her initial weight was 63.5kg and by Sept 2007 it was 82.5kg.	Ceased medication.

Medicine details :

Lexapro (Suspected)	Reason :		
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 234014

Data Entry Date : 04/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 04/09/2007

Age : 73Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Cerebral haemorrhage		Intracerebral/ventricular bleed.	

Medicine details :			
CLEXANE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
Escitalopram (Suspected)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
WARFARIN SODIUM (Suspected)		Reason :	
Batch :	Started :	Stopped :	
CEPHAZOLIN SODIUM (Other drug)		Reason :	
Batch :	Started :	Stopped :	
MIXTARD 30/70 (Other drug)		Reason :	
Batch :	Started :	Stopped :	
MODURETIC (Other drug)		Reason :	
Batch :	Started :	Stopped :	
PARACETAMOL (Other drug)		Reason :	
Batch :	Started :	Stopped :	
SOTALOL HYDROCHLORIDE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 234058

Data Entry Date : 05/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 74

Onset Date : 01/06/2007

Age : 52Y

DOB :

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hepatitis	Incapacity/disability	suspected drug induced hepatitis	
Hypertension	Incapacity/disability		
Visual impairment	Incapacity/disability		

Medicine details :

EDRONAX (Suspected)		Reason : Depression	
Tablet	4 Milligram	2 times	Oral
Batch :	Started : 10/03/2005	Stopped :	
Lexapro (Suspected)		Reason : Depression	
Tablet	30 Milligram	1 time	Oral
Batch :	Started : 30/06/2006	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 234303

Data Entry Date : 12/10/2007

Hospitalisation :

Onset Date : 15/09/2007

Outcome :

Not yet recovered

Gender : F

Weight (kg) : 0

Age : 99U

DOB :

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hot flush	Caused or prolonged inpatient hospitalisation	After taking the first escitalopram tablet the patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Ceased drug
Dysuria	Caused or prolonged inpatient hospitalisation		
Feeling of body temperature change	Caused or prolonged inpatient hospitalisation		

Medicine details :

Esipram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/09/2007	Stopped : 16/09/2007	

Public Case Detail

Cases Count: 61

Case Number : 235265

Data Entry Date : 14/11/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 78

Onset Date : 31/07/2007

Age :

Outcome : 07/08/2007

DOB : 10/12/1964

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Pruritus generalised		Generalised itch, 4/7 after starting Lexapro. No rash noted.	Ceased Lexapro.

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 27/07/2007	Stopped : 06/08/2007	

Public Case Detail

Cases Count: 61

Case Number : 235377

Data Entry Date : 16/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 62

Onset Date : 15/09/2007

Age :

DOB : 05/05/1943

Outcome :

Causality : Causality possible

Not yet recovered

Information: Patient was also on Hormone replacement therapy.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing	Caused or prolonged inpatient hospitalisation	Patient experienced waves of hot and cold flushes passing over her shoulder, blurred vision and difficulty passing urine.	Escitalopram discontinued.
Dysuria	Caused or prolonged inpatient hospitalisation		
Vision blurred	Caused or prolonged inpatient hospitalisation		

Medicine details :

Esipram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/09/2007	Stopped :	16/09/2007

Public Case Detail

Cases Count: 61

Case Number : 235619

Data Entry Date : 24/11/2007

Gender : M

Hospitalisation :

Weight (kg) : 92

Onset Date : 07/11/2007

Age :

DOB : 12/09/1945

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome	Incapacity/disability	serotonin syndrome - sweating profusely, impending doom, agitation, chest pain	Stopped naltrexone. reduced lexapro to 5mg. Much better in 24 hours. Hypomania for a week after. then stopped lexapro. started seroquel, hypomania abated in another week.

Medicine details :

Lexapro (Interaction)		Reason : Depression	
Tablet	20 Milligram	1 time	Oral
Batch :	Started : 11/01/2007	Stopped : 11/07/2007	0
NALTREXONE HYDROCHLORIDE (Interaction)		Reason :	
Tablet			Oral
Batch :	Started : 11/01/2007	Stopped : 11/07/2007	

Public Case Detail

Cases Count: 61

Case Number : 236361

Data Entry Date : 17/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 13/11/2007

Age :

DOB : 10/05/1960

Outcome : 15/11/2007

Causality : Causality possible

Recovered

Information: Patient is hepatitis C Virus positive.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Coagulopathy		Patient experienced ongoing haemorrhagic ooze for 2 days. External dressing applied (changed every 20-30 minutes). ? SSRI - associated coagulopathy.	Tranexamic acid 1g tds, Vitamin K 5mg stat, Kaltostat packing into nasal passages.
Haemorrhage			
Secretion discharge			

Medicine details :

Escitalopram (Suspected)	Reason : Depression
10 Milligram Daily	
Batch :	Started :
	Stopped :
ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)	Reason : Other diseases of esophagus
20 Milligram Daily	
Batch :	Started :
	Stopped :

Public Case Detail

Cases Count: 61

Case Number : 236458

Data Entry Date : 20/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 01/06/2007

Age : 70Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: Transaminases >2000.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis	Caused or prolonged inpatient hospitalisation	? Drug induced hepatitis, dark urine, pruritis and arthralgias.	Withdrawal of SSRI and statin.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Chromaturia	Caused or prolonged inpatient hospitalisation		
Jaundice	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)	Reason :
Batch :	Started : 21/05/2007 Stopped : 01/06/2007
SIMVASTATIN (Suspected)	Reason :
Tablet	40 Milligram Oral
Batch :	Started : Stopped : 0
FLUVAX (Other drug)	Reason : Prophylactic inoculation and vaccination
Injection	1 Dose Unspec 1 time Subcutaneous
Batch :	Started : 28/04/2007 Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Bilirubin	20	01/06/2007	63	

Public Case Detail

Cases Count: 61

Case Number : 236869

Data Entry Date : 10/01/2008

Hospitalisation :

Onset Date : 10/11/2007

Outcome : 14/11/2007

Recovered

Gender : F

Weight (kg) : 0

Age : 41Y

DOB :

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Flushing		Flushing, hot and cold rigers, mild headache, nausea, sweats, dizzy on standing, photophobia, myalgia, neck stiffness, tremor, weaknes, hyperaesthesia.	ceased Buprenorphine and escitalopram.
Asthenia			
Chills			
Dizziness postural			
Headache			
Hyperaesthesia			
Hyperhidrosis			
Musculoskeletal stiffness			
Myalgia			
Nausea			
Photophobia			
Therapy regimen changed			
Tremor			

Medicine details :

BUPRENORPHINE HYDROCHLORIDE (Suspected)	Reason :
Drug delivery system, transder	5 Milligram Weekly Transdermal
Batch :	Started : 01/11/2007 Stopped :
Escitalopram (Suspected)	Reason :
Tablet	20 Milligram Daily Oral
Batch :	Started : L TERM Stopped :
TRAMADOL HYDROCHLORIDE (Suspected)	Reason : Otr&unsp vertebrogen pain synd
Tablet	400 Milligram Daily Oral
Batch :	Started : Stopped :
MELOXICAM (Other drug)	Reason :
Batch :	Started : Stopped :

Medicine details :

PANTOPRAZOLE (Other drug)

Reason :

Batch :

Started :

Stopped :

Symbicort Turbuhaler (Other drug)

Reason :

Batch :

Started :

Stopped :

VENTOLIN (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 61

Case Number : 237437

Data Entry Date : 30/01/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 15/06/2007

Age : 37Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Influenza like illness		Flu-like reaction, rash developed 7 days after flu injection and starting Lexapro.	Lexapro stopped.
Rash			

Medicine details :			
INFLUENZA VACCINE (Suspected)		Reason : Prophylactic inoculation and vaccination	
Injection		1 Dose Unspec 1 time	
Batch :	Started : 15/06/2007	Stopped : 15/06/2007	
Lexapro (Suspected)		Reason : Depression	
Tablet		Oral	
Batch :	Started : 15/06/2007	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 238586

Data Entry Date : 04/03/2008

Gender : F

Hospitalisation :

Weight (kg) : 61.5

Onset Date : 26/01/2007

Age :

DOB : 26/05/1959

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Aggression		<p>Took Lexapro in early evening. Symptoms 30 mins later, felt euphoric, 2 hours later getting agitation, then agro - mean and snappy, aching and arthralgia all main joints, awful, skin felt on fire at same time, started nuchal area - back of head - something burning, crept all over, including hands and feet, then half an hour after that neck felt itchy, then nausea. Sharp central frontal headache. Had swallowing sensation, lump in throat, tingly bottom lip. Next day twitches in multiple muscle groups. This was the second time this happened.</p>	
Agitation			
Arthralgia			
Euphoric mood			
Headache			
Nausea			
Pruritus			
Skin burning sensation			

Medicine details :

Lexapro (Suspected)	Reason :
	10 Milligram 1 time
Batch :	Started : 26/01/2007 Stopped :

Public Case Detail

Cases Count: 61

Case Number : 238674

Data Entry Date : 06/03/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 75

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Pathological gambling		Client had begun gambling, lost \$5000, and developed compulsive behaviours like nail biting, washing hands.	
Impulsive behaviour			
Onychophagia			

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 08/10/2007	Stopped : 31/01/2008	

Public Case Detail

Cases Count: 61

Case Number : 238722

Data Entry Date : 07/03/2008
Hospitalisation : Admitted to hospital
Onset Date : 02/12/2007
Outcome : 04/12/2007
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 04/01/1965
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Life threatening	The patient was a smoker and was advised by a respiratory physician to quit smoking due to recent finding of decreased lung function. After seeking advice from both her GP (who according to patient provided thorough counselling including psychiatric adverse effect risk) and her psychiatrist, the patient agreed to try varenicline (Champix) to help her quit smoking. A few days after starting the medication, patient gradually developed depression and agitation (patient stated that the symptoms started at around day 7), and later patient threatened to kill people around her and developed suicidal behaviour. While in-patient the patient was transferred from general ward to the Psychiatric Intensive Care Unit due to aggressive and erratic behaviour towards ward staff.	
Agitation	Life threatening		
Homicidal ideation	Life threatening		
Suicidal behaviour	Life threatening		

Medicine details :

Champix (Interaction)	Reason : Smoker
Tablet	1 Dose Unspec Daily Oral
Batch :	Started : 07/11/2007 Stopped : 02/12/2007 0

Medicine details :

Escitalopram (Interaction)

Reason : Depression

Tablet 30 Milligram Daily Oral

Batch : Started : Stopped :

METHYLPREDNISOLONE (Interaction)

Reason :

40 Milligram Daily

Batch : Started : Stopped : 0

SODIUM VALPROATE (Interaction)

Reason : Unspecifid affective psychosis

Tablet 1.5 Gram Daily Oral

Batch : Started : Stopped :

ALPRAZOLAM (Other drug)

Reason :

1 Milligram Daily Oral

Batch : Started : Stopped :

RABEPRAZOLE SODIUM (Other drug)

Reason :

Tablet 20 Milligram Daily Oral

Batch : Started : Stopped :

Case Number : 238724

Data Entry Date : 07/03/2008
Hospitalisation : Admitted to hospital
Onset Date : 02/12/2007
Outcome : 04/12/2007
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 04/01/1965
Causality : Causality certain

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Overdose	Life threatening	Previously stabilised on psychiatric medications, was admitted to emergency on 03/12/07 with low conscious state secondary to overdose with sodium valproate.	
Depressed level of consciousness	Life threatening		

Medicine details :			
ALPRAZOLAM (Interaction)		Reason : Depression	
Tablet	1 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
Escitalopram (Interaction)		Reason : Depression	
Tablet	30 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
METHYLPREDNISOLONE (Interaction)		Reason :	
	40 Milligram	Daily	
Batch :	Started :	Stopped :	
SODIUM VALPROATE (Interaction)		Reason : Unspecifid affective psychosis	
Tablet	1.5 Gram	Daily	Oral
Batch :	Started :	Stopped :	
MIRTAZAPINE (Other drug)		Reason : Depression	
Tablet	75 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
RABEPRAZOLE SODIUM (Other drug)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
SALBUTAMOL (Other drug)		Reason : Asthma	
Inhalation	6 Dose Unspec	Daily	Inhalation
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 239039

Data Entry Date : 18/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 28Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Panic attack		Complained of Panic attack, agitation, tension, irritability, anxiety, anger, musculoskeletal pain, myalgia and nightmare.	
Agitation			
Anger			
Anxiety			
Irritability			
Musculoskeletal pain			
Myalgia			
Nightmare			
Tension			

Medicine details :

Lexapro (Suspected)	Reason :	
Batch :	Started :	Stopped :
STILNOX (Suspected)	Reason :	Oral
Batch :	Started :	Stopped :

Public Case Detail

Cases Count: 61

Case Number : 239117

Data Entry Date : 19/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 24/09/1966

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Amnesia		Delirium; amnesia; drug interaction	
Delirium			
Drug interaction			

Medicine details :			
ALPRAZOLAM (Interaction)		Reason :	
Batch :	Started :	Stopped :	
DI-GESIC (Interaction)		Reason :	
Batch :	Started :	Stopped :	
Lexapro (Interaction)		Reason :	
Batch :	Started :	Stopped :	
OXYCODONE HYDROCHLORIDE (Interaction)		Reason :	
Batch :	Started :	Stopped :	
STILNOX (Interaction)		Reason :	
Batch :	Started :	Stopped :	0
TEMAZEPAM (Interaction)		Reason :	
Batch :	Started :	Stopped :	
NOTEN (Other drug)		Reason :	
Batch :	Started :	Stopped :	
ZANIDIP (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 239402

Data Entry Date : 31/03/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 58

Onset Date : 13/03/2008

Age :

DOB : 07/11/1988

Outcome :
Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Somnolence		Somnolence	

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 13/03/2008	Stopped : 16/03/2008	

Public Case Detail

Cases Count: 61

Case Number : 239873

Data Entry Date : 11/04/2008

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 08/10/2007

Age :

DOB : 21/11/1959

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Vomiting	Incapacity/disability	vomitning, visual disturbance and insomnia for 24 after taking one 10mg lexapro tablet	cease medication
Insomnia	Incapacity/disability		
Visual impairment	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	1 time	Oral
Batch :	Started : 08/10/2007	Stopped : 08/10/2007	

Case Number : 240119

Data Entry Date : 17/04/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 09/04/2008

Age :

DOB : 26/11/1953

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Epilepsy		had influenza vaccine on 9/4/08 am. She had a "black-out" late afternoon on the same day and 3 more on 10/4/08. She said she had fallen over onto her back each time and her back is sore. Follow-up 17/4/08: She had had 2 more ?black-outs? with falls on 11 & 12/4/08. A locum doctor visited her 12/4/08, said her blood pressure was fairly low (did not tell her the reading), and said she had internal bruising, but he thought her spine was all right. On 16/4/08 she had seen her GP who prescribed Brufen 400mg tid for her back pain. Her blood pressure was OK then. doctor did not think she needed further treatment or change of treatment for the ?blackouts?. She says she is still in a lot of pain	Brufen 400mg tid for back pain
Fall			
Loss of consciousness			

Medicine details :

ENDEP (Suspected)	Reason : Depression
50 Milligram	Daily
Batch :	Started : 07/04/0110 Stopped : 0
INFLUENZA VACCINE (Suspected)	Reason : Prophylactic inoculation and vaccination
1 Dose Unspec	1 time
Batch :	Started : 09/04/2008 Stopped : 0

Medicine details :

Lexapro (Suspected)

Reason :

25 Milligram Daily

Batch :

Started : 01/10/2007

Stopped :

0

EPILIM (Other drug)

Reason : Epilepsy

200 Milligram Daily

Batch :

Started :

Stopped :

FEMARA (Other drug)

Reason : Malignant neoplasm of breast

2.5 Milligram Daily

Batch :

Started :

Stopped :

Case Number : 240532

Data Entry Date : 01/05/2008
Hospitalisation : Admitted to hospital
Onset Date : 04/12/2007
Outcome :
 Recovered

Gender : M
Weight (kg) : 0
Age :
DOB : 29/12/1924
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Lethargy	Caused or prolonged inpatient hospitalisation	Increased lethargy and sleeplessness secondary to hyponatraemia and hypoglycaemia.	Escitalopram ceased. Given mirtazepine instead.
Hypoglycaemia	Caused or prolonged inpatient hospitalisation		
Hyponatraemia	Caused or prolonged inpatient hospitalisation		
Insomnia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Escitalopram (Suspected)		Reason :	
Batch :	Started :	Stopped :	Oral 04/12/2007
ASPIRIN (Other drug)		Reason :	
Batch :	Started :	Stopped :	150 Milligram Oral
CLOPIDOGREL (Other drug)		Reason :	
Batch :	Started :	Stopped :	75 Milligram Oral 0
CRANBERRY (Other drug)		Reason :	
Batch :	Started :	Stopped :	Tablet 1 Dose Unspec Oral
ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)		Reason :	
Batch :	Started :	Stopped :	20 Milligram Oral
IRBESARTAN (Other drug)		Reason :	
Batch :	Started :	Stopped :	300 Milligram Oral

Medicine details :

OSTELIN 1000 (Other drug)

Reason :

1 Dose Unspec

Oral

Batch :

Started :

Stopped :

Ranoxyl (Other drug)

Reason :

16 Milligram

Oral

Batch :

Started :

Stopped :

SIMVASTATIN (Other drug)

Reason :

40 Milligram

Oral

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		03/12/2007	120	
Sodium		10/12/2007	129	

Public Case Detail

Cases Count: 61

Case Number : 241134

Data Entry Date : 23/05/2008

Gender : M

Hospitalisation :

Weight (kg) : 72

Onset Date : 15/04/2008

Age :

DOB : 12/11/1962

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urinary retention		Acute urine retention.	Ceased Lexapro.

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 02/04/2008	Stopped :	15/04/2008

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Ultrasound				But ultrasound -> incomplete emptying.

Public Case Detail

Cases Count: 61

Case Number : 241208

Data Entry Date : 22/05/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 75

Onset Date : 01/11/2007

Age :

DOB : 04/07/1970

Outcome :
Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Furuncle		3 weeks after commencement of Lexapro, skin boils over torso, thighs and upperarm. Also hair loss.	Lexapro ceased.
Alopecia			

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	Oral
Batch :	Started : 15/10/2007	Stopped :	

Case Number : 241949

Data Entry Date : 16/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 22/05/2008

Age :

DOB : 23/01/1983

Outcome : 22/05/2008

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dystonia	Life threatening	Dystonia reaction, tongue protrusion, airway obstructions.	Benzotropine
Dyskinesia	Life threatening		
Obstructive airways disorder	Life threatening		

Medicine details :

CLOPIXOL-ACUPHASE (Suspected)	Reason : Otr spec symp psychopathol nec		
Injection	100 Milligram	1 time	Intramuscular
Batch :	Started : 22/05/2008	Stopped :	
Lexapro (Suspected)	Reason : Depression		
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped : 22/05/2008	0
ATIVAN (Other drug)	Reason : Otr spec symp psychopathol nec		
Tablet	2 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped :	
SEROQUEL (Other drug)	Reason : Unspecified psychosis		
Tablet	300 Milligram	Daily	Oral
Batch :	Started : 18/04/2008	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 242316

Data Entry Date : 26/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 50

Onset Date : 12/05/2008

Age : 51Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tongue disorder		Writhing tongue, twitching muscles, upper and lower lips, slurred speech, twitching in fingers.	
Muscle twitching			

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	10 Milligram Daily Oral
Batch :	Started : 21/04/2008 Stopped : 14/05/2008
CELEBREX (Other drug)	Reason :
Batch :	Started : Stopped :
Humira (Other drug)	Reason : Other rheumatoid arthritis
Injection	40 Milligram Fortnightly Intravenous
Batch :	Started : 15/01/2007 Stopped :
METHOTREXATE (Other drug)	Reason :
Batch :	Started : Stopped :
OROXINE (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 61

Case Number : 242542

Data Entry Date : 02/07/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 57

Onset Date : 09/06/2008

Age :

DOB : 06/08/1961

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Urticaria		Severe urticaria.	High dose steroids.

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 28/04/2008	Stopped :	18/06/2008

Case Number : 242792

Data Entry Date : 10/07/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 60

Onset Date : 25/05/2008

Age :

Outcome : 26/05/2008

DOB : 20/05/1940

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Night sweats	Caused or prolonged inpatient hospitalisation	4 days of night sweats, fever, diarrhoea, rash, (bilateral arm to back) and reduced appetite. ?? serotonin syndrone.	Escitaloprim stopped.
Decreased appetite	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Rash	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)		Reason : Depression	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 03/05/2008	Stopped : 25/05/2008	
IRBESARTAN (Other drug)		Reason :	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
NIFEDIPINE (Other drug)		Reason :	
	30 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
SEROQUEL (Other drug)		Reason :	
Tablet	25 Milligram		Oral
Batch :	Started :		Stopped :

Public Case Detail

Cases Count: 61

Case Number : 243668

Data Entry Date : 11/08/2008
Hospitalisation : Admitted to hospital
Onset Date : 31/07/2008
Outcome :
 Not yet recovered

Gender : M
Weight (kg) : 2.9
Age :
DOB : 31/07/2008
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neonatal respiratory distress syndrome	Caused or prolonged inpatient hospitalisation	Born with significant respiratory distress, ongoing jitteriness.	Respiratory support with oxygen.
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		
Drug withdrawal syndrome neonatal	Caused or prolonged inpatient hospitalisation		
Feeling jittery	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Escitalopram (Suspected)		Reason : Depression	
	20 Milligram	Daily	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 243744

Data Entry Date : 12/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 69

Onset Date : 15/07/2008

Age :

DOB : 31/10/1989

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hallucination		Visual hallucinations, sleep disturbance, depression worsened and agitation.	Lexapro ceased
Agitation			
Depression			
Sleep disorder			

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 26/06/2008	Stopped : 30/07/2008	

Public Case Detail

Cases Count: 61

Case Number : 244105

Data Entry Date : 25/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 04/09/2007

Age :

DOB : 19/11/1924

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia	Caused or prolonged inpatient hospitalisation	Significant hyponatremia, hypokalemia secondary to recent commencement of escitalopram for anxiety / depression	Escitalopram ceased; fluid restriction commenced. 3% normal saline given, carefully titrating to increase sodium levels. Mirtazapine later commenced
Hypokalaemia	Caused or prolonged inpatient hospitalisation		

Medicine details :

Escitalopram (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 30/08/2007	Stopped : 04/09/2007	

Case Number : 244318

Data Entry Date : 02/09/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 16/07/2008

Age : 59Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		Raised LFT's, swelling of ankles, rash, fever.	Ceased amlodipine, atorvastatin, escitalopram, reduced dose paracetamol.
Hepatic function abnormal			
Joint swelling			
Pyrexia			

Medicine details :

Lexapro (Suspected)	Reason : Depression
15 Milligram Daily	
Batch :	Started : 07/07/2008 Stopped : 22/07/2008 0
LIPITOR (Suspected)	Reason : Othr&unspec metabolic diseases
40 Milligram Daily	
Batch :	Started : 18/06/2008 Stopped : 22/07/2008 0
AMLODIPINE (Other drug)	Reason :
5 Milligram Daily	
Batch :	Started : Stopped :
ASPIRIN (Other drug)	Reason :
100 Milligram Daily	
Batch :	Started : Stopped :
DIAZEPAM (Other drug)	Reason :
2.5 Milligram As necessary	
Batch :	Started : Stopped :
PARACETAMOL (Other drug)	Reason :
1 Dose Unspec As necessary	
Batch :	Started : Stopped :
PROCHLORPERAZINE MALEATE (Other drug)	Reason :
5 Milligram As necessary	
Batch :	Started : Stopped :
QUETIAPINE (Other drug)	Reason :
12.5 Milligram As necessary	
Batch :	Started : Stopped :

Medicine details :	
ZOPICLONE (Other drug)	Reason :
	15 Milligram As necessary
Batch :	Started :
	Stopped :

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
SAP = ALP		16/07/2008	408	
SAP = ALP		24/06/2008	76	
ALT = SGPT		16/07/2008	316	
ALT = SGPT		24/06/2008	46	
GGT = SGGT = GGTP		16/07/2008	342	
GGT = SGGT = GGTP		24/06/2008	51	

Public Case Detail

Cases Count: 61

Case Number : 244392

Data Entry Date : 04/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/12/1968

Outcome : 16/07/2008

Causality : Causality certain

Recovered

Information: Cert/rechallenge.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Rash		After patient took the generic brand of escitalopram, he developed facial rash. When he stopped the facial rash disappeared, when he started the escitalopram again the rash came back.	Esipram stopped.
Therapeutic response unexpected with drug substitution			

Medicine details :

Esipram (Suspected)	Reason : Depression
Tablet	20 Milligram Daily Oral
Batch :	Started : L TERM Stopped : 14/07/2008 0
ASCORBIC ACID (Other drug)	Reason :
Batch :	Started : Stopped :
FISH OIL NOS (Other drug)	Reason :
Batch :	Oral Started : Stopped :

Public Case Detail

Cases Count: 61

Case Number : 244490

Data Entry Date : 08/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 65

Onset Date :

Age :

DOB : 27/04/1954

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dyskinesia		Rapid onset of involuntary movements of face and jaw but not tongue.	Lexapro ceased, cogentin

Medicine details :

Lexapro (Suspected)		Reason : Depression	
Tablet	15 Milligram	Daily	Oral
Batch :	Started : 04/07/2005	Stopped : 23/10/2007	
DIAZEPAM (Other drug)		Reason :	
	570 Milligram	As necessary	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 245232

Data Entry Date : 08/10/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 11/03/1933
Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Fall	Caused or prolonged inpatient hospitalisation	? Delusional disorder, Seroquel ceased because of fall and postural hypotension.	Seroquel ceased. Medication changed to risperidone 0.5mg daily.
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation		

Medicine details :			
ARICEPT (Interaction)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
Escitalopram (Interaction)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
SEROQUEL (Suspected)		Reason :	
Tablet	400 Milligram	Daily	Oral
Batch :	Started : 01/02/2008	Stopped : 02/05/2008	

Public Case Detail

Cases Count: 61

Case Number : 245249

Data Entry Date : 08/10/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome : 15/09/2008
 Recovered

Gender : M
Weight (kg) : 75
Age :
DOB : 11/03/1928
Causality : Causality possible

Information: Symptomatic - no seizures
 Allergies: Penicillin/Sulpha
 Metoprolol - excessive bradycardia

Reaction :

Preferred Term	Severity	Report Description	Treatment
Malaise	Life threatening	Hyponatraemia	Cessation of escitalopram, IV saline to Na 120mmol/L - slow resolution
Hyponatraemia	Life threatening		

Medicine details :

Escitalopram (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 15/08/2008	Stopped : 08/09/2008	
TELMISARTAN (Suspected)	Reason : Essential benign hypertension		
	40 Milligram	Daily	
Batch :	Started :	Stopped : 0	
COLGOUT (Other drug)	Reason :		
	500 Microgram	Daily	Oral
Batch :	Started :	Stopped : 08/09/2008	
MOVICOL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
MYLANTA (Other drug)	Reason :		
	400 Milligram	As necessary	
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium				113 mmol/L

Public Case Detail

Cases Count: 61

Case Number : 245363

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 63

Onset Date : 08/10/2008

Age : 38Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Arthralgia	Incapacity/disability	Have taken 10mg for 2 months with no side effects. Increased dose to 2x10mg and on next day had aching joints and slight fever, strong headache, lethargy, loss of appetite, nausea, crazy dreams - lasted 5 days - decreasing in severity after day 3. Had day off work on day 2. Unable to drive or work due to headache or stand due to dizziness and aches fine mottled rash appeared - mainly on torso. Decreased to 1 and a half 10 mg tablets on 13th.	Disprin Max - ineffective. Aspalgin - moderately effective. Panadeine forte - more useful but cannot drive or care for children while so drowsy. Nil treatment for rash - not itchy.
Abnormal dreams	Incapacity/disability		
Anorexia	Incapacity/disability		
Dizziness	Incapacity/disability		
Headache	Incapacity/disability		
Lethargy	Incapacity/disability		
Pyrexia	Incapacity/disability		
Rash	Incapacity/disability		
Therapy regimen changed	Incapacity/disability		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	20 Milligram Daily Oral
Batch : 8912	Started : 07/10/2008 Stopped : 0

Public Case Detail

Cases Count: 61

Case Number : 245389

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 30/08/2008

Age :

DOB : 10/02/1927

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Headache	Caused or prolonged inpatient hospitalisation	Constant headache, nausea, increased confusion.	
Confusional state	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Escitalopram (Suspected)	Reason :		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 29/08/2008	Stopped : 31/08/2008	
FEFOL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
ISCOVER (Other drug)	Reason :		
Batch :	Started :	Stopped :	
NEXIUM (Other drug)	Reason :		
Batch :	Started :	Stopped :	
NOTEN (Other drug)	Reason :		
Batch :	Started :	Stopped :	
PRAVACHOL (Other drug)	Reason :		
Batch :	Started :	Stopped :	

Case Number : 245439

Data Entry Date : 14/10/2008
Hospitalisation : Admitted to hospital
Onset Date : 17/09/2008
Outcome :
 Recovered

Gender : M
Weight (kg) : 0
Age :
DOB : 01/03/1974
Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Patient developed fever, and later in the day had a grand mal seizure. Patient had also developed Neuroleptic malignant syndrome on an unknown date and symptoms of fever and cardiovascular instability persisted for some days and creatine kinase peaked at 13000	Ceased ziprasidone. Treated with bromocriptine
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation		
Cardiovascular insufficiency	Caused or prolonged inpatient hospitalisation		
Grand mal convulsion	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		

Medicine details :

CLOZAPINE (Suspected)	Reason :		
Batch :	Started :	Stopped :	
Lexapro (Suspected)	Reason : Depression		
	10 Milligram	Daily	Oral
Batch :	Started : 30/03/2008	Stopped :	
PERIACTIN (Suspected)	Reason :		
	4 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
Zeldox (Suspected)	Reason : Unspecified schizophrenia		
Capsule	160 Milligram	Daily	Oral
Batch :	Started : 17/07/2008	Stopped :	0

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine phosphokinase	<200	29/09/2008	13000	
Creatine phosphokinase	<200	22/09/2008	4000	
Creatine phosphokinase	<200	29/09/2008	164	

Case Number : 246165

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 11/06/2008

Age :

DOB : 11/03/1933

Outcome :

Causality : Causality possible

Recovered

Information: Recent suspected NMS secondary to risperidone 0.5mg. (Admitted 05/05 -08/05/08)

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pyrexia		Lower oral intake, lower mobility, fever.	Ceased amisulpride and simvastatin, given antipyretics, IV fluids.
Blood creatine phosphokinase increased			
Cogwheel rigidity			
Hyperglycaemia			
Hypophagia			
Hypotension			
Mobility decreased			
Neuroleptic malignant syndrome			
Tachycardia			

Medicine details :

AMISULPRIDE (Suspected)	Reason :
200 Milligram Daily	
Batch :	Started : 15/05/2008 Stopped : 11/06/2008
DONEPEZIL HYDROCHLORIDE (Suspected)	Reason :
10 Milligram Daily	
Batch :	Started : Stopped :
Escitalopram (Suspected)	Reason :
20 Milligram Daily	
Batch :	Started : Stopped :
QUETIAPINE (Suspected)	Reason :
400 Milligram Daily	
Batch :	Started : Stopped :
RISPERIDONE (Suspected)	Reason :
0.5 Milligram Daily	
Batch :	Started : Stopped :
SIMVASTATIN (Suspected)	Reason :
40 Milligram Daily	
Batch :	Started : Stopped : 11/06/2008

Medicine details :

ASPIRIN (Other drug)

Reason :

100 Milligram Daily Oral

Batch :

Started :

Stopped :

CALTRATE (Other drug)

Reason :

600 Milligram Daily Oral

Batch :

Started :

Stopped :

CHOLECALCIFEROL (Other drug)

Reason :

1

Batch :

Started :

Stopped :

METFORMIN HYDROCHLORIDE (Other drug)

Reason :

1 Gram Daily

Batch :

Started :

Stopped : 11/06/2008

Novomix 30 (Other drug)

Reason :

16 Unit Daily Subcutaneous

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				Febrile 38.1C, MSU (-), BCs (-), CK peaked @7211 on 12/06/08.
Heart Rate				100
Blood pressure				106/40
Serum glucose				11.8
Creatine kinase MB		19/06/2008	154	

Case Number : 246203

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 63

Onset Date :

Age :

DOB : 17/02/1934

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tremor		Tremor	

Medicine details :			
Escitalopram (Suspected)		Reason :	
Batch :	Started :		Stopped :
ALEPAM (Other drug)		Reason :	
	60 Milligram	As necessary	Oral
Batch :	Started :		Stopped :
ANTENEX (Other drug)		Reason :	
	5 Milligram	As necessary	
Batch :	Started :		Stopped :
ATACAND (Other drug)		Reason :	
	16 Milligram	Daily	Oral
Batch :	Started :		Stopped :
LIPITOR (Other drug)		Reason :	
	20 Milligram	Daily	Oral
Batch :	Started :		Stopped :
Norspan 5 (Other drug)		Reason :	
	5 Milligram	Weekly	Transdermal
Batch :	Started :		Stopped :
PARIET (Other drug)		Reason :	
	20 Milligram	Daily	Oral
Batch :	Started :		Stopped :

Public Case Detail

Cases Count: 61

Case Number : 246314

Data Entry Date : 17/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 05/09/2008

Age : 41Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatitis		Acute active hepatitis - ?	
Jaundice		secondary to Champix.	

Medicine details :

AMOXYCILLIN SODIUM (Suspected)		Reason :	
Batch :	Started : 03/09/2008	Stopped : 05/09/2008	
Champix (Suspected)		Reason : Smoker	
Tablet	0.5 Milligram	Daily	Oral
Batch :	Started : 15/08/2008	Stopped : 05/09/2008	
Escitalopram (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 31/08/2008	Stopped : 05/09/2008	
NEXIUM (Suspected)		Reason :	
	40 Milligram	Daily	
Batch :	Started :	L TERM	Stopped : 05/09/2008

Public Case Detail

Cases Count: 61

Case Number : 246562

Data Entry Date : 25/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: History of depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Self-injurious ideation		Patient experienced thoughts of self harm, crying, weight gain of 15kgs and drug ineffective.	
Crying			
Drug ineffective			
Weight increased			

Medicine details :

Lexapro (Suspected)

Reason : Depression

Tablet

20 Milligram

Daily

Oral

Batch :

Started :

L TERM

Stopped :

Public Case Detail

Cases Count: 61

Case Number : 246567

Data Entry Date : 25/11/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 99

Onset Date : 28/10/2008

Age :

DOB : 20/01/1972

Outcome :
Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Akathisia		Akathisia, anxiety and insomnia.	
Anxiety			
Insomnia			

Medicine details :			
Lexapro (Suspected)		Reason : Depression	
	10 Milligram	Daily	
Batch :	Started : 23/10/2008	Stopped : 28/10/2008	

Public Case Detail

Cases Count: 61

Case Number : 246917

Data Entry Date : 08/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 22/07/1984

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Lethargy	Incapacity/disability	generalized lethargy with use of lexapro	cessation of medication and changed to sertraline 25 mg daily

Medicine details :			
Lexapro (Suspected)	Reason :		
	10 Milligram	1 time	Oral
Batch :	Started : 08/05/2007	Stopped : 08/12/2008	

Public Case Detail

Cases Count: 61

Case Number : 247052

Data Entry Date : 10/12/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Drug ineffective		Esipram does not work, it does nothing for the patient.	
Therapeutic response unexpected with drug substitution			

Medicine details :			
Esipram (Suspected)	Reason :		
Tablet	20 Milligram	Daily	Oral
Batch : FA01323 11/2010	Started :	Stopped :	

Public Case Detail

Cases Count: 61

Case Number : 247306

Data Entry Date : 22/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date : 10/11/2008

Age :

DOB : 15/07/1977

Outcome : 17/11/2008

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Headache		Severe headache, sensitive to light and sound, diarrhoea.	Panadol- 6/day for 4 days.
Diarrhoea			
Hyperacusis			
Photophobia			

Medicine details :			
Esipram (Suspected)	Reason :		
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 08/11/2008	Stopped : 15/11/2008	

Case Number : 247852

Data Entry Date : 21/01/2009

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 20/10/2008

Age : 91Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia		Asymptomatic hyponatraemia	Ceased Lexapro, fluid restricted, sodium replacement

Medicine details :

Lexapro (Suspected)	Reason :
Tablet	10 Milligram Daily
Ophthalmic	
Batch :	Started : 23/09/2008
	Stopped : 20/10/2008
ARICEPT (Other drug)	Reason :
Batch :	Started :
	Stopped :
ATACAND (Other drug)	Reason :
Batch :	Started :
	Stopped :
CALTRATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
OSTELIN 1000 (Other drug)	Reason :
Batch :	Started :
	Stopped :
VITAMINORUM B.P.C. (Other drug)	Reason :
Batch :	Started :
	Stopped :
WARFARIN SODIUM (Other drug)	Reason :
Batch :	Started :
	Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Sodium		22/09/2008	139	

Public Case Detail

Cases Count: 61

Case Number : 247870

Data Entry Date : 21/01/2009
Hospitalisation : Admitted to hospital
Onset Date : 13/10/2008
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 60
Age :
DOB : 13/11/1976
Causality : Causality possible

Information: History: Used heroine and methamphetamines 10 years ago. Suffers from depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Migraine	Caused or prolonged inpatient hospitalisation	Patient experienced episodes of fainting, slurred speech and unilateral weakness. This was followed by a severe headache and nightmares.	Lexapro discontinued.
Nightmare	Caused or prolonged inpatient hospitalisation		

Medicine details :

Lexapro (Suspected)	Reason : Depression		
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 17/06/2008	Stopped : 03/11/2008	

Case Number : 247872

Data Entry Date : 21/01/2009
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : M
Weight (kg) : 70
Age :
DOB : 06/05/1947
Causality : Causality possible

Information: History of asthma, hayfever and depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Urticaria	Caused or prolonged inpatient hospitalisation	Two weeks after being prescribed Lexapro, patient developed a possible allergic reaction, developing three episodes of severe urticaria and laryngel swelling.	Lexapro discontinued. Changed to Cipramil 20mg.
Pharyngeal oedema	Caused or prolonged inpatient hospitalisation		

Medicine details :

Lexapro (Suspected)	Reason : Depression
Tablet	10 Milligram Daily Oral
Batch :	Started : 18/06/2008 Stopped : 03/07/2008
PHENERGAN (Other drug)	Reason :
Batch :	Started : Stopped :
RHINOCORT (Other drug)	Reason :
Batch :	Started : Stopped :
VENTOLIN (Other drug)	Reason :
Batch :	Started : Stopped :

Case Number : 247985

Data Entry Date : 28/01/2009
Hospitalisation : Admitted to hospital
Onset Date : 11/08/2008
Outcome : 21/08/2008
 Recovered

Gender : M
Weight (kg) : 105
Age :
DOB : 29/06/1936
Causality : Causality possible

Information: Two cases from same doctor linking temazepam with venous thromboembolism ADRAC no. 247984. Lexapro has been associated with DVT.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Embolism venous	Life threatening	Patient given Temazepam 16/6/2008 for insomnia after death of wife. Stopped use of Lexapro May 2008 for a short while. Used Temazepam infrequently. Developed pulmonary embolism 11/8/08.	
Pulmonary embolism	Life threatening		

Medicine details :

Lexapro (Suspected)	Reason :
10 Milligram Daily	
Batch :	Started : 07/05/2008 Stopped :
TEMAZEPAM (Suspected)	Reason : Specific disorders of sleep
10 Milligram As necessary	
Batch :	Started : 16/06/2008 Stopped : 11/08/2008
AVAPRO (Other drug)	Reason : Essential benign hypertension
1 Dose Unspec Daily	
Batch :	Started : Stopped :
LIPEX (Other drug)	Reason :
Milligram Daily	
Batch :	Started : Stopped :
PANAMAX (Other drug)	Reason :
Batch :	Started : Stopped :

Selection Parameters : Date Range: 01/08/2007 To 31/01/2009 Unclear causality excluded GM medicines Only Medicine Names: Escitalopram, Lexapro, Esipram