

## Case Number : 231443

Data Entry Date : 02/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 62

Onset Date :

Age :

DOB : 01/01/1971

Outcome :

Causality : Causality possible

Recovered with sequelae

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Subdural haematoma	Caused or prolonged inpatient hospitalisation	had a fit and had a severe head injury described as severe intracranial bleed and hematoma	
Convulsion	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>Zeldox (Suspected)</b>	<b>Reason :</b> Unspecified psychosis
80 Milligram 2 times	Oral
<b>Batch :</b>	<b>Started :</b> 03/07/2007 <b>Stopped :</b> 25/07/2007 0
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>
5 Milligram Daily	Oral
<b>Batch :</b>	<b>Started :</b> 01/07/2007 <b>Stopped :</b>
<b>AMITRIPTYLINE HYDROCHLORIDE (Other drug)</b>	<b>Reason :</b>
150 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0
<b>EFEXOR-XR (Other drug)</b>	<b>Reason :</b>
250 Milligram	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b> 0

# Public Case Detail

Cases Count: 76

**Case Number : 231666**

**Data Entry Date :** 08/08/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 01/01/2002

**Age :** 15Y

**DOB :**

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:** Clare Masters  
Newspaper Reporter  
The Dailt Telegraph.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Weight increased		Excessive weight gain. Weight ballooning from 60 kilograms to 100 kilograms	

## Medicine details :

ZYPREXA (Suspected)	Reason :
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 231813**

**Data Entry Date :** 10/08/2007

**Gender :** U

**Hospitalisation :**

**Weight (kg) :** 70

**Onset Date :** 10/07/2007

**Age :**

**Outcome :**

**DOB :** 15/05/1953

Death

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Death	Death	found dead at home on couch.	

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b>	
	2.5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 23/05/2007	<b>Stopped :</b>	
<b>DIAZEPAM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ENDEP (Other drug)</b>		<b>Reason :</b>	
	50 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 231907**

**Data Entry Date :** 13/08/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 92

**Onset Date :**

**Age :**

**DOB :** 01/12/1989

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hypothermia		Hypothermia noted by patient. Remains so at lower dose of Zyprexa.	Reduced dose of Zyprexa

<b>Medicine details :</b>			
ZYPREXA (Suspected)		Reason :	
	2.5 Gram	Daily	
<b>Batch :</b>	<b>Started :</b> 02/05/2007	<b>Stopped :</b>	

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Temperature				Recorded temp for 2.5 mg Zyprexa: 7am - 35.7, 6pm - 37.0 Recorded temp for 1.5 mg Zyprexa: 7am - 34.9 Never above 36 degrees in the morning

# Public Case Detail

Cases Count: 76

**Case Number : 232352**

**Data Entry Date :** 22/08/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 24/07/2007

**Age :** 34Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Agitation	Caused or prolonged inpatient hospitalisation	Agitated state. Patient became obese. Diabetes mellitus non-insulin-dependent. Intentional overdose.	Switched to Ziprasidone but did not respond well, recommenced on Zyprexa.
Intentional overdose	Caused or prolonged inpatient hospitalisation	patient received zyprexa 20mg orally daily for the treatment of schizophrenia beginning on an unspecified date, but the patient routinely took more olanzapine than he was prescribed on his own accord (approx 25-30mg daily).	
Obesity	Caused or prolonged inpatient hospitalisation		
Type 2 diabetes mellitus	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecified schizophrenia	
Tablet	25 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 232668**

**Data Entry Date :** 29/08/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 39Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:** Medical condition: Bipolar disorder and family history of diabetes.

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Diabetes mellitus		Patient developed diabetes mellitus and slight weight gain.	Olanzapine discontinued. Started on amisulpride.
Weight increased			

<b>Medicine details :</b>			
ZYPREXA (Suspected)		Reason : Unspecifid affective psychosis	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0

# Public Case Detail

Cases Count: 76

**Case Number : 233012**

Data Entry Date : 04/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 54Y

Outcome : 15/06/2007

DOB :

Recovered

Causality : Causality possible

**Information:**

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Agranulocytosis		Patient experienced agranulocytosis,	Treated with filgrastim, IV antibiotics (ceftazidime & gentamycin).

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
	25 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	22/05/2007
<b>Risperdal Consta (Suspected)</b>		<b>Reason :</b>	
Injection	25 Milligram	Fortnightly	Intramuscular
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	22/05/2007
<b>RISPERIDONE (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet	1 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	23/05/2007
<b>NEXIUM (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>NORFLOXACIN (Other drug)</b>		<b>Reason :</b> Prophylaxis	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>PHYTOMENADIONE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>PROPRANOLOL HYDROCHLORIDE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>SPIRONOLACTONE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>THIAMINE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
White blood cells		08/05/2007	6.0	
White blood cells		22/05/2007	4.1	
White blood cells		23/05/2007	3.0	
White blood cells		25/05/2007	2.8	
White blood cells		26/05/2007	3.8	
White blood cells		28/05/2007	5.9	
White blood cells		30/05/2007	16.8	
White blood cells		04/06/2007	4.8	
White blood cells		07/06/2007	3.6	
White blood cells		09/06/2007	5.9	
White blood cells		10/06/2007	12.0	
White blood cells		15/06/2007	6.4	
Neutrophils		08/05/2007	2.38	
Neutrophils		22/05/2007	0.62	
Neutrophils		23/05/2007	0.3	
Neutrophils		25/05/2007	0.03	
Neutrophils		26/05/2007	0.08	
Neutrophils		28/05/2007	0.00	
Neutrophils		30/05/2007	3.19	
Neutrophils		04/06/2007	1.41	
Neutrophils		07/06/2007	0.00	
Neutrophils		09/06/2007	0.06	
Neutrophils		10/06/2007	1.56	
Neutrophils		15/06/2007	3.59	
Platelets		08/05/2007	126	
Platelets		22/05/2007	93	
Platelets		23/05/2007	85	
Platelets		25/05/2007	115	
Platelets		26/05/2007	94	
Platelets		28/05/2007	106	
Platelets		30/05/2007	117	
Platelets		04/06/2007	-	
Platelets		07/06/2007	94	
Platelets		09/06/2007	87	
Platelets		10/06/2007	79	
Platelets		15/06/2007	90	



# Public Case Detail

Cases Count: 76

**Case Number : 233800**

**Data Entry Date :** 26/09/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 88

**Onset Date :**

**Age :**

**Outcome :** 12/09/2007

**DOB :** 01/12/1989

Recovered

**Causality :** Causality probable

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Weight increased		Weight gain	Ceased Olanzapine

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecified psychosis	
Tablet	2.5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 02/05/2007	<b>Stopped :</b> 16/08/2007	
<b>ARIMA (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Other data		07/05/2007	87kg	
Other data		07/06/2007	90.4kg	
Other data		21/06/2007	91.5kg	
Other data		16/08/2007	9.35kg (ceased olanzapine)	
Other data		12/09/2007	88kg	

## Case Number : 234007

Data Entry Date : 04/10/2007

Hospitalisation :

Onset Date : 14/11/2006

Outcome : 07/12/2006

Recovered

Gender : M

Weight (kg) : 0

Age : 30Y

DOB :

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Neuroleptic malignant syndrome due to zuclopenthixol. Started fortnightly Clopixol depot end of July. Presented to ED complaining of rigidity, drooling, tremor. Given benztropine. On 20/11 found on floor unable to move. Catatonic state, unable to move arms and legs, difficulty in talking. Rhabdomyolysis. Mild renal impairment.	Hydration with saline, bromocriptine, benztropine.
Aphasia	Caused or prolonged inpatient hospitalisation		
Catatonia	Caused or prolonged inpatient hospitalisation		
Drooling	Caused or prolonged inpatient hospitalisation		
Hypertonia	Caused or prolonged inpatient hospitalisation		
Muscle rigidity	Caused or prolonged inpatient hospitalisation		
Renal impairment	Caused or prolonged inpatient hospitalisation		
Rhabdomyolysis	Caused or prolonged inpatient hospitalisation		
Tremor	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

<b>CLOPIXOL DEPOT (Suspected)</b>		<b>Reason :</b> Unspecified schizophrenia	
Injection	200 Milligram	Fortnightly	Intramuscular
<b>Batch :</b>	<b>Started :</b> 26/07/2006	<b>Stopped :</b> 20/11/2006	

## Medicine details :

OLANZAPINE (Suspected)

Reason :

20 Milligram Daily

Batch :

Started : 26/07/2006

Stopped : 20/11/2006

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine phosphokinase	(20-200)	20/11/2006	44446	
Creatine phosphokinase	(20-200)	21/11/2006	29404	
Creatine phosphokinase	(20-200)	21/11/2006	29086	
Creatine phosphokinase	(20-200)	21/11/2006	18850	
Creatine phosphokinase	(20-200)	22/11/2006	133302	
Creatine phosphokinase	(20-200)	22/11/2006	10507	
Creatine phosphokinase	(20-200)	23/11/2006	5988	
Creatine phosphokinase	(20-200)	24/11/2006	4178	
Creatinine				Cr 129.

**Case Number : 234569**

**Data Entry Date :** 18/10/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 3.2

**Onset Date :** 25/09/2007

**Age :**

**DOB :** 25/09/2007

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Convulsion neonatal	Caused or prolonged inpatient hospitalisation	? seizure activity at 4.5 hours of age associated with back arching, cycling and jitteriness.	Intravenous fluids commenced. Infant retrieved to Flinders Medical Centre Level Three NICU. 1 x dose of Intravenous Phenobarb given.
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		
Feeling jittery	Caused or prolonged inpatient hospitalisation		
Opisthotonus	Caused or prolonged inpatient hospitalisation		

**Medicine details :**

<b>EFEXOR (Suspected)</b>		<b>Reason :</b>	
Tablet		1 time	Oral
<b>Batch :</b>	<b>Started :</b> 01/01/2004	<b>Stopped :</b>	
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b>	
Tablet		1 time	Oral
<b>Batch :</b>	<b>Started :</b> 01/01/2004	<b>Stopped :</b>	

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Albumin				MRI Of head performed 28/9/07, Study within normal limits. EEG performed. This is a normal EEG with the child in the sleeping state.

# Public Case Detail

Cases Count: 76

**Case Number : 234667**

**Data Entry Date :** 23/10/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 84Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Neutrophil count decreased		Neutrophil reduced	Olanzapine was stopped.

**Medicine details :**

OLANZAPINE (Suspected)	Reason :
Batch :	Started :
	Stopped :

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Neutrophils				1.0 1.7 1.2 1.9
White blood cells				3.9 3.4

# Public Case Detail

Cases Count: 76

**Case Number : 234774**

**Data Entry Date :** 25/10/2007

**Gender :** U

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 17Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Blood cholesterol increased		The patient experienced obesity and high cholesterol.	Olanzapine was reduced to 2.5mg daily.
Obesity	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>		
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/05/2007	<b>Stopped :</b>	0

# Public Case Detail

Cases Count: 76

## Case Number : 234793

Data Entry Date : 25/10/2007

Gender : M

Hospitalisation :

Weight (kg) : 146

Onset Date : 15/02/2007

Age : 28Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: Medical condition: Schizoaffective disorder.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Weight increased		The patient's weight was 118 kg in Feb 2007 and 146 kg at time of reporting.	
Overdose			

### Medicine details :

ZYPREXA (Suspected)

Reason : Unspecified schizophrenia

25 Milligram Daily

Batch :

Started : 01/02/2007

Stopped :

EPILIM (Other drug)

Reason :

Batch :

Started :

Stopped :

Risperdal Consta (Other drug)

Reason :

Injection

Intravenous

Batch :

Started :

Stopped :

# Public Case Detail

Cases Count: 76

**Case Number : 234838**

**Data Entry Date :** 26/10/2007

**Gender :** F

**Hospitalisation :** Required a specialist consultation

**Weight (kg) :** 0

**Onset Date :** 01/04/2007

**Age :** 55Y

**Outcome :** 30/10/2007

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Tardive dyskinesia	Incapacity/disability	- Dyskinesia tardive: getting progressively worse, especially lip-smacking	none

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>SEROQUEL (Suspected)</b>		<b>Reason :</b>	
Tablet	1.3 Gram	Oral	
<b>Batch :</b>	<b>Started : 01/10/2006</b>	<b>Stopped :</b>	0



# Public Case Detail

Cases Count: 76

**Case Number : 235404**

**Data Entry Date :** 19/11/2007

**Gender :** F

**Weight (kg) :** 0

**Hospitalisation :**

**Age :**

**Onset Date :**

**DOB :** 25/08/1926

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Parkinsonism	Caused or prolonged inpatient hospitalisation	Patient experienced worsening of drug induced Parkinsonism.	Olanzapine ceased.

<b>Medicine details :</b>	
OLANZAPINE (Suspected)	Reason :
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 235416**

**Data Entry Date :** 19/11/2007

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 90Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Electrocardiogram QT prolonged		Patient experienced prolonged QTC.	

<b>Medicine details :</b>			
ZYPREXA (Suspected)		Reason :	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Case Number : 235800

Data Entry Date : 30/11/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 12/11/2007

Age :

DOB : 01/04/1966

Outcome :

Causality : Causality possible

Unknown

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Oedema. Patient had 3 day history of increasing swelling of feet initially, now hands swelling too. Complaining of pain in feet & numbness.	Stopped Olanzapine and change to Ziprasidone.
Hypoaesthesia			
Pain in extremity			

#### Medicine details :

<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b>		
	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 22/10/2007	<b>Stopped :</b>	
<b>ALPRAZOLAM (Other drug)</b>	<b>Reason :</b>		
Tablet	6 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ATORVASTATIN (Other drug)</b>	<b>Reason :</b>		
Tablet	40 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>DOXEPIN HYDROCHLORIDE (Other drug)</b>	<b>Reason :</b>		
Capsule	250 Milligram		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Case Number : 235821

Data Entry Date : 03/12/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 20/02/2007

Age :

DOB : 30/06/1983

Outcome :

Causality : Causality possible

Unknown

**Information:** Other drug taken: biotin, calcium pantothenate and retinol palmitate. History: primigravida and ex-smoker.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Premature separation of placenta		Patient experienced premature separation placental. antepartum haemorrhage and drug exposure during pregnancy.	
Antepartum haemorrhage			
Drug exposure during pregnancy			

### Medicine details :

<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis
Tablet	5 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 20/02/2007 <b>Stopped :</b>
<b>ASCORBIC ACID (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>CALCIUM CARBONATE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>COPPER(I) CHLORIDE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>CYANOCOBALAMIN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ELEVIT RDI (Other drug)</b>	<b>Reason :</b>
Tablet	Oral
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>ERGOCALCIFEROL (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

## Medicine details :

FOLIC ACID (Other drug)

Reason :

Batch :

Started :

Stopped :

IRON (Other drug)

Reason :

Batch :

Started :

Stopped :

MAGNESIUM NOS (Other drug)

Reason :

Batch :

Started :

Stopped :

MANGANESE CHLORIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

NICOTINAMIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

PYRIDOXINE HYDROCHLORIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

RETINOL (Other drug)

Reason :

Batch :

Started :

Stopped :

RIBOFLAVINE (Other drug)

Reason :

Batch :

Started :

Stopped :

TEMAZE (Other drug)

Reason :

Oral

Batch :

Started :

Stopped :

TEMAZEPAM (Other drug)

Reason :

Batch :

Started :

Stopped :

THIAMINE (Other drug)

Reason :

Batch :

Started :

Stopped :

ZINC (Other drug)

Reason :

Batch :

Started :

Stopped :

# Public Case Detail

Cases Count: 76

**Case Number : 236027**

**Data Entry Date :** 07/12/2007

**Gender :** U

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Drug exposure during pregnancy		One previous pregnancy during which patient was on Zyprexa, but the infant had no complications.	

<b>Medicine details :</b>			
ZYPREXA (Suspected)		<b>Reason :</b>	
		5 Milligram	Daily
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 236029**

**Data Entry Date :** 07/12/2007

**Gender :** U

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** The mother was continuing with olanzapine at the time of the initial report. The outcome of the cysts on the brain was not reported.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Cerebral cyst		Drug exposure in utero. Cysts on brain. Mother received Olanzapine, for an unspecified treatment beginning approximately two years from the initial report (15 Nov 2007). The mother's compliance was questionable. Because of the questionable compliance, it was unknown if the foetus was exposed at conception or during which trimesters of the pregnancy. The expected date of delivery was reported as the end of March 2008.	
Drug exposure during pregnancy			

## Medicine details :

ZYPREXA (Suspected)	<b>Reason :</b>		
	5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				On an unknown date, a scan was performed that showed the foetus had cysts on the brain. It was not known if the scan for the infant was verified by an HCP.

# Public Case Detail

Cases Count: 76

**Case Number : 236085**

**Data Entry Date :** 10/12/2007

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 60

**Onset Date :**

**Age :**

**DOB :** 05/04/1990

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Epistaxis		This patient had recurrent nose bleeds whilst on fluoxetine 40mg/day. He had been on fluoxetine, as well as olanzapine to 10mg/day, for about 2 months prior to the suspected adverse reaction. The patient decided to stop both medications on his own, and the nose bleeds stopped. He has since been started on sertraline to 75mg/day (and been on this for about 4 weeks), without a recurrence of nose bleeds. The reason for commencing an SSRI was to treat a depressive syndrome. I believe the possibility of an emerging psychosis was considered, although I do not believe that he is psychotic. This patient was treated as an outpatient throughout the course of this incident, with presentations to the Emergency Department.	

**Medicine details :**

<b>FLUOXETINE HYDROCHLORIDE (Suspected)</b>	<b>Reason :</b> Depression
40 Milligram	1 time
Oral	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 10/11/2007
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Unspecified psychosis
10 Milligram	Daily
Oral	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>



## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				I did not collect FBC during time of reaction, though I asked that his GP request FBD and coagulation studies.

# Public Case Detail

Cases Count: 76

**Case Number : 236895**

**Data Entry Date :** 10/01/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 10/12/2007

**Age :**

**Outcome :** 10/12/2007

**DOB :** 15/10/1964

Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Dystonia		Dystonic reaction of neck muscles.	

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Unspecified psychosis	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 05/12/2007	<b>Stopped :</b>	
<b>ZUCLOPENTHIXOL ACETATE (Suspected)</b>		<b>Reason :</b> Otr spec symp psychopathol nec	
Injection	150 Milligram	1 time	
<b>Batch :</b>	<b>Started :</b> 06/12/2007	<b>Stopped :</b>	
<b>ZUCLOPENTHIXOL DECANOATE (Suspected)</b>		<b>Reason :</b> Prophylactic inoculation and vaccination	
Injection	350 Milligram	Fortnightly	
<b>Batch :</b>	<b>Started :</b> 06/12/2007	<b>Stopped :</b>	
<b>DIAZEPAM (Other drug)</b>		<b>Reason :</b> Otr spec symp psychopathol nec	
	40 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 05/12/2007	<b>Stopped :</b>	
<b>LITHIUM CARBONATE (Other drug)</b>		<b>Reason :</b>	
Tablet	1.5 Gram		Oral
<b>Batch :</b>	<b>Started :</b> 05/12/2007	<b>Stopped :</b>	
<b>SODIUM VALPROATE (Other drug)</b>		<b>Reason :</b>	
	2 Gram		
<b>Batch :</b>	<b>Started :</b> 05/12/2007	<b>Stopped :</b>	

## Case Number : 237066

**Data Entry Date :** 18/01/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 01/01/2008  
**Outcome :**  
 Not yet recovered

**Gender :** F  
**Weight (kg) :** 50  
**Age :**  
**DOB :** 03/01/1991  
**Causality :** Causality possible

**Information:** Prolonged hospitalisation and absence from productive with 1 year detention in psychiatric units. Patient has a known history of adverse reactions to many pharmacological medications (GP) yet treaters psychiatrics in 07 have ignored this and follow of ongoing high doses ( Zyprexa reached 30mg ). Psychiatrists will not alter treatment. Child had history of: pre-natal brain damage, epilepsy, hypoglycaemic. Family has history of breast cancer. High use of multiple drugs on top of Zyprexa from Jan to Dec 07 and ongoing in detention in psychiatric facilities. Psychiatrists will not respond to requests to cease.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicide attempt	Life threatening	Patient attempted suicide cutting arms, collapsing, (often absent longer than 15 mins, itchy rash over body, involuntary shaking and fine tremors, hallucinations-delirium and akathisia.	
Akathisia	Life threatening		
Delirium	Life threatening		
Hallucination	Life threatening		
Intentional self-injury	Life threatening		
Loss of consciousness	Life threatening		
Pruritus	Life threatening		
Rash	Life threatening		
Tremor	Life threatening		

### Medicine details :

#### CHLORPROMAZINE HYDROCHLORIDE (Suspected)

**Reason :** Otr spec symp psychopathol nec

Tablet

As necessary

Oral

**Batch :**

**Started :** 15/07/2007

**Stopped :**

Ongoing.

#### EPILIM (Suspected)

**Reason :** Other&unspecified epilepsy

1 Gram

Daily

**Batch :**

**Started :**

**Stopped :**

#### ZYPREXA (Suspected)

**Reason :** Unspecified psychosis

10 Milligram

Daily

**Batch :**

**Started :** 15/01/2007

**Stopped :**

## Medicine details :

### Abilify (Other drug)

Reason : Unspecified psychosis

Tablet 10 Milligram Daily Oral

Batch :

Started :

Stopped :

---

### TEMAZEPAM (Other drug)

Reason : Specific disorders of sleep

Tablet 1 Dose Unspec Daily Oral

Batch :

Started :

Stopped :

---

### VALIUM (Other drug)

Reason : Otr spec symp psychopathol nec

Tablet As necessary Oral

Batch :

Started :

Stopped :

---

## Case Number : 237110

Data Entry Date : 21/01/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 69Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

**Information:** patient is overweight and has a history of familial hypercholesterolaemia

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Blood cholesterol increased	Caused or prolonged inpatient hospitalisation	Patient receiving Efexor XR for approximately 12 years experienced triglycerides increased and cholesterol increased, pancreatitis.	
Blood triglycerides increased	Caused or prolonged inpatient hospitalisation		
Pancreatitis	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>CARBAMAZEPINE (Suspected)</b>	<b>Reason :</b>		
	400 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>EFEXOR-XR (Suspected)</b>	<b>Reason :</b>		
	450 Milligram Daily		Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>		
	5 Milligram Daily		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Biochemistry	3.9-5.5 mmol/L	04/01/2008	29.7	cholesterol
Biochemistry	3.9-5.5 mmol/L	06/01/2008	31.9	cholesterol
Biochemistry	0.5-1.5 mmol/L	04/01/2008	107	Triglycerides
Biochemistry	0.5-1.5 mmol/L	06/01/2008	86.2	Triglycerides

# Public Case Detail

Cases Count: 76

**Case Number : 237847**

**Data Entry Date :** 12/02/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 27Y

**Outcome :** 11/11/2007

**DOB :**

Death

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Incontinence	Death	Patient experienced incontinence, was hospitalised, completed suicide.	
Completed suicide	Death		
Hospitalisation	Death		

<b>Medicine details :</b>			
ZYPREXA (Suspected)		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 238541**

**Data Entry Date :** 03/03/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 15/02/2008

**Age :** 65Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Cerebrovascular accident		Stroke on left side of brain.	
Cerebrovascular accident			

**Medicine details :**

ZYPREXA (Suspected)	Reason : Unspecifid affective psychosis		
	15 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/10/2007	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 238661**

**Data Entry Date :** 06/03/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 64Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Drug interaction		Confusion and agitation when receiving other meds with Clofen.	
Agitation			
Confusional state			

<b>Medicine details :</b>			
<b>CLOFEN (Interaction)</b>		<b>Reason :</b>	
Tablet			
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b> 0
<hr/>			
<b>NEURONTIN (Interaction)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<hr/>			
<b>OLANZAPINE (Interaction)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b>
<hr/>			
<b>PHENERGAN (Interaction)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>		<b>Stopped :</b> 0



## Case Number : 239352

**Data Entry Date :** 31/03/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 04/03/2008  
**Outcome :**  
 Not yet recovered

**Gender :** F  
**Weight (kg) :** 95  
**Age :**  
**DOB :** 01/11/1952  
**Causality :** Causality possible

### Information:

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Depressed mood	Caused or prolonged inpatient hospitalisation	Gradual worsening of depressed mood over the past six weeks, to the point of feeling suicidal and at risk of harming herself.	

### Medicine details :

<b>ACETYLCYSTEINE (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>EFEXOR (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
	375 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>LITHIUM CARBONATE (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
Tablet	900 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>VALIUM (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
	10 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
	30 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 239575**

**Data Entry Date :** 03/04/2008

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :** 05/03/2008

**Age :**

**DOB :** 02/05/1925

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	Neutropenia	Olanzapine and all other medications withheld

**Medicine details :**

<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b>		
	5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ASPIRIN (Other drug)</b>	<b>Reason :</b>		
	100 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>FRUSEMIDE (Other drug)</b>	<b>Reason :</b>		
	160 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>GLICLAZIDE (Other drug)</b>	<b>Reason :</b>		
	90 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>IRBESARTAN (Other drug)</b>	<b>Reason :</b>		
	300 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

**Laboratory Investigations :**

Type	Range	Date Tested	Result	Details
Neutrophils		05/03/2008	0,2	Neutrophils on 11/02/08 had been 9.9
Neutrophils		06/03/2008	0.8	Neutrophils on 11/02/08 had been 9.9
Neutrophils		07/03/2008	1.2	Neutrophils on 11/02/08 had been 9.9
Neutrophils		08/03/2008	1.4	Neutrophils on 11/02/08 had been 9.9
Neutrophils		09/03/2008	1.9	Neutrophils on 11/02/08 had been 9.9
Neutrophils		10/03/2008	2.4	Neutrophils on 11/02/08 had been 9.9
Neutrophils		11/03/2008	4.1	Neutrophils on 11/02/08 had been 9.9
Neutrophils		13/03/2008	4.7	Neutrophils on 11/02/08 had been 9.9
Neutrophils		14/03/2008	4.6	Neutrophils on 11/02/08 had been 9.9
Neutrophils		15/03/2008	5.9	Neutrophils on 11/02/08 had been 9.9

# Public Case Detail

Cases Count: 76

**Case Number : 239580**

**Data Entry Date :** 03/04/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 01/10/2007

**Age :** 30Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Drug withdrawal syndrome		After tapering this medication for 9 weeks I ceased taking it, after which I immediately experienced a 'withdrawal' period that began with intense vomiting (up to 30 times a day for the first two weeks) and included vertigo, oscillopsia, headaches and migraines, a feeling of pressure and pain in my head, teeth grinding, insomnia, dizziness, dry mouth, hot flushes and sweats (drenching my clothes and sheets), shivering, intolerance to reading, tv or computer, hypersensitivity to heat, sound, light, smell and movement, extreme exhaustion, sores on my body, inability to sit or stand without vomiting, extreme muscle fatigue, racing heart (around 160bpm resting, eventually decreasing to 95bpm), lowered blood pressure, passing out and nausea. This lasted at a high intensity for 6 weeks, and then only eased slightly. I continued to experience these effects for about three months after ceasing Zyprexa.	

**Medicine details :**

<b>ZYPREXA (Suspected)</b>		<b>Reason :</b>	
	5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			

## Medicine details :

EDRONAX (Other drug)

Reason :

8 Milligram Daily

Batch :

Started :

Stopped :

---

LOGYNON ED (Other drug)

Reason :

Batch :

Started :

Stopped :

---

# Public Case Detail

Cases Count: 76

**Case Number : 239623**

**Data Entry Date :** 07/04/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 15/02/2008  
**Outcome :**  
 Not yet recovered

**Gender :** F  
**Weight (kg) :** 0  
**Age :** 99u  
**DOB :**  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Erythema	Caused or prolonged inpatient hospitalisation	Extreme redness and swelling of both legs from her ankles up to her knees.	
Oedema peripheral	Caused or prolonged inpatient hospitalisation		

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet			Oral
<b>Batch :</b>	<b>Started :</b> 15/02/2008	<b>Stopped :</b>	
<hr/>			
<b>SODIUM VALPROATE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			

# Public Case Detail

Cases Count: 76

**Case Number : 239915**

Data Entry Date : 14/04/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/11/1934

Outcome :

Causality : Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
Preferred Term	Severity	Report Description	Treatment
Leukopenia		Patient was neutropenic.	Gentamicin and timentin given for febrile neutopenia.
Febrile neutropenia			

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Otr spec symp psychopathol nec	
	5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 23/02/2007	<b>Stopped :</b> 26/02/2007	
<b>ANUSOL (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>ENOXAPARIN (Other drug)</b>		<b>Reason :</b> Prophylaxis	
	40 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>FOLIC ACID (Other drug)</b>		<b>Reason :</b>	
	10 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>HALOPERIDOL (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>LORAZEPAM (Other drug)</b>		<b>Reason :</b>	
	2 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>MULTIVITAMINS (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>PANTOPRAZOLE (Other drug)</b>		<b>Reason :</b>	
	40 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>THIAMINE (Other drug)</b>		<b>Reason :</b>	
	100 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Neutrophils		13/02/2007	3.09	
Neutrophils		26/02/2007	0.75	
Neutrophils		26/02/2007	0.91	
Neutrophils		27/02/2007	1.42	
Neutrophils		28/02/2007	1.15	
Neutrophils		01/03/2007	1.11	
Neutrophils		02/03/2007	0.89	
Neutrophils		05/03/2007	0.92	
Neutrophils		09/03/2007	2.65	
White blood cells		13/02/2007	5.24	
White blood cells		26/02/2007	1.54	
White blood cells		26/02/2007	1.94	
White blood cells		27/02/2007	3.11	
White blood cells		28/02/2007	2.48	
White blood cells		01/03/2007	2.76	
White blood cells		02/03/2007	2.13	
White blood cells		05/03/2007	2.15	
Temperature		19/02/2007	36.9	
Temperature		20/02/2007	36.7	
Temperature		21/02/2007	36	
Temperature		22/02/2007	36.8	
Temperature		23/02/2007	36.5	
Temperature		24/02/2007	36.5 & 38	
Temperature		25/02/2007	36.5 & 38.5 & 38	
Temperature		26/02/2007	37 & 36.9	
Temperature		27/02/2007	37.2	
Temperature		28/02/2007	36	

## Case Number : 239978

**Data Entry Date :** 15/04/2008

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 0

**Onset Date :** 13/08/2007

**Age :**

**DOB :** 16/03/1980

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:** Pmhx: The patient had been admitted less than a month earlier for an attempted suicide. After that admission he was discharged on 10 mg of Olanzapine. Discharged on the 14/8 and his CK was down to 6040.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	Actue leg weakness. Hypertensive, tachycardic and febrile. Neck rigidity and dystonia.	Olanzapine was ceased. Benztropine and IVT.
Dystonia	Caused or prolonged inpatient hospitalisation		
Hypertension	Caused or prolonged inpatient hospitalisation		
Nuchal rigidity	Caused or prolonged inpatient hospitalisation		
Pyrexia	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b>
	20 Milligram Daily
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>FLUOXETINE HYDROCHLORIDE (Other drug)</b>	<b>Reason :</b>
	40 Milligram
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>METHADONE HYDROCHLORIDE (Other drug)</b>	<b>Reason :</b>
	60 Milligram
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine kinase MB				CK was 12580 but had normal renal and liver function



# Public Case Detail

Cases Count: 76

**Case Number : 240942**

**Data Entry Date :** 15/05/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 18Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Weight increased		Over a one year period gained 15kg and 20kg.	In March 2008 Olanzapine was discontinued and was switched to risperidone.

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
	10 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/04/2007	<b>Stopped :</b> 15/03/2008	
<b>SODIUM VALPROATE (Other drug)</b>	<b>Reason :</b>		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 241001**

**Data Entry Date :** 16/05/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 65

**Onset Date :** 09/03/2008

**Age :** 77Y

**Outcome :** 21/03/2008

**DOB :**

Death

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Depressed level of consciousness	Life threatening	Gradual onset of cluster of symptoms - non responsive, rigid limbs, tongue obstructing airway, respiratory depression leading to aspiration pneumonia - "extra pyramidal side effects" within 12/24 hours - ? neuroleptic malignant syndrome eventuating in lethal catatonia and subsequent death	Seriousness of reaction not picked up for 36 hours masked by other issues - patient deteriorated and after a Code Blue event ended up in ICU
Catatonia	Life threatening		
Death	Life threatening		
Extrapyramidal disorder	Life threatening		
Hypertonia	Life threatening		
Hypokinesia	Life threatening		
Pneumonia aspiration	Life threatening		
Respiratory depression	Life threatening		

**Medicine details :**

<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>
Tablet	5 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b> 08/03/2008 <b>Stopped :</b> 10/03/2008

# Public Case Detail

Cases Count: 76

**Case Number : 241135**

**Data Entry Date :** 23/05/2008

**Hospitalisation :**

**Onset Date :**

**Outcome :**

Unknown

**Gender :** F

**Weight (kg) :** 0

**Age :** 26Y

**DOB :**

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Weight increased		Weight gain between 15 and 20kg.	Discontinued olanzapine.

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet	15 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 15/12/2007	

## Case Number : 241141

Data Entry Date : 23/05/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 08/04/2008

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Tremor	Caused or prolonged inpatient hospitalisation	experiencing major extrapyramidal symptoms including irregular gait, slow speech and tremor.	
Extrapyramidal disorder	Caused or prolonged inpatient hospitalisation		
Speech disorder	Caused or prolonged inpatient hospitalisation		

#### Medicine details :

OLANZAPINE (Suspected)

Reason :

20 Milligram Daily

Batch :

Started :

Stopped :

DOTHEP (Other drug)

Reason :

150 Milligram

Batch :

Started :

Stopped :

LITHIUM CARBONATE (Other drug)

Reason :

450 Milligram

Batch :

Started :

Stopped :

# Public Case Detail

Cases Count: 76

**Case Number : 241219**

**Data Entry Date :** 27/05/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 02/11/2007

**Age :** 81Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Erythema		Skin rash for 6/52. It was itchy. Diffuse macular erythema on arm, thigh, back. Desquamating scales thigh. Some scales on scalp.	Elocon and Dermeze cream. Seroquel and Zyprexa ceased.
Pruritus			
Rash macular			
Skin exfoliation			

**Medicine details :**

<b>SEROQUEL (Suspected)</b>	<b>Reason :</b> Otr spec symp psychopathol nec
25 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 29/10/2007
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Otr spec symp psychopathol nec
10 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b> 02/11/2007
<b>CABASER (Other drug)</b>	<b>Reason :</b> Paralysis agitans
2 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>COLOXYL WITH SENNA (Other drug)</b>	<b>Reason :</b> Constipation
2 Dose Unspec Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>LASIX (Other drug)</b>	<b>Reason :</b> Essential benign hypertension
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>OSTELIN 1000 (Other drug)</b>	<b>Reason :</b>
1 Dose Unspec Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>OXAZEPAM (Other drug)</b>	<b>Reason :</b> Anxiety neurosis
7.5 Milligram Daily	
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

## Medicine details :

**RAMIPRIL (Other drug)**

**Reason :** Essential benign hypertension

1.3 Milligram Daily

**Batch :**

**Started :**

**Stopped :**

---

**SELEGILINE HYDROCHLORIDE (Other drug)**

**Reason :** Paralysis agitans

5 Milligram Daily

**Batch :**

**Started :**

**Stopped :**

---

**SINEMET (Other drug)**

**Reason :** Paralysis agitans

3 Dose Unspec Daily

**Batch :**

**Started :**

**Stopped :**

---

**SORBOLENE CREAM WITH GLYCERINE 10% (Other drug)**

**Reason :**

1 Dose Unspec Daily

**Batch :**

**Started :**

**Stopped :**

---

# Public Case Detail

Cases Count: 76

**Case Number : 241220**

**Data Entry Date :** 27/05/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 08/04/2008

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Fall	Caused or prolonged inpatient hospitalisation	Seen in emergency after a fall the previous night. Collapsing on the floor during the night.	

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b>	
	10 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<hr/>			
<b>Zeldox (Suspected)</b>		<b>Reason :</b>	
	80 Milligram	Daily	
<b>Batch :</b>	<b>Started : 28/03/2008</b>	<b>Stopped :</b>	
<hr/>			

# Public Case Detail

Cases Count: 76

**Case Number : 241476**

**Data Entry Date :** 03/06/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 80

**Onset Date :**

**Age :**

**DOB :** 25/02/1973

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Bradycardia	Life threatening	heart rate slows down too much nearly causing heart attack	

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b>	
Tablet	25 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 04/05/1998	<b>Stopped :</b>	



## Case Number : 241526

**Data Entry Date :** 03/06/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 06/05/2008  
**Outcome :**  
 Not yet recovered

**Gender :** M  
**Weight (kg) :** 68  
**Age :**  
**DOB :** 21/07/1979  
**Causality :** Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Alanine aminotransferase increased	Caused or prolonged inpatient hospitalisation	Increased ALT and AST	Ceased Clopine
Aspartate aminotransferase increased	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>CLOZAPINE (Suspected)</b>	<b>Reason :</b> Unspecified schizophrenia
125 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Unspecified schizophrenia
30 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>AMISULPRIDE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>DIAZEPAM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>LORAZEPAM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>THIAMINE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
ALT = SGPT		11/04/2008	303	?? May - ALT 509
ALT = SGPT		28/04/2008	58	?? May - ALT 509
ALT = SGPT		06/05/2008	470	?? May - ALT 509
AST = SGOT		11/04/2008	99	
AST = SGOT		06/05/2008	199	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
GGT = SGGT = GGTP		28/04/2008	52	

## Case Number : 241529

**Data Entry Date :** 03/06/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 06/05/2008  
**Outcome :**  
 Not yet recovered

**Gender :** M  
**Weight (kg) :** 68  
**Age :**  
**DOB :** 21/07/1979  
**Causality :** Causality possible

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Alanine aminotransferase increased	Caused or prolonged inpatient hospitalisation	Increased ALT and AST	Ceased Clozapine
Aspartate aminotransferase increased	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>CLOPINE (Suspected)</b>	<b>Reason :</b> Unspecified schizophrenia
100 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> 29/04/2008 <b>Stopped :</b>
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Unspecified schizophrenia
30 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>AMISULPRIDE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>DIAZEPAM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>LORAZEPAM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>THIAMINE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
ALT = SGPT		11/04/2008	303	?? May 08 - ALT 509
ALT = SGPT		28/04/2008	58	?? May 08 - ALT 509
ALT = SGPT		06/05/2008	470	?? May 08 - ALT 509
AST = SGOT		11/04/2008	99	
AST = SGOT		06/05/2008	199	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
GGT = SGGT = GGTP		28/04/2008	52	

# Public Case Detail

Cases Count: 76

**Case Number : 241868**

**Data Entry Date :** 13/06/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 70

**Onset Date :** 10/06/2008

**Age :** 50Y

**Outcome :**

**DOB :**

Not yet recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Oedema peripheral	Incapacity/disability	One day after starting 5 mg olanzapine, developed moderately severe peripheral oedema. Gradually resolving after stopping medication and taking one dose of frusemide. Oedema mostly around feet but also noticed swollen fingers.	cessation of medication, frusemide (self administered)

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis		
Tablet	10 Milligram	Daily	Oral
<b>Batch : ??</b>	<b>Started :</b> 09/06/2008	<b>Stopped :</b> 11/06/2008	

# Public Case Detail

Cases Count: 76

**Case Number : 242181**

**Data Entry Date :** 23/06/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 0

**Onset Date :** 23/06/2006

**Age :**

**DOB :** 15/07/1977

**Outcome :**  
Recovered

**Causality :** Causality probable

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Abdominal pain upper		On drug trial. Developed stomach cramps and haematuria. ? URTI. Maculopapular rash. Eosinophilia and microscopic haematuria.	
Eosinophilia			
Haematuria			

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Unspecified psychosis	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 31/03/2006	<b>Stopped :</b> 23/06/2008	

<b>Laboratory Investigations :</b>				
<b>Type</b>	<b>Range</b>	<b>Date Tested</b>	<b>Result</b>	<b>Details</b>
Other data				Consultation: renal physician -> interstitial nephritis, probably secondary to Olanzapine.
Creatinine				Normal

## Case Number : 242201

Data Entry Date : 24/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 0Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: Note set-up of Registry

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Drug exposure during pregnancy		drug exposure via pregnancy: small foetus for dates, small at birth, unresponsive to stimuli at birth	
Foetal growth retardation			
Small for dates baby			
Unresponsive to stimuli			

### Medicine details :

CHLORPROMAZINE HYDROCHLORIDE (Suspected)

Reason :

750 Milligram

Daily

Oral

Batch :

Started : 01/08/2007

Stopped : 01/10/2007

DILANTIN (Suspected)

Reason :

Batch :

Started : 08/08/2007

Stopped : 15/08/2007

OLANZAPINE (Suspected)

Reason :

20 Milligram

Daily

Oral

Batch :

Started : 01/01/2007

Stopped : 12/02/2007

# Public Case Detail

Cases Count: 76

**Case Number : 242912**

**Data Entry Date :** 14/07/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 39Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Depression suicidal		Depression and suicidal.	

<b>Medicine details :</b>			
OLANZAPINE (Suspected)		Reason :	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	



## Case Number : 243006

Data Entry Date : 17/07/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 66Y

Outcome :

DOB :

Recovered

Causality : Causality probable

**Information:** Approx 12 days after all neuroleptics had been ceased the patient displayed waxy flexibility and posturing. Became mute and uncooperative, was afebrile and CK remained within normal range. A diagnosis of catatonia was made. Lorazepam 1mg tds was commenced. Over the next week patient was discharged to a psycho-geriatric nursing home.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome		Neuroleptic Malignant Syndrome, Pyrexia, Creatine Phosphokinase increased, Hypertonia, during the following 10 days, she had a recurrence of persecutory delusions and she remained agitated and fearful despite receiving olanzapine 15mg/day. Chlorpromazine 50mg at night was added to her regimen. 48 hours after starting chlorpromazine, she became febrile and exhibited increased muscle tone and disturbance of consciousness.	Chlorpromazine and olanzapine ceased
Agitation			
Altered state of consciousness			
Fear			
Hypertonia			
Persecutory delusion			
Pyrexia			

## Medicine details :

<b>CHLORPROMAZINE HYDROCHLORIDE (Suspected)</b>		Reason : Unspecified psychosis	
	50 Milligram	Daily	
Batch :	Started :	Stopped :	0
<b>OLANZAPINE (Suspected)</b>		Reason : Unspecified psychosis	
Tablet	15 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0

<b>Medicine details :</b>		
DONEPEZIL HYDROCHLORIDE (Other drug)	Reason :	
Batch :	Started :	Stopped :

<b>Laboratory Investigations :</b>				
Type	Range	Date Tested	Result	Details
Creatine phosphokinase				INCREASED FROM 370 TO 1134 U/L

# Public Case Detail

Cases Count: 76

**Case Number : 243134**

**Data Entry Date :** 22/07/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**Outcome :**

**DOB :** 11/07/1970

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Bundle branch block		This patient was on Tegretol treatment, dose was 400 to 800mg for an unknown indication for a couple of years. The patient was diagnosed with "incomplete right block bundle of the heart" whilst on treatment with Tegretol. Patient also felt worsening ectopic beats.	Tegretol and Zyprexa discontinued.
Extrasystoles			

**Medicine details :**

<b>TEGRETOL (Suspected)</b>		<b>Reason :</b>	
Tablet	400 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b> 27/06/2008	
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 243149**

**Data Entry Date :** 22/07/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99u

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** Reporter consumer. Patient also taking antipsychotics.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Pulmonary embolism		Pulmonary embolism and cardiac disorder.	Cardiac damage requiring a pacemaker.
Cardiac disorder			

## Medicine details :

ZUCLOPENTHIXOL DECANOATE (Suspected)

**Reason :**

Injection

**Batch :**

**Started :**

**Stopped :**

ZYPREXA (Suspected)

**Reason :**

Injection, solution

20 Milligram

Daily

Intramuscular

**Batch :**

**Started :**

**Stopped :**

## Case Number : 243206

Data Entry Date : 24/07/2008

Gender : M

Hospitalisation :

Weight (kg) : 60

Onset Date : 19/07/2008

Age :

DOB : 03/10/1923

Outcome : 20/07/2008

Causality : Causality possible

Recovered

### Information:

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Hypothermia	Life threatening	Patient admitted to hospital 3 weeks prior to adverse event. In the general ward he was being treated for pneumonia, ? TB meningitis. On the 18/07 he was noted to be hypothermic. On the following morning, the patient was very agitated. Olanzapine 5mg was given at 11.30 am then at 1300. (Total of 10mg). At 1530 the BP dropped acutely to 55/- GCS 6. Code Blue was called. Patient was intubed and transferred to ICU,	Intubation/mechanical ventilation, intravenous fluids and metaraminol.
Agitation	Life threatening		
Hypotension	Life threatening		

### Medicine details :

<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Otr spec symp psychopathol nec	
Tablet	10 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 19/07/2008	<b>Stopped :</b> 19/07/2008	0
<b>ACICLOVIR (Other drug)</b>		<b>Reason :</b>	
Injection	600 Milligram	3 times	Intravenous
<b>Batch :</b>	<b>Started :</b> 17/07/2008	<b>Stopped :</b>	0
<b>BENZYL PENICILLIN (Other drug)</b>		<b>Reason :</b>	
Injection	2.4 Gram	4 times	Intravenous
<b>Batch :</b>	<b>Started :</b> 16/07/2008	<b>Stopped :</b>	0
<b>ISONIAZID (Other drug)</b>		<b>Reason :</b>	
Tablet	300 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 17/07/2008	<b>Stopped :</b>	
<b>RIFAMPICIN (Other drug)</b>		<b>Reason :</b>	
Capsule	600 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 17/07/2008	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 243220**

**Data Entry Date :** 25/07/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 66Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality probable

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Catatonia		Twelve days discontinuation of her antipsychotic agents, she exhibited symptoms of catatonia.	Lorazepam

**Medicine details :**

<b>CHLORPROMAZINE HYDROCHLORIDE (Suspected)</b>	<b>Reason :</b> Unspecified psychosis
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Unspecified psychosis
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 243301**

**Data Entry Date :** 29/07/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99u

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** Patient has had approximately 4 miscarriages, all in the first trimester.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Abortion spontaneous		Multiple miscarriages while taking Lovan and olanzapine.	
Drug exposure during pregnancy			

## Medicine details :

<b>LOVAN (Suspected)</b>	<b>Reason :</b> Depression		
	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/09/1996	<b>Stopped :</b> 15/07/2008	0
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>		
Tablet	5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 15/11/2004	<b>Stopped :</b>	0

# Public Case Detail

Cases Count: 76

**Case Number : 243543**

**Data Entry Date :** 06/08/2008

**Gender :** M

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 80

**Onset Date :** 17/06/2008

**Age :**

**DOB :** 09/02/1946

**Outcome :**  
Recovered

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Rash erythematous		Rash started, started as blisters and pustules over abdomen, became widespread over trunk and limbs, eczematous areas behindr knees, ongoing blisters around ankles, prurpuric patches over dependent areas, polymorphic drug reaction prob to olanzapine.	Ceased Zyprexa, soap free washes.
Blister			
Drug eruption			
Purpura			

**Medicine details :**

<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecified psychosis	
Tablet	20 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 27/05/2008	<b>Stopped :</b> 20/06/2008	
<b>CLOPIXOL DEPOT (Other drug)</b>		<b>Reason :</b> Unspecified psychosis	
Injection	200 Milligram	Fortnightly	Intramuscular
<b>Batch :</b>	<b>Started :</b> 03/06/2008	<b>Stopped :</b>	



# Public Case Detail

Cases Count: 76

**Case Number : 243564**

**Data Entry Date :** 06/08/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 3.7

**Onset Date :** 24/06/2008

**Age :**

**DOB :** 24/06/2008

**Outcome :** 28/06/2008

**Causality :** Causality possible

Recovered

**Information:** 37 year old G3 P2 (now) woman whose blood group is A positive. She delivered at Royal North Shore Hospital. She has a history of bipolar disorder. She conceived on Epilim and Lexapro. Neonatologists thought - not related to meconium, intrapartum hypoxia, no evidence of neonatal infection. Possibility that may be related to uterine hyperstimulation secondary to IV Syntocinon but seems less likely due to normal blood gases.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Apgar score abnormal		Was born at 17:13 hours with a birth weight of 3724 grams (55th centile). There was meconium stained liquor. Apgars were 2 at 1 minute, 3 at 5 minutes, 6 at 10 minutes and 8 at 15 minutes respectively, treated with intubation and suction below the cords. Was irritable, with increased tone, persistent high pitched cry, lip smacking and sucking movements.	IPPR, single dose of phenobarbitone at 20mg/kg
Hypoxic encephalopathy			

## Medicine details :

<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b>		
	2.5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>BENZYLPENICILLIN (Other drug)</b>	<b>Reason :</b>		
	1.2 Gram		Intravenous
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>SYNTOCINON (Other drug)</b>	<b>Reason :</b>		
	10 Unit		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
pH				Arterial cord pH was 7.424 and the base excess -5
Liver function tests				LFT's were mildly elevated on day 1

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Other data				Intrapartum monitoring and cord gases were normal. Haematology (24/06/08) HB 172 g/l, Hct 49 WCC 16.5 x 10 <sup>9</sup> /L Platelets 234 x 10 <sup>9</sup> /L Biochemistry (26/06/08) Na 141 mmol/L, K 4.1 mmol/L, iCA 1.22 mmol/L, Creat 45 umol/L Last SBR (26/06/08) SBR 176 umol/L micromol/L
Ultrasound				A head ultrasound on 26/06/08 showed no evidence of intraventricular haemorrhage or oedema

# Public Case Detail

Cases Count: 76

**Case Number : 243887**

**Data Entry Date :** 18/08/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 55

**Onset Date :** 07/08/2008

**Age :**

**DOB :** 29/01/1920

**Outcome :**  
Recovered

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Grand mal convulsion		Seizure grand mal,,( previously on 2.5mg daily for 2 years-dose increased to 5mg daily in late June 2008).	

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b>	
	5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 20/06/2008	<b>Stopped :</b>	
<b>ALPRAZOLAM (Other drug)</b>		<b>Reason :</b> Anxiety neurosis	
Tablet	250 Microgram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>
<b>PREDNISOLONE (Other drug)</b>		<b>Reason :</b> Otr mus rheum,fibrosit&myalgia	
Tablet	1 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	L TERM	<b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 244084**

**Data Entry Date :** 22/08/2008

**Gender :** F

**Hospitalisation :** Required a visit to the doctor

**Weight (kg) :** 64

**Onset Date :** 16/07/2008

**Age :**

**DOB :** 24/08/1951

**Outcome :**

**Causality :** Causality possible

Unknown

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hepatic function abnormal		Skin rash, abnormal LFT's.	Zyprexa ceased, topical agent for skin reaction, regular blood tests.
Rash			

<b>Medicine details :</b>			
ZYPREXA (Suspected)		Reason : Unspecified psychosis	
	20 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 04/07/2008	<b>Stopped :</b> 18/07/2008	

# Public Case Detail

Cases Count: 76

**Case Number : 244085**

**Data Entry Date :** 22/08/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 06/07/2008  
**Outcome :** 07/07/2008  
 Recovered

**Gender :** F  
**Weight (kg) :** 35  
**Age :**  
**DOB :** 15/11/1971  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Dystonia	Caused or prolonged inpatient hospitalisation	Dystonic reaction	Medication ceased, IMI cogentin, oral cogentin

<b>Medicine details :</b>			
ZYPREXA (Suspected)		<b>Reason :</b> Otr spec symp psychopathol nec	
	10 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 03/07/2008	<b>Stopped :</b> 06/07/2008	

# Public Case Detail

Cases Count: 76

**Case Number : 244167**

**Data Entry Date :** 26/08/2008

**Gender :** M

**Hospitalisation :** Admitted to hospital

**Weight (kg) :** 88

**Onset Date :** 05/01/2008

**Age :**

**DOB :** 17/05/1959

**Outcome :**

**Causality :** Causality possible

Recovered with sequelae

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Blood cholesterol increased	Life threatening	Heart attack, high cholesterol.	
Myocardial infarction	Life threatening		

<b>Medicine details :</b>			
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecified schizophrenia	
	2.5 Milligram	Daily	
<b>Batch :</b>	<b>Started :</b> 15/01/1997	<b>Stopped :</b> 15/02/2008	

## Case Number : 244397

**Data Entry Date :** 04/09/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :** 14/08/2008  
**Outcome :**  
 Unknown

**Gender :** F  
**Weight (kg) :** 0  
**Age :**  
**DOB :** 18/06/1938  
**Causality :** Causality possible

**Information:** past history of TIA and tinnitus; continues herbal medicines. against doctor's advice

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Convulsion	Caused or prolonged inpatient hospitalisation	seizure, tinnitus, insomnia, shakiness and collapse.	drug ceased.
Insomnia	Caused or prolonged inpatient hospitalisation		
Tinnitus	Caused or prolonged inpatient hospitalisation		
Tremor	Caused or prolonged inpatient hospitalisation		

### Medicine details :

<b>Zeldox (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis
Capsule	Oral
<b>Batch :</b>	<b>Started :</b> 12/08/2008 <b>Stopped :</b> 0
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>HERBAL MEDICINES (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>MELATONIN (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>
<b>THYROXINE SODIUM (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b> <b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 245077**

**Data Entry Date :** 02/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**Outcome :** 01/09/2008

**DOB :** 04/06/2004

Recovered

**Causality :** Causality certain

**Information:** Cert(rechall)  
Same symptoms recurred when restarted Zyprexa.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Hypercalcaemia	Caused or prolonged inpatient hospitalisation	Hypercalcaemia	

## Medicine details :

ZYPREXA (Suspected)

Reason :

Batch :

Started :

Stopped :

0

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Calcium				When Zyprexa restarted Calcium increased to 2.7, at height 3.2.



# Public Case Detail

Cases Count: 76

**Case Number : 245293**

**Data Entry Date :** 09/10/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 75Y

**Outcome :**

**DOB :**

Recovered

**Causality :** Causality possible

**Information:** Past history of HSV infection.  
Journal unk,  
Author: Singh D.  
Title: Olanzapine and delirium: lesson from clinical practice.  
Volume unk, Year Unk, Pages Unk.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Delirium		Patient became febrile and developed tachycardia, became disorientated, agitated and his speech was incoherent. After withdrawal of olanzapine diagnosed of delirium was made.	Olanzapine was cease and the patient was maintained on oxazepam.
Agitation			
Confusional state			
Disorientation			
Incontinence			
Pyrexia			
Tachycardia			

## Medicine details :

**ZYPREXA (Suspected)** Reason : Unspecified psychosis  
5 Milligram Daily

**Batch :** **Started :** **Stopped :**

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Chest X-ray				Normal
Haematology				Normal
Biochemistry				Normal
Other data				Nuclear magnetic resonance imaging, bilateral hippocampal atrophy. Mini mental status examination, on admission 0/30. Position emission tomogram hypoactivity over the parietal and temporal lobes. Mini over mental status examination.

## Case Number : 245384

Data Entry Date : 13/10/2008

Gender : M

Hospitalisation :

Weight (kg) : 178

Onset Date :

Age :

DOB : 15/11/1974

Outcome :

Causality : Causality possible

Not yet recovered

### Information:

#### Reaction :

Preferred Term	Severity	Report Description	Treatment
Somnolence		Weight increased from 110kg to 205kg while on Zyprexa, gradually developed gynecomastia and sleep apnoea. Was very drowsy a lot of the time.	
Gynaecomastia			
Sleep apnoea syndrome			
Weight increased			

#### Medicine details :

##### SEROQUEL (Suspected)

Reason : Unspecified schizophrenia

Tablet 200 Milligram Daily Oral

Batch : Started : 01/06/2006 Stopped :

##### ZYPREXA (Suspected)

Reason : Unspecified schizophrenia

Tablet 20 Milligram Daily Oral

Batch : Started : Stopped :

##### Abilify (Other drug)

Reason :

Batch : Started : Stopped :

##### RISPERDAL (Other drug)

Reason :

Batch : Started : Stopped :

##### SOLIAN (Other drug)

Reason :

Batch : Started : Stopped :

##### STELAZINE (Other drug)

Reason :

Batch : Started : Stopped :

# Public Case Detail

Cases Count: 76

**Case Number : 245480**

**Data Entry Date :** 16/10/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :** 04/08/2008

**Age :**

**DOB :** 03/02/1963

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:** Patient has an alcohol problem.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Sleep disorder		Sleep disorder and hepatic function abnormal.	Zyprexa switched.
Hepatic function abnormal			

## Medicine details :

<b>ZYPREXA (Suspected)</b>		<b>Reason :</b>	
Tablet	5 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b> 16/07/2008	<b>Stopped :</b> 25/08/2008	0
<b>FLUOXETINE HYDROCHLORIDE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	
<b>THIAMINE (Other drug)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

## Case Number : 245523

Data Entry Date : 16/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 66Y

Outcome :

DOB :

Recovered

Causality : Causality probable

**Information:** The case was described in the article: Singh D, Forlano R, Athey R. Neuroleptic malignant syndrome and catatonia in patient with dementia. The Royal Australian and New Zealand College of Psychiatrists. 2008, 547-548. History of cognitive disorder and delusion.

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome		The patient initially presented with cognitive impairment, persecutory delusions and behavioural disturbance.	Risperidone was withdrawn. Treated with chlorpromazine 50mg. Lorazepam 1mg/tds was commenced. Patient discharged to a psycho-geriatric nursing home.
Catatonia			
Pyrexia			

### Medicine details :

<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecified psychosis
Tablet	15 Milligram Daily Oral
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>BENZTROPINE MESYLATE (Other drug)</b>	<b>Reason :</b>
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>DONEPEZIL HYDROCHLORIDE (Other drug)</b>	<b>Reason :</b>
Tablet	Oral
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>
<b>RISPERIDONE (Other drug)</b>	<b>Reason :</b>
Tablet	Oral
<b>Batch :</b>	<b>Started :</b>
	<b>Stopped :</b>

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
White blood cells				White blood cell count high, total white cells: mild increase. Blood creatine phosphokinase = 370 U/l, blood creatine phosphokinase = 1134 U/l and rose from 370 U/l over the next 12 hours.

## Case Number : 245714

Data Entry Date : 21/10/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date :

Age : 29Y

Outcome :

DOB :

Unknown

Causality : Causality probable

**Information:** Both his father and two first cousins were known to have type two diabetes mellitus.  
24D Report Source Literature  
Journal: Internal Medicine Journal  
Author: S Buchholz, A F Morrow, P L Coleman  
Title: A typical antipsychotic-induced diabetes mellitus: an update on epidemiology and postulated mechanism.  
Volume: 38 Year: 2008 Pages: 602-606

### Reaction :

Preferred Term	Severity	Report Description	Treatment
Diabetes mellitus	Caused or prolonged inpatient hospitalisation	Patient was admitted in a semi-conscious state having collapsed at home. He reported general malaise, polydipsia, polyurea and weight loss.	Olanzapine discontinued, oral hypoglycaemia agents.
Hyperglycaemic hyperosmolar nonketotic syndrome	Caused or prolonged inpatient hospitalisation		

### Medicine details :

ZYPREXA (Suspected)

Reason : Unspecified schizophrenia

Batch :

Started :

Stopped :

### Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Serum glucose				68.8 mmol/L
Glycosylated haemoglobin (HbA1C)				16.7%
Other data				Body Mass Index: 24.8 kg/m <sup>2</sup> Urine analysis: Mildly positive for ketone, and there was evidence of kidney failure.

# Public Case Detail

Cases Count: 76

**Case Number : 245884**

**Data Entry Date :** 29/10/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 42Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Retinal degeneration		18 months after starting olanzapine, the patient's retina deteriorated rapidly.	

<b>Medicine details :</b>			
<b>ZOLOFT (Suspected)</b>		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	0
<b>ZYPREXA (Suspected)</b>		<b>Reason :</b> Unspecifid affective psychosis	
Tablet	15 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	



# Public Case Detail

Cases Count: 76

## Case Number : 246092

Data Entry Date : 10/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 16/09/2008

Age :

DOB : 04/08/1930

Outcome :

Causality : Causality possible

Recovered

### Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Mania		Patient experienced manic symptoms and his creatinine clearance level was 32.	Duloxetine dose was decreased to 30mg on 16/09/2008.
Creatinine renal clearance decreased			

Medicine details :			
<b>Cymbalta (Suspected)</b>			
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 02/09/2008	Stopped : 15/09/2008	0
<b>ZYPREXA (Suspected)</b>			
	2.5 Milligram		
Batch :	Started :	Stopped :	Contin
<b>Bicor (Other drug)</b>			
Batch :	Started :	Stopped :	
<b>CLOPIDOGREL (Other drug)</b>			
Batch :	Started :	Stopped :	
<b>EPILIM (Other drug)</b>			
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Creatinine clearance				Prior to taking Duloxetine creatinine clearance levels:32



# Public Case Detail

Cases Count: 76

**Case Number : 246096**

**Data Entry Date :** 10/11/2008

**Gender :** U

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 16/08/1948

**Outcome :**

**Causality :** Causality probable

Unknown

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hypercalcaemia		Developed hypercalcemia	

<b>Medicine details :</b>			
ZYPREXA (Suspected)		<b>Reason :</b>	
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 246129**

**Data Entry Date :** 11/11/2008

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 85Y

**Outcome :**

**DOB :**

**Causality :** Causality possible

Recovered

**Information:** The patient was admitted to the hospital for treatment of depression. Upon admission, his drug therapy included doxepin, clonazepam, morphine, prednisolone, omeprazole, cisapride, and betaxalol eye drops. Doxepin was discontinued, and nefazodone was started on hospital day 6. The nefazodone dosage was slowly increased to 150mg twice daily by hospital day 17. Prednisolone was tapered and stopped on hospital day 20. Clonazepam was decreased to 0.5 mg twice daily on day 20, and was discontinued on day 25. Three doses of haloperidol were administered on days 26 and 27 for treatment of increased confusion and paranoia.

No specific treatment was administered and the fever, tachycardia, and rigidity resolved within two days. His mental state improved, although he remained confused.

CITATION: This case was described in the articles: Nyfort-Hansen K, Alderman C. Possible neuroleptic malignant syndrome associated with olanzapine. The annals of pharmacotherapy. 2000; 34:667. Stevens D L. associated between selective serotonin-reuptake inhibitors, second-generation antipsychotics and neuroleptic malignant syndrome. The annals of pharmacotherapy. 2008; 42: 1290-1297.

## Reaction :

### Preferred Term

Neuroleptic malignant syndrome

### Severity

### Report Description

85 year old caucasian male who experienced neuroleptic malignant syndrome. He received olanzapine. The patient has a history of rheumatoid arthritis, depression, peptic ulcer disease, glaucoma, and possible parkinson's disease. Olanzapine 10mg every night was started in hospital day 28. Two days after the addition of olanzapine to nefzodone, the patient was disoriented and hallucinating, and developed a fever of 38 degrees celsius. Over the next three days, he was confused and paranoid, became tachycardic (heart rate 100-110 beats/min), and developed urinary incontinence. Body temperature ranged from 37.5 to 38.5. Hyperreflexia, hypertonia, and clonus were noted.

### Treatment

Intravenous ceftriaxone and erythromycin.

## Medicine details :

HALOPERIDOL (Suspected)

Reason :

Batch :

Started :

Stopped :

ZYPREXA (Suspected)

Reason :

10 Milligram

Daily

Oral

Batch :

Started :

Stopped :

BETAXOLOL HYDROCHLORIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

CISAPRIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

CLONAZEPAM (Other drug)

Reason :

Batch :

Started :

Stopped :

MORPHINE NOS (Other drug)

Reason :

Batch :

Started :

Stopped :

NEFAZODONE HYDROCHLORIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

OMEPRAZOLE (Other drug)

Reason :

Batch :

Started :

Stopped :

## Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Lactate				Lactate dehydrogenase was elevated at 289 U/L.

# Public Case Detail

Cases Count: 76

**Case Number : 246512**

**Data Entry Date :** 25/11/2008

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 38Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Blood prolactin increased		Since the beginning of treatment the patient experienced a prescribed overdose, after one week treatment, the patient's prolactin levels went up and she started lactating	Zyorexa ceased.
Galactorrhoea			
Overdose			

**Medicine details :**

<b>ZYPREXA (Suspected)</b>		<b>Reason :</b>	
Tablet	40 Milligram	Daily	Oral
<b>Batch :</b>	<b>Started :</b>	S TERM	<b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 246879**

**Data Entry Date :** 08/12/2008  
**Hospitalisation :** Admitted to hospital  
**Onset Date :**  
**Outcome :**  
 Recovered

**Gender :** M  
**Weight (kg) :** 0  
**Age :** 16Y  
**DOB :**  
**Causality :** Causality possible

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Convulsion	Caused or prolonged inpatient hospitalisation	Patient experienced seizures.	Zyprexa discontinued.

<b>Medicine details :</b>			
<b>LOVAN (Suspected)</b>	<b>Reason :</b>		
	20 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	Ongoing.
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b>		
	1.3 Milligram		
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 247648**

**Data Entry Date :** 12/01/2009

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :**

**DOB :** 25/06/1937

**Outcome :**

**Causality :** Causality possible

Not yet recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Parkinsonism		Parkinsonian symptoms.	
Extrapyramidal disorder			

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>		<b>Reason :</b> Unspecified schizophrenia	
Tablet	30 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b>	<b>Stopped :</b>	

# Public Case Detail

Cases Count: 76

**Case Number : 247708**

**Data Entry Date :** 14/01/2009

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 18Y

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:**

**Reaction :**

Preferred Term	Severity	Report Description	Treatment
Polycystic ovaries		Patient developed possible polycystic ovarian syndrome, elevated testosterone levels, facial acne and weight increased.	Zyprexa dose decreased to 2.5mg.
Acne			
Blood testosterone increased			
Weight increased			

**Medicine details :**

ZYPREXA (Suspected)	<b>Reason :</b>
	10 Milligram Daily
<b>Batch :</b>	<b>Started :</b> 15/03/2008 <b>Stopped :</b>

# Public Case Detail

Cases Count: 76

**Case Number : 247763**

**Data Entry Date :** 19/01/2009

**Gender :** F

**Hospitalisation :**

**Weight (kg) :** 0

**Onset Date :**

**Age :** 99U

**Outcome :**

**DOB :**

Unknown

**Causality :** Causality possible

**Information:** Has had 3 miscarriages, all in the first trimester.

## Reaction :

Preferred Term	Severity	Report Description	Treatment
Abortion spontaneous		Patient took oral olanzapine 5mg daily for the treatment of bipolar mood disorder beginning in Nov 2004 and fluoxetine 20 mg daily for the treatment of depression beginning in Sep 1996. On an unknown date in the first trimester, the patient had a miscarriage.	Fluoxetine treatment was discontinued.
Drug exposure during pregnancy			

## Medicine details :

<b>LOVAN (Suspected)</b>	<b>Reason :</b> Depression
20 Milligram Daily	
<b>Batch :</b>	<b>Started :</b> 15/09/1996 <b>Stopped :</b> 15/07/2008
<b>ZYPREXA (Suspected)</b>	<b>Reason :</b> Unspecifid affective psychosis
Tablet 5 Milligram Daily Oral	
<b>Batch :</b>	<b>Started :</b> 15/11/2004 L TERM <b>Stopped :</b>





# Public Case Detail

Cases Count: 76

**Case Number : 247928**

**Data Entry Date :** 22/01/2009

**Gender :** M

**Hospitalisation :**

**Weight (kg) :** 60

**Onset Date :** 13/01/2009

**Age :**

**DOB :** 13/02/1936

**Outcome :**

**Causality :** Causality possible

Recovered

**Information:**

<b>Reaction :</b>			
<b>Preferred Term</b>	<b>Severity</b>	<b>Report Description</b>	<b>Treatment</b>
Hepatic function abnormal		ALT 299, GGT 472	Asymptomatic. Antipsychotic rotation and LFT follow up - resolved.

<b>Medicine details :</b>			
<b>OLANZAPINE (Suspected)</b>	<b>Reason :</b> Depression		
Device, tablet	5 Milligram	1 time	Oral
<b>Batch :</b>	<b>Started :</b> 17/12/2008	<b>Stopped :</b> 13/01/2009	

Selection Parameters : Date Range: 01/08/2007 To 31/12/2009 Unclear causality excluded GM medicines Only Medicine Names: OLANZAPINE, ZYPREXA, Zyprexa Zydis, Zyprexa IM