

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|-----------------------------|--|---|------------|----------------|-----------|
| Case Count | | | 796 | 25 | 530 |
| Reaction Count | Blood and lymphatic system disorders | Iron deficiency anaemia | 1 | 0 | 1 |
| | | Anaemia | 1 | 0 | 1 |
| Pancytopenia | | 2 | 0 | 0 | |
| Thrombocytopenia | | 4 | 0 | 2 | |
| Lymphadenopathy | | 1 | 0 | 1 | |
| Eosinophilia | | 2 | 0 | 1 | |
| Leukocytosis | | 1 | 0 | 0 | |
| Leukopenia | | 3 | 0 | 1 | |
| Neutropenia | | 4 | 0 | 1 | |
| | | Blood and lymphatic system disorders | 19 | 0 | 8 |
| Cardiac disorders | Atrioventricular block | 1 | 0 | 0 | |
| | Arrhythmia | 1 | 0 | 0 | |
| | Bradycardia | 4 | 0 | 4 | |
| | Extrasystoles | 1 | 0 | 1 | |
| | Tachycardia | 17 | 0 | 9 | |
| | Arrhythmia supraventricular | 1 | 0 | 1 | |
| | Sick sinus syndrome | 1 | 0 | 1 | |
| | Sinus bradycardia | 1 | 0 | 1 | |
| | Supraventricular tachycardia | 1 | 0 | 0 | |
| | Cardiac arrest | 3 | 2 | 1 | |
| | Torsade de pointes | 3 | 1 | 1 | |
| | Ventricular tachycardia | 1 | 0 | 0 | |
| | Cyanosis | 1 | 1 | 0 | |
| | Palpitations | 23 | 0 | 18 | |
| | Arteriosclerosis coronary artery | 1 | 1 | 1 | |
| | Myocardial infarction | 1 | 0 | 0 | |
| | Myocardial ischaemia | 2 | 2 | 1 | |
| | Cardiomyopathy | 1 | 1 | 0 | |
| | | Cardiac disorders | 64 | 8 | 39 |
| | Congenital, familial and genetic disorders | Ventricular hypoplasia | 1 | 1 | 1 |
| Ventricular septal defect | | 1 | 0 | 0 | |
| Fallot's tetralogy | | 1 | 0 | 0 | |
| Congenital anomaly | | 1 | 1 | 1 | |
| Foetal malformation | | 1 | 0 | 1 | |
| | | Congenital, familial and genetic disorders | 5 | 2 | 3 |
| Ear and labyrinth disorders | Ear pain | 1 | 0 | 1 | |
| | Deafness unilateral | 1 | 0 | 1 | |
| | Hearing impaired | 1 | 0 | 1 | |
| | Hyperacusis | 1 | 0 | 1 | |
| | Tinnitus | 6 | 0 | 6 | |
| | Vertigo | 1 | 0 | 1 | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole | |
|------------------------------------|------------------------------|--|--------------------|----------------|-----------|---|
| Reaction Count | Ear and labyrinth disorders | Ear and labyrinth disorders | 11 | 0 | 11 | |
| | Endocrine disorders | Hyperprolactinaemia | 2 | 0 | 1 | |
| | | Inappropriate antidiuretic hormone secretion | 13 | 0 | 11 | |
| | | Endocrine disorders | 15 | 0 | 12 | |
| | Eye disorders | Eye pain | 2 | 0 | 1 | |
| | | Eye swelling | 2 | 0 | 2 | |
| | | Periorbital oedema | 5 | 0 | 5 | |
| | | Glaucoma | 3 | 0 | 2 | |
| | | Conjunctival haemorrhage | 1 | 0 | 1 | |
| | | Keratitis | 1 | 0 | 1 | |
| | | Blepharospasm | 1 | 0 | 1 | |
| | | Strabismus | 1 | 0 | 1 | |
| | | Mydriasis | 6 | 0 | 4 | |
| | | Photophobia | 1 | 0 | 1 | |
| | | Accommodation disorder | 2 | 0 | 1 | |
| | | Diplopia | 3 | 0 | 2 | |
| | | Photopsia | 1 | 0 | 1 | |
| | | Vision blurred | 7 | 0 | 6 | |
| | | Visual impairment | 16 | 0 | 14 | |
| | | Eye disorders | 52 | 0 | 43 | |
| | | Gastrointestinal disorders | Abdominal hernia | 1 | 0 | 1 |
| | | | Anorectal disorder | 1 | 0 | 1 |
| | | | Tooth disorder | 1 | 0 | 0 |
| | Toothache | | 1 | 0 | 1 | |
| | Tooth discolouration | | 1 | 0 | 0 | |
| | Gingivitis | | 1 | 0 | 1 | |
| | Gingival bleeding | | 1 | 0 | 1 | |
| | Pancreatitis | | 1 | 0 | 0 | |
| | Rectal haemorrhage | | 1 | 0 | 0 | |
| | Gastrointestinal haemorrhage | | 3 | 1 | 0 | |
| | Haematemesis | | 3 | 0 | 2 | |
| | Melaena | | 2 | 1 | 0 | |
| | Colitis | | 1 | 0 | 0 | |
| | Gastritis | | 3 | 1 | 1 | |
| | Crohn's disease | | 1 | 0 | 1 | |
| | Diarrhoea | | 38 | 0 | 27 | |
| | Constipation | | 3 | 0 | 2 | |
| Gastrointestinal motility disorder | 1 | | 0 | 1 | | |
| Ileus paralytic | 1 | | 0 | 0 | | |
| Dyspepsia | 6 | | 0 | 6 | | |
| Eructation | 1 | | 0 | 1 | | |
| Abdominal distension | 3 | 0 | 3 | | | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|------------------------|--|-----------------------------------|------------|----------------|----------|
| Reaction Count | Gastrointestinal disorders | Flatulence | 7 | 0 | 6 |
| | | Abdominal pain | 15 | 0 | 9 |
| | | Abdominal pain upper | 5 | 0 | 3 |
| | | Abdominal discomfort | 1 | 0 | 1 |
| | | Breath odour | 2 | 0 | 1 |
| | | Dysphagia | 3 | 0 | 2 |
| | | Nausea | 101 | 0 | 73 |
| | | Vomiting | 34 | 0 | 22 |
| | | Intestinal obstruction | 1 | 0 | 0 |
| | | Duodenal ulcer | 1 | 0 | 0 |
| | | Lip oedema | 1 | 0 | 1 |
| | | Lip swelling | 4 | 0 | 2 |
| | | Hypoaesthesia oral | 1 | 0 | 1 |
| | | Oral discomfort | 1 | 0 | 1 |
| | | Mouth ulceration | 2 | 0 | 2 |
| | | Dry mouth | 16 | 0 | 12 |
| | | Salivary hypersecretion | 1 | 0 | 0 |
| | | Glossitis | 1 | 0 | 1 |
| | | Swollen tongue | 2 | 0 | 1 |
| | | Gastrointestinal disorders | | 274 | 3 |
| | General disorders and administration site conditions | Hypothermia | 1 | 0 | 1 |
| | | Pyrexia | 13 | 0 | 7 |
| | | Death | 5 | 5 | 1 |
| | | Sudden death | 3 | 3 | 0 |
| | | Asthenia | 7 | 0 | 5 |
| | | Fatigue | 27 | 0 | 19 |
| | | Malaise | 12 | 0 | 9 |
| Gait disturbance | | 6 | 0 | 2 | |
| Condition aggravated | | 4 | 0 | 3 | |
| Influenza like illness | | 2 | 0 | 2 | |
| Irritability | | 4 | 0 | 3 | |
| Swelling | | 1 | 0 | 1 | |
| Face oedema | | 4 | 0 | 4 | |
| Generalised oedema | | 3 | 0 | 2 | |
| Oedema | | 4 | 0 | 1 | |
| Oedema peripheral | | 3 | 0 | 3 | |
| Chest pain | | 13 | 0 | 10 | |
| Pain | | 4 | 0 | 4 | |
| Chest discomfort | | 3 | 0 | 2 | |
| Chills | | 2 | 0 | 1 | |
| Feeling abnormal | 3 | 0 | 1 | | |
| Feeling cold | 1 | 0 | 0 | | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|--|--|--|---|----------------|----------|
| Reaction Count | General disorders and administration site conditions | Feeling hot | 2 | 0 | 0 |
| | | Feeling jittery | 2 | 0 | 1 |
| | | Sensation of foreign body | 1 | 0 | 1 |
| | | Thirst | 3 | 0 | 2 |
| | | Drug interaction | 3 | 0 | 0 |
| | | Drug ineffective | 17 | 0 | 16 |
| | | Drug tolerance increased | 1 | 1 | 0 |
| | | Therapeutic response decreased | 1 | 0 | 1 |
| | | Therapeutic response unexpected | 1 | 0 | 1 |
| | | Therapeutic response unexpected with drug substitution | 1 | 0 | 1 |
| | | Drug withdrawal syndrome | 2 | 0 | 2 |
| | | Drug withdrawal syndrome neonatal | 4 | 0 | 3 |
| | | Product substitution issue | 3 | 0 | 3 |
| | | | General disorders and administration site conditions | 166 | 9 |
| Hepatobiliary disorders | | Vanishing bile duct syndrome | 1 | 0 | 1 |
| | | Hepatitis cholestatic | 4 | 0 | 3 |
| | | Jaundice | 2 | 0 | 1 |
| | | Jaundice cholestatic | 1 | 0 | 1 |
| | | Liver disorder | 1 | 0 | 1 |
| | | Hepatic function abnormal | 4 | 0 | 3 |
| | | Hepatic failure | 1 | 0 | 1 |
| | | Hepatomegaly | 1 | 0 | 0 |
| | | Hepatitis | 3 | 0 | 0 |
| | | | Hepatobiliary disorders | 18 | 0 |
| Immune system disorders | | Hypersensitivity | 2 | 0 | 2 |
| | | Immune system disorders | 2 | 0 | 2 |
| Infections and infestations | | Vaginal infection | 1 | 0 | 1 |
| | | Infection | 1 | 0 | 1 |
| | | Bronchitis | 1 | 0 | 1 |
| | | Pneumonia | 2 | 0 | 1 |
| | | Rash pustular | 1 | 0 | 1 |
| | | Pharyngitis | 2 | 0 | 2 |
| | | Rhinitis | 3 | 0 | 3 |
| | | Sinusitis | 1 | 0 | 1 |
| | | Upper respiratory tract infection | 2 | 0 | 2 |
| | | Herpes simplex | 1 | 0 | 1 |
| | | Influenza | 1 | 0 | 1 |
| | | | Infections and infestations | 16 | 0 |
| Injury, poisoning and procedural complications | | Drug toxicity | 7 | 7 | 1 |
| | | Drug exposure during pregnancy | 6 | 2 | 3 |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|---------------------|--|---|------------|----------------|-----------|
| Reaction Count | Injury, poisoning and procedural complications | Fall | 3 | 0 | 1 |
| | | Contusion | 3 | 0 | 2 |
| | | Drug dispensing error | 1 | 0 | 1 |
| | | Intentional overdose | 3 | 0 | 2 |
| | | Overdose | 4 | 0 | 2 |
| | | Injury, poisoning and procedural complications | 27 | 9 | 12 |
| | Investigations | Electrocardiogram QT prolonged | 4 | 0 | 1 |
| | | Electrocardiogram T wave inversion | 1 | 0 | 0 |
| | | Electrocardiogram abnormal | 1 | 0 | 0 |
| | | Blood pressure increased | 2 | 0 | 1 |
| | | Blood creatine phosphokinase increased | 6 | 0 | 1 |
| | | Prothrombin time prolonged | 1 | 0 | 0 |
| | | Gamma-glutamyltransferase increased | 1 | 0 | 1 |
| | | Liver function test abnormal | 5 | 0 | 1 |
| | | Oxygen saturation decreased | 1 | 0 | 1 |
| | | Blood glucose decreased | 1 | 0 | 0 |
| | | Blood glucose increased | 1 | 0 | 1 |
| | | Electroencephalogram abnormal | 1 | 0 | 0 |
| | | Apgar score low | 1 | 0 | 1 |
| | | Respiratory rate increased | 1 | 0 | 0 |
| | | Weight decreased | 11 | 0 | 9 |
| | | Weight increased | 6 | 0 | 4 |
| | | C-reactive protein increased | 1 | 0 | 1 |
| | | Blood creatinine increased | 1 | 0 | 1 |
| | | Drug level above therapeutic | 2 | 2 | 0 |
| | | Drug level decreased | 1 | 0 | 0 |
| | Drug level increased | 3 | 2 | 0 | |
| | Investigations | 52 | 4 | 23 | |
| | Metabolism and nutrition disorders | Decreased appetite | 12 | 0 | 9 |
| | | Tetany | 2 | 0 | 0 |
| | | Hypomagnesaemia | 1 | 0 | 0 |
| | | Electrolyte imbalance | 1 | 0 | 0 |
| | | Polydipsia | 1 | 0 | 1 |
| | | Hyperkalaemia | 3 | 0 | 2 |
| Hypokalaemia | | 4 | 0 | 1 | |
| Hypernatraemia | | 2 | 0 | 2 | |
| Hyponatraemia | | 67 | 0 | 34 | |
| Dehydration | | 2 | 0 | 1 | |
| Alcohol intolerance | | 1 | 0 | 0 | |
| Diabetes mellitus | | 1 | 0 | 0 | |
| Hyperinsulinaemia | 1 | 0 | 1 | | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole | |
|--|---|---|--------------------------------|----------------|-----------|---|
| Reaction Count | Metabolism and nutrition disorders | Hypoglycaemia | 2 | 0 | 2 | |
| | | Metabolism and nutrition disorders | 100 | 0 | 53 | |
| | Musculoskeletal and connective tissue disorders | Exostosis | 1 | 0 | 1 | |
| | | Bone pain | 1 | 0 | 1 | |
| | | Osteoporosis | 1 | 0 | 1 | |
| | | Sjogren's syndrome | 1 | 0 | 1 | |
| | | Arthralgia | 4 | 0 | 4 | |
| | | Joint stiffness | 1 | 0 | 1 | |
| | | Myalgia | 13 | 0 | 11 | |
| | | Muscle spasms | 4 | 0 | 4 | |
| | | Muscle twitching | 7 | 0 | 5 | |
| | | Muscle rigidity | 3 | 0 | 0 | |
| | | Trismus | 2 | 0 | 2 | |
| | | Muscular weakness | 1 | 0 | 1 | |
| | | Rhabdomyolysis | 2 | 0 | 0 | |
| | | Musculoskeletal stiffness | 1 | 0 | 0 | |
| | | Back pain | 3 | 0 | 2 | |
| | | Pain in extremity | 1 | 0 | 1 | |
| | | Musculoskeletal and connective tissue disorders | 46 | 0 | 35 | |
| | | Neoplasms benign, malignant and unspecified (incl cysts and polyps) | Langerhans' cell histiocytosis | 1 | 0 | 1 |
| | | | Lymphoma | 1 | 0 | 0 |
| | | | Burkitt's lymphoma | 1 | 1 | 0 |
| Neoplasms benign, malignant and unspecified (incl cysts and polyps) | 3 | | 1 | 1 | | |
| Nervous system disorders | Cerebral haemorrhage | 1 | 0 | 0 | | |
| | Cerebrovascular accident | 1 | 0 | 0 | | |
| | Cerebrovascular disorder | 1 | 0 | 1 | | |
| | Drug withdrawal headache | 1 | 0 | 1 | | |
| | Headache | 45 | 0 | 33 | | |
| | Migraine | 3 | 0 | 2 | | |
| | Brain oedema | 1 | 0 | 1 | | |
| | Dementia | 1 | 0 | 0 | | |
| | Amnesia | 7 | 0 | 5 | | |
| | Memory impairment | 2 | 0 | 2 | | |
| | Cognitive disorder | 1 | 0 | 0 | | |
| | Disturbance in attention | 8 | 0 | 7 | | |
| | Chorea | 1 | 0 | 0 | | |
| | Akathisia | 5 | 0 | 3 | | |
| | Bradykinesia | 1 | 0 | 1 | | |
| | Clumsiness | 1 | 0 | 1 | | |
| | Dyskinesia | 4 | 0 | 1 | | |

Medicine summary -citalopram (to date)

| Reaction Count | | | Case Group | Death Outcomes | Sole |
|----------------|--------------------------|----------------------------------|------------|----------------|------|
| | Nervous system disorders | Extrapyramidal disorder | 8 | 0 | 6 |
| | | Hyperkinesia | 5 | 0 | 4 |
| | | Hypokinesia | 3 | 0 | 0 |
| | | Tardive dyskinesia | 3 | 0 | 1 |
| | | Dystonia | 10 | 0 | 6 |
| | | Opisthotonus | 1 | 0 | 1 |
| | | Paresis | 1 | 0 | 0 |
| | | Tremor | 53 | 0 | 34 |
| | | Hyperreflexia | 6 | 0 | 2 |
| | | Ataxia | 5 | 0 | 3 |
| | | Balance disorder | 1 | 0 | 0 |
| | | Coordination abnormal | 5 | 0 | 4 |
| | | Nystagmus | 2 | 0 | 0 |
| | | Coma | 4 | 0 | 3 |
| | | Coma hepatic | 1 | 0 | 1 |
| | | Aphasia | 1 | 0 | 0 |
| | | Consciousness fluctuating | 3 | 0 | 1 |
| | | Depressed level of consciousness | 4 | 0 | 2 |
| | | Lethargy | 5 | 0 | 4 |
| | | Loss of consciousness | 5 | 0 | 2 |
| | | Sedation | 1 | 0 | 0 |
| | | Somnolence | 21 | 0 | 12 |
| | | Syncope | 13 | 1 | 7 |
| | | Dizziness | 36 | 0 | 25 |
| | | Myoclonus | 7 | 0 | 2 |
| | | Crying | 2 | 0 | 2 |
| | | Burning sensation | 3 | 0 | 3 |
| | | Formication | 2 | 0 | 2 |
| | | Paraesthesia | 23 | 0 | 20 |
| | | Ageusia | 2 | 0 | 2 |
| | | Dysgeusia | 2 | 0 | 2 |
| | | Hypoaesthesia | 7 | 0 | 6 |
| | | Restless legs syndrome | 1 | 0 | 1 |
| | | Sensory disturbance | 1 | 0 | 1 |
| | | Dysarthria | 8 | 0 | 4 |
| | | Speech disorder | 1 | 0 | 1 |
| | | Hypertonia | 14 | 0 | 6 |
| | | Neuroleptic malignant syndrome | 5 | 0 | 0 |
| | | Serotonin syndrome | 40 | 1 | 12 |
| | | Muscle contractions involuntary | 1 | 0 | 1 |
| | | Myasthenic syndrome | 2 | 0 | 2 |
| | Neuropathy peripheral | 2 | 0 | 1 | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|-------------------------|--|---|------------|----------------|------------|
| Reaction Count | Nervous system disorders | Grand mal convulsion | 5 | 0 | 4 |
| | | Convulsion | 25 | 0 | 15 |
| | | Epilepsy | 1 | 0 | 0 |
| | | Poor quality sleep | 1 | 0 | 1 |
| | | Nervous system disorders | 436 | 2 | 264 |
| | Pregnancy, puerperium and perinatal conditions | Intra-uterine death | 1 | 1 | 0 |
| | | Stillbirth | 1 | 1 | 0 |
| | | Foetal cardiac disorder | 1 | 1 | 1 |
| | | Foetal disorder | 1 | 1 | 1 |
| | | Foetal distress syndrome | 1 | 0 | 1 |
| | | Pre-eclampsia | 1 | 0 | 1 |
| | | Premature baby | 1 | 0 | 0 |
| | | Neonatal disorder | 2 | 0 | 2 |
| | | Meconium stain | 1 | 0 | 1 |
| | | Pregnancy, puerperium and perinatal conditions | 10 | 4 | 7 |
| | Psychiatric disorders | Agitation | 46 | 0 | 30 |
| | | Agitation neonatal | 1 | 0 | 1 |
| | | Anxiety | 33 | 0 | 22 |
| | | Nervousness | 7 | 0 | 4 |
| | | Tension | 2 | 0 | 1 |
| | | Fear | 1 | 0 | 0 |
| | | Panic attack | 5 | 0 | 4 |
| | | Panic disorder | 1 | 0 | 0 |
| | | Panic reaction | 1 | 0 | 1 |
| | | Neurosis | 4 | 0 | 4 |
| | | Catatonia | 1 | 0 | 0 |
| | | Restlessness | 4 | 0 | 3 |
| | | Automatism | 1 | 0 | 0 |
| | | Bruxism | 9 | 0 | 7 |
| | | Screaming | 1 | 0 | 1 |
| | | Confusional state | 53 | 0 | 29 |
| | | Disorientation | 2 | 0 | 2 |
| | | Delirium | 8 | 0 | 2 |
| Depression | | 12 | 0 | 9 | |
| Depersonalisation | | 9 | 0 | 9 | |
| Dissociation | | 1 | 0 | 0 | |
| Delusion | | 3 | 0 | 3 | |
| Hallucination | | 25 | 0 | 13 | |
| Hallucination, auditory | 3 | 0 | 2 | | |
| Hallucination, visual | 2 | 0 | 2 | | |
| Thinking abnormal | 2 | 0 | 2 | | |

Medicine summary -citalopram (to date)

| Reaction Count | | | Case Group | Death Outcomes | Sole |
|-----------------------------|------------------------------|------------------------------|------------|----------------|----------|
| Psychiatric disorders | Eating disorder | | 1 | 0 | 0 |
| | Hypomania | | 1 | 0 | 1 |
| | Mania | | 11 | 0 | 9 |
| | Affect lability | | 3 | 0 | 2 |
| | Anger | | 2 | 0 | 1 |
| | Euphoric mood | | 1 | 0 | 1 |
| | Mood altered | | 2 | 0 | 1 |
| | Mood swings | | 3 | 0 | 2 |
| | Aggression | | 13 | 0 | 6 |
| | Homicidal ideation | | 5 | 0 | 1 |
| | Indifference | | 1 | 0 | 1 |
| | Paranoia | | 2 | 0 | 2 |
| | Violence-related symptom | | 1 | 0 | 0 |
| | Abnormal behaviour | | 4 | 0 | 1 |
| | Hypervigilance | | 1 | 0 | 1 |
| | Mental disorder | | 1 | 0 | 1 |
| | Withdrawal syndrome | | 14 | 0 | 8 |
| | Acute psychosis | | 1 | 0 | 0 |
| | Psychotic disorder | | 2 | 0 | 2 |
| | Anorgasmia | | 4 | 0 | 4 |
| | Libido decreased | | 7 | 0 | 7 |
| | Insomnia | | 20 | 0 | 12 |
| | Sleep attacks | | 1 | 0 | 1 |
| | Abnormal dreams | | 1 | 0 | 1 |
| | Abnormal sleep-related event | | 3 | 1 | 0 |
| | Nightmare | | 17 | 0 | 12 |
| | Somnambulism | | 1 | 0 | 0 |
| | Sleep disorder | | 6 | 0 | 5 |
| | Completed suicide | | 3 | 3 | 1 |
| | Intentional self-injury | | 1 | 0 | 1 |
| | Self injurious behaviour | | 1 | 0 | 1 |
| | Self-injurious ideation | | 1 | 0 | 0 |
| | Suicidal ideation | | 18 | 0 | 12 |
| | Suicide attempt | | 18 | 0 | 9 |
| | | Psychiatric disorders | | 408 | 4 |
| Renal and urinary disorders | Tubulointerstitial nephritis | | 4 | 0 | 2 |
| | Anuria | | 1 | 0 | 0 |
| | Renal failure | | 2 | 0 | 2 |
| | Renal failure acute | | 6 | 0 | 1 |
| | Renal impairment | | 1 | 0 | 0 |
| | Renal tubular necrosis | | 1 | 0 | 1 |
| | Urethral disorder | | 1 | 0 | 0 |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|----------------|---|--|------------|----------------|-----------|
| Reaction Count | Renal and urinary disorders | Dysuria | 3 | 0 | 2 |
| | | Pollakiuria | 3 | 0 | 2 |
| | | Urethral pain | 1 | 0 | 1 |
| | | Urinary hesitation | 2 | 0 | 1 |
| | | Urinary incontinence | 3 | 0 | 2 |
| | | Urinary retention | 5 | 0 | 4 |
| | | Chromaturia | 1 | 0 | 0 |
| | | Haematuria | 1 | 0 | 1 |
| | | Nocturia | 1 | 0 | 1 |
| | | Polyuria | 2 | 0 | 2 |
| | | Renal pain | 1 | 0 | 0 |
| | | Renal and urinary disorders | 39 | 0 | 22 |
| | Reproductive system and breast disorders | Breast enlargement | 1 | 0 | 1 |
| | | Gynaecomastia | 1 | 0 | 1 |
| | | Breast pain | 1 | 0 | 1 |
| | | Galactorrhoea | 6 | 0 | 6 |
| | | Suppressed lactation | 1 | 0 | 1 |
| | | Premenstrual syndrome | 1 | 0 | 1 |
| | | Amenorrhoea | 1 | 0 | 0 |
| | | Penile size reduced | 1 | 0 | 1 |
| | | Penis disorder | 1 | 0 | 1 |
| | | Genital ulceration | 1 | 0 | 1 |
| | | Perineal pain | 1 | 0 | 1 |
| | | Ejaculation delayed | 1 | 0 | 1 |
| | | Ejaculation disorder | 1 | 0 | 1 |
| | | Ejaculation failure | 3 | 0 | 3 |
| | | Erectile dysfunction | 9 | 0 | 6 |
| | | Priapism | 1 | 0 | 0 |
| | | Sexual dysfunction | 3 | 0 | 2 |
| | | Uterine haemorrhage | 1 | 0 | 1 |
| | | Vaginal haemorrhage | 1 | 0 | 1 |
| | | Vulval ulceration | 1 | 0 | 1 |
| | Vulvovaginal erythema | 1 | 0 | 1 | |
| | Reproductive system and breast disorders | 38 | 0 | 32 | |
| | Respiratory, thoracic and mediastinal disorders | Asthma | 2 | 0 | 1 |
| | | Interstitial lung disease | 1 | 0 | 1 |
| | | Pulmonary fibrosis | 1 | 0 | 1 |
| | | Pulmonary congestion | 1 | 1 | 0 |
| | | Pulmonary oedema | 2 | 2 | 0 |
| | | Neonatal respiratory distress syndrome | 1 | 0 | 0 |
| | | Pulmonary hypertension | 1 | 0 | 0 |
| | | Pulmonary embolism | 1 | 1 | 0 |

Medicine summary -citalopram (to date)

| | | Case Group | Death Outcomes | Sole | |
|------------------------|---|--|----------------|----------|-----------|
| Reaction Count | Respiratory, thoracic and mediastinal disorders | Apnoea | 1 | 0 | 1 |
| | | Dyspnoea | 19 | 1 | 12 |
| | | Hyperventilation | 3 | 0 | 3 |
| | | Hypoventilation | 1 | 0 | 1 |
| | | Respiratory depression | 1 | 1 | 0 |
| | | Hypoxia | 2 | 1 | 0 |
| | | Cough | 9 | 0 | 8 |
| | | Sputum increased | 1 | 0 | 1 |
| | | Hiccups | 1 | 0 | 1 |
| | | Respiratory failure | 1 | 1 | 0 |
| | | Aspiration | 1 | 0 | 1 |
| | | Respiratory disorder | 2 | 0 | 2 |
| | | Dysphonia | 1 | 0 | 1 |
| | | Sneezing | 1 | 0 | 1 |
| | | Snoring | 1 | 0 | 1 |
| | | Throat irritation | 1 | 0 | 1 |
| | | Yawning | 3 | 0 | 3 |
| | | Stridor | 1 | 0 | 0 |
| | | Nasal congestion | 1 | 0 | 0 |
| | | Epistaxis | 1 | 0 | 1 |
| | | Nasal dryness | 1 | 0 | 1 |
| | | Pharyngeal oedema | 1 | 0 | 1 |
| | | Respiratory, thoracic and mediastinal disorders | 64 | 8 | 43 |
| | | Skin and subcutaneous tissue disorders | Angioedema | 5 | 0 |
| | Urticaria | | 16 | 0 | 16 |
| | Mechanical urticaria | | 1 | 0 | 1 |
| | Blister | | 2 | 0 | 0 |
| | Pemphigus | | 1 | 0 | 1 |
| | Toxic epidermal necrolysis | | 1 | 0 | 1 |
| | Dry skin | | 3 | 0 | 3 |
| | Skin burning sensation | | 1 | 0 | 1 |
| | Skin discolouration | | 1 | 0 | 1 |
| | Dermatitis | | 1 | 0 | 1 |
| | Drug eruption | | 1 | 0 | 1 |
| Erythema | 3 | | 0 | 2 | |
| Rash erythematous | 6 | | 0 | 6 | |
| Dermatitis exfoliative | 1 | | 0 | 0 | |
| Exfoliative rash | 1 | | 0 | 1 | |
| Skin exfoliation | 1 | | 0 | 1 | |
| Lichen sclerosus | 1 | | 0 | 0 | |
| Rash papular | 1 | | 0 | 1 | |

Medicine summary -citalopram (to date)

| | | | Case Group | Death Outcomes | Sole |
|---------------------------------|--|---|-------------|----------------|-------------|
| Reaction Count | Skin and subcutaneous tissue disorders | Photosensitivity reaction | 1 | 0 | 1 |
| | | Pruritus | 21 | 0 | 14 |
| | | Rash pruritic | 2 | 0 | 2 |
| | | Psoriasis | 1 | 0 | 1 |
| | | Fixed eruption | 1 | 0 | 1 |
| | | Rash | 28 | 0 | 20 |
| | | Rash generalised | 1 | 0 | 0 |
| | | Rash macular | 1 | 0 | 0 |
| | | Rash maculo-papular | 5 | 0 | 2 |
| | | Erythema nodosum | 1 | 0 | 1 |
| | | Acne | 1 | 0 | 0 |
| | | Alopecia | 6 | 0 | 3 |
| | | Cold sweat | 2 | 0 | 1 |
| | | Hyperhidrosis | 45 | 1 | 27 |
| | | Night sweats | 1 | 0 | 1 |
| | | Nail disorder | 1 | 0 | 1 |
| | | Henoch-Schonlein purpura | 1 | 0 | 1 |
| | | Increased tendency to bruise | 1 | 0 | 1 |
| | | Purpura | 4 | 0 | 4 |
| | | Skin and subcutaneous tissue disorders | | | 171 |
| Social circumstances | Homicide | 1 | 0 | 1 | |
| | Walking disability | 1 | 0 | 0 | |
| | Social circumstances | 2 | 0 | 1 | |
| Surgical and medical procedures | Abortion induced | 1 | 1 | 1 | |
| | Drug therapy changed | 12 | 0 | 10 | |
| | Therapy regimen changed | 6 | 0 | 3 | |
| | Self-medication | 1 | 0 | 1 | |
| | Surgical and medical procedures | 20 | 1 | 15 | |
| Vascular disorders | Peripheral ischaemia | 2 | 0 | 1 | |
| | Circulatory collapse | 5 | 0 | 1 | |
| | Hypotension | 5 | 1 | 3 | |
| | Orthostatic hypotension | 4 | 0 | 1 | |
| | Deep vein thrombosis | 1 | 1 | 0 | |
| | Flushing | 7 | 0 | 5 | |
| | Hot flush | 5 | 0 | 4 | |
| | Pallor | 1 | 1 | 0 | |
| | Hypertension | 10 | 0 | 7 | |
| | Arteritis | 1 | 0 | 0 | |
| | Vasculitis | 1 | 0 | 0 | |
| | Vascular disorders | 42 | 3 | 22 | |
| Reaction | | | 2108 | 59 | 1361 |