

Medicine summary -nortriptyline (to date)

| | | | Case Group | Death Outcomes | Sole |
|-----------------|--|---|------------|----------------|----------|
| Case Count | | | 121 | 3 | 57 |
| Reaction Count | Blood and lymphatic system disorders | Anaemia | 1 | 0 | 0 |
| | | Pancytopenia | 1 | 1 | 1 |
| | | Haemolytic anaemia | 1 | 0 | 0 |
| | | Coombs positive haemolytic anaemia | 1 | 0 | 0 |
| | | Thrombocytopenia | 2 | 1 | 1 |
| | | Leukocytosis | 1 | 0 | 0 |
| | | Neutropenia | 4 | 0 | 0 |
| | | Blood and lymphatic system disorders | 11 | 2 | 2 |
| | Cardiac disorders | Atrioventricular block | 1 | 0 | 0 |
| | | Tachycardia | 4 | 0 | 3 |
| | | Atrial fibrillation | 1 | 0 | 0 |
| | | Supraventricular tachycardia | 1 | 0 | 1 |
| | | Palpitations | 1 | 0 | 1 |
| | | Cardiomyopathy | 1 | 0 | 0 |
| | | Cardiac disorders | 9 | 0 | 5 |
| | Congenital, familial and genetic disorders | Multiple congenital abnormalities | 1 | 0 | 0 |
| | | Anal atresia | 1 | 0 | 0 |
| | | Oesophageal atresia | 1 | 0 | 0 |
| | | Syndactyly | 1 | 0 | 0 |
| | | Talipes | 1 | 0 | 0 |
| | | Congenital musculoskeletal anomaly | 1 | 0 | 0 |
| | | Congenital, familial and genetic disorders | 6 | 0 | 0 |
| | Ear and labyrinth disorders | Tinnitus | 4 | 0 | 2 |
| | | Vertigo | 2 | 0 | 1 |
| | | Ear and labyrinth disorders | 6 | 0 | 3 |
| | Eye disorders | Periorbital oedema | 1 | 0 | 0 |
| | | Visual impairment | 2 | 0 | 0 |
| | | Scotoma | 1 | 0 | 0 |
| | | Eye disorders | 4 | 0 | 0 |
| | Gastrointestinal disorders | Anal pruritus | 1 | 0 | 1 |
| | | Gingival hyperplasia | 1 | 0 | 0 |
| | | Gingival bleeding | 1 | 0 | 1 |
| | | Diarrhoea | 1 | 0 | 1 |
| Constipation | | 1 | 0 | 1 | |
| Ileus paralytic | | 1 | 0 | 0 | |
| Abdominal pain | | 3 | 0 | 2 | |
| Breath odour | | 1 | 0 | 1 | |
| Dysphagia | | 1 | 0 | 1 | |
| Nausea | | 6 | 0 | 1 | |
| Vomiting | | 6 | 0 | 4 | |
| Lip swelling | | 1 | 0 | 0 | |

Medicine summary -nortriptyline (to date)

| | | | Case Group | Death Outcomes | Sole |
|---|--|---|------------|----------------|-----------|
| Reaction Count | Gastrointestinal disorders | Mouth ulceration | 2 | 0 | 1 |
| | | Stomatitis | 1 | 0 | 0 |
| | | Dry mouth | 8 | 0 | 6 |
| | | Tongue oedema | 1 | 0 | 0 |
| | | Gastrointestinal disorders | 36 | 0 | 20 |
| | General disorders and administration site conditions | Hyperpyrexia | 1 | 1 | 1 |
| | | Pyrexia | 2 | 0 | 0 |
| | | Sudden death | 1 | 1 | 1 |
| | | Asthenia | 1 | 0 | 0 |
| | | Fatigue | 1 | 0 | 0 |
| | | Malaise | 2 | 0 | 0 |
| | | Face oedema | 1 | 0 | 1 |
| | | Generalised oedema | 1 | 0 | 1 |
| | | Chills | 1 | 0 | 0 |
| | | General disorders and administration site conditions | 11 | 2 | 4 |
| | Hepatobiliary disorders | Jaundice | 2 | 0 | 1 |
| | | Hepatic function abnormal | 4 | 0 | 1 |
| | | Hepatic steatosis | 1 | 1 | 0 |
| | | Hepatobiliary disorders | 7 | 1 | 2 |
| | Infections and infestations | Vaginal infection | 1 | 0 | 0 |
| | | Pharyngitis | 1 | 0 | 1 |
| | | Infections and infestations | 2 | 0 | 1 |
| | Injury, poisoning and procedural complications | Fall | 1 | 0 | 0 |
| | | Overdose | 1 | 1 | 0 |
| | | Injury, poisoning and procedural complications | 2 | 1 | 0 |
| | Investigations | Weight increased | 2 | 0 | 1 |
| | | Urine analysis abnormal | 1 | 0 | 1 |
| | | Drug level increased | 3 | 0 | 0 |
| | | Investigations | 6 | 0 | 2 |
| | Metabolism and nutrition disorders | Decreased appetite | 2 | 0 | 0 |
| | | Metabolism and nutrition disorders | 2 | 0 | 0 |
| | Musculoskeletal and connective tissue disorders | Muscle twitching | 2 | 0 | 1 |
| | | Musculoskeletal and connective tissue disorders | 2 | 0 | 1 |
| Neoplasms benign, malignant and unspecified (incl cysts and polyps) | Acute leukaemia | 2 | 0 | 0 | |
| | Neoplasms benign, malignant and unspecified (incl cysts and polyps) | 2 | 0 | 0 | |
| Nervous system disorders | Encephalopathy | 1 | 0 | 0 | |
| | Headache | 2 | 0 | 0 | |
| | Akathisia | 1 | 0 | 0 | |
| | Dyskinesia | 2 | 0 | 0 | |
| | Extrapyramidal disorder | 1 | 0 | 0 | |

Medicine summary -nortriptyline (to date)

| | | | Case Group | Death Outcomes | Sole | |
|---|---|--|----------------|----------------|-----------|-----------|
| Reaction Count | Nervous system disorders | Dystonia | 1 | 0 | 0 | |
| | | Paresis | 2 | 0 | 2 | |
| | | Tremor | 6 | 0 | 6 | |
| | | Ataxia | 2 | 0 | 0 | |
| | | Somnolence | 4 | 0 | 3 | |
| | | Syncope | 5 | 0 | 3 | |
| | | Dizziness | 10 | 0 | 7 | |
| | | Paraesthesia | 1 | 0 | 1 | |
| | | Dysgeusia | 2 | 0 | 1 | |
| | | Speech disorder | 1 | 0 | 1 | |
| | | Serotonin syndrome | 2 | 0 | 0 | |
| | | Grand mal convulsion | 4 | 0 | 3 | |
| | | Convulsion | 4 | 0 | 3 | |
| | | Nervous system disorders | | 51 | 0 | 30 |
| | | Pregnancy, puerperium and perinatal conditions | Premature baby | 1 | 0 | 0 |
| Pregnancy, puerperium and perinatal conditions | 1 | | 0 | 0 | | |
| Psychiatric disorders | Agitation | 5 | 0 | 1 | | |
| | Anxiety | 4 | 0 | 0 | | |
| | Nervousness | 1 | 0 | 1 | | |
| | Neurosis | 1 | 0 | 0 | | |
| | Attention deficit/hyperactivity disorder | 1 | 0 | 1 | | |
| | Confusional state | 9 | 0 | 6 | | |
| | Disorientation | 1 | 0 | 1 | | |
| | Delirium | 2 | 0 | 1 | | |
| | Depersonalisation | 1 | 0 | 0 | | |
| | Dissociation | 1 | 0 | 0 | | |
| | Hallucination | 5 | 0 | 1 | | |
| | Affect lability | 1 | 0 | 1 | | |
| | Paranoia | 2 | 0 | 0 | | |
| | Insomnia | 1 | 0 | 1 | | |
| | Nightmare | 3 | 0 | 3 | | |
| | Suicide attempt | 2 | 0 | 0 | | |
| | Psychiatric disorders | | 40 | 0 | 17 | |
| Renal and urinary disorders | Renal impairment | 2 | 0 | 0 | | |
| | Urinary retention | 3 | 0 | 2 | | |
| | Haematuria | 1 | 1 | 1 | | |
| | Renal and urinary disorders | 6 | 1 | 3 | | |
| Reproductive system and breast disorders | Gynaecomastia | 1 | 0 | 0 | | |
| | Ejaculation failure | 1 | 0 | 1 | | |
| | Reproductive system and breast disorders | 2 | 0 | 1 | | |
| Respiratory, thoracic and mediastinal disorders | Pulmonary oedema | 1 | 1 | 0 | | |

Medicine summary -nortriptyline (to date)

| | | | Case Group | Death Outcomes | Sole | |
|----------------|---|--|------------|----------------|-----------|------------|
| Reaction Count | Respiratory, thoracic and mediastinal disorders | Infantile apnoeic attack | 1 | 0 | 0 | |
| | | Dyspnoea | 1 | 0 | 1 | |
| | | Hyperventilation | 1 | 0 | 0 | |
| | | Cough | 2 | 0 | 0 | |
| | | Dysphonia | 1 | 0 | 1 | |
| | | Respiratory, thoracic and mediastinal disorders | 7 | 1 | 2 | |
| | Skin and subcutaneous tissue disorders | Dermatitis bullous | 2 | 0 | 0 | |
| | | Rash erythematous | 1 | 0 | 1 | |
| | | Photosensitivity reaction | 3 | 0 | 1 | |
| | | Pruritus | 4 | 0 | 2 | |
| | | Rash | 3 | 1 | 3 | |
| | | Rash maculo-papular | 2 | 0 | 2 | |
| | | Hyperhidrosis | 1 | 0 | 1 | |
| | | Nail disorder | 1 | 0 | 1 | |
| | | Purpura | 2 | 1 | 1 | |
| | | Skin and subcutaneous tissue disorders | 19 | 2 | 12 | |
| | Surgical and medical procedures | Therapy regimen changed | 1 | 0 | 1 | |
| | | Surgical and medical procedures | 1 | 0 | 1 | |
| | Vascular disorders | Peripheral ischaemia | 1 | 0 | 0 | |
| | | Circulatory collapse | 1 | 0 | 1 | |
| | | Hypotension | 5 | 0 | 3 | |
| | | Orthostatic hypotension | 3 | 0 | 1 | |
| | | Flushing | 1 | 0 | 1 | |
| | | Hot flush | 1 | 0 | 0 | |
| | | Hypertension | 1 | 0 | 0 | |
| | | Vascular disorders | 13 | 0 | 6 | |
| | Reaction | | | 246 | 10 | 112 |