

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole		
Case Count			1710	45	1217		
Reaction Count	Blood and lymphatic system disorders	Anaemia	5	1	3		
		Bone marrow failure	1	0	1		
		Pancytopenia	2	0	1		
		Coagulopathy	3	1	1		
		Coombs positive haemolytic anaemia	1	0	1		
		Thrombocytopenia	4	1	1		
		Lymphadenopathy	1	0	0		
		Spleen disorder	1	0	1		
		Eosinophilia	2	0	1		
		Leukocytosis	4	0	1		
		Neutrophilia	1	0	0		
		Leukopenia	7	0	1		
		Lymphopenia	3	0	1		
		Agranulocytosis	3	0	1		
		Febrile neutropenia	1	0	0		
		Neutropenia	12	0	4		
		Blood and lymphatic system disorders			51	3	18
		Cardiac disorders	Bundle branch block right	1	0	0	
	Arrhythmia		4	3	1		
	Bradycardia		3	0	2		
	Extrasystoles		3	0	3		
	Tachycardia		36	0	18		
	Atrial fibrillation		3	0	3		
	Atrial flutter		1	0	1		
	Atrial tachycardia		1	0	1		
	Sinus tachycardia		2	0	0		
	Supraventricular tachycardia		3	0	2		
	Cardiac arrest		5	3	1		
	Cardio-respiratory arrest		1	1	0		
	Torsade de pointes		1	0	0		
	Ventricular fibrillation		2	0	2		
	Ventricular tachycardia		4	2	2		
	Cyanosis		1	0	1		
	Palpitations		21	0	20		
Mitral valve prolapse	1		0	0			
Angina pectoris	1		0	1			
Myocardial infarction	5		2	4			
Stress cardiomyopathy	3		0	2			
Cardiac failure	1		0	1			
Cardiomyopathy	6		1	4			
Cardiomegaly	1		0	1			

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole	
Reaction Count	Cardiac disorders	Left atrial dilatation	1	0	0	
		Ventricular hypokinesia	1	0	0	
		Myocarditis	2	1	0	
		Pericarditis	2	2	1	
		Cardiac disorders	116	15	71	
	Congenital, familial and genetic disorders	Heart disease congenital	3	1	2	
		Transposition of the great vessels	1	0	1	
		Trisomy 18	1	0	1	
		Trisomy 21	1	0	0	
		Cytogenetic abnormality	1	0	1	
		Hemihypertrophy	2	0	2	
		Multiple congenital abnormalities	3	0	1	
		Hernia congenital	1	0	0	
		Cleft palate	1	0	0	
		Congenital hand malformation	1	0	1	
		Limb malformation	1	0	0	
		Polydactyly	2	0	2	
		Talipes	1	0	1	
		Cerebral palsy	1	0	0	
		Kidney malformation	1	0	0	
		Pulmonary malformation	1	0	1	
		Birth mark	1	0	1	
		Congenital, familial and genetic disorders	23	1	14	
		Ear and labyrinth disorders	Ear discomfort	1	0	1
			Ear pain	2	0	2
	Deafness		1	0	1	
	Hearing impaired		3	0	3	
	Inner ear disorder		1	0	1	
	Motion sickness		1	0	1	
	Tinnitus		16	0	14	
	Vertigo		26	0	21	
	Eustachian tube obstruction		1	0	1	
	Ear and labyrinth disorders		52	0	45	
	Endocrine disorders	Inappropriate antidiuretic hormone secretion	20	0	14	
		Hypothyroidism	1	0	1	
		Endocrine disorders	21	0	15	
	Eye disorders	Cataract	1	0	1	
		Xerophthalmia	1	0	1	
		Lacrimal disorder	1	0	1	
		Eye pain	5	0	4	
		Ocular discomfort	1	0	1	
		Angle closure glaucoma	1	0	1	

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole		
Reaction Count	Eye disorders	Glaucoma	6	0	3		
		Conjunctivitis	1	0	0		
		Ocular hyperaemia	1	0	1		
		Blepharospasm	1	0	1		
		Oculogyric crisis	3	0	2		
		Miosis	1	0	1		
		Mydriasis	30	1	21		
		Asthenopia	1	0	1		
		Eye rolling	3	0	1		
		Eyelid sensory disorder	1	0	1		
		Photophobia	6	0	6		
		Vitreous detachment	1	0	1		
		Vitreous floaters	1	0	1		
		Blindness	1	0	1		
		Accommodation disorder	2	0	1		
		Xanthopsia	1	0	1		
		Diplopia	5	0	4		
		Photopsia	1	0	1		
		Vision blurred	20	0	13		
		Visual impairment	32	0	28		
		Scotoma	1	0	0		
			Eye disorders	129	1	98	
		Reaction Count	Gastrointestinal disorders	Rectal tenesmus	1	0	1
				Dental caries	1	0	0
				Tooth disorder	1	0	0
Tooth discolouration	1			0	1		
Gingivitis	1			0	1		
Pancreatitis	4			0	3		
Pancreatitis acute	1			0	1		
Gastric disorder	1			0	1		
Gastrointestinal disorder	1			0	1		
Rectal haemorrhage	1			0	1		
Haematemesis	4			0	1		
Melaena	1			0	0		
Colitis ulcerative	1			0	1		
Gastritis	1			0	1		
Enteritis	2			0	1		
Oesophagitis	1			0	1		
Diarrhoea	41			1	35		
Constipation	22			0	19		
Frequent bowel movements	1			0	1		
Irritable bowel syndrome	1			0	1		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole		
Reaction Count	Gastrointestinal disorders	Ileus paralytic	1	0	1		
		Dyspepsia	13	0	11		
		Abnormal faeces	2	0	2		
		Flatulence	2	0	2		
		Abdominal pain	14	0	12		
		Abdominal pain upper	4	0	4		
		Gastrointestinal pain	2	0	2		
		Abdominal discomfort	4	0	4		
		Dysphagia	9	0	8		
		Faecal incontinence	1	0	1		
		Abdominal symptom	1	0	1		
		Nausea	188	0	157		
		Retching	4	0	3		
		Vomiting	102	1	80		
		Vomiting in pregnancy	1	0	1		
		Intestinal obstruction	2	0	1		
		Gastric ulcer	1	0	0		
		Chapped lips	1	0	1		
		Cheilitis	1	0	1		
		Oral discomfort	1	0	0		
		Oral mucosal exfoliation	1	0	0		
		Aphthous stomatitis	1	0	1		
		Mouth ulceration	1	0	1		
		Stomatitis	4	0	4		
		Aptyalism	1	0	1		
		Dry mouth	24	0	21		
		Salivary hypersecretion	4	0	4		
		Glossitis	4	0	1		
		Tongue disorder	2	0	2		
		Tongue ulceration	1	0	1		
		Swollen tongue	2	0	2		
		Tongue discolouration	1	0	1		
		Tongue oedema	5	0	5		
			Gastrointestinal disorders		493	2	407
		Reaction Count	General disorders and administration site conditions	Hyperthermia	1	0	1
				Hyperthermia malignant	1	0	1
Temperature regulation disorder	1			0	1		
Pyrexia	26			1	8		
Death	1			1	0		
Death neonatal	1			1	1		
Sudden death	6			6	1		
Asthenia	26			0	19		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole		
Reaction Count	General disorders and administration site conditions	Fatigue	58	0	42		
		Malaise	37	1	28		
		Abasia	2	0	1		
		Gait disturbance	11	0	7		
		Condition aggravated	14	0	11		
		Developmental delay	1	0	1		
		Disease progression	1	0	1		
		Energy increased	1	0	1		
		Influenza like illness	9	0	8		
		Irritability	13	0	11		
		Multi-organ failure	1	1	0		
		Swelling	1	0	1		
		Face oedema	5	0	4		
		Gravitational oedema	3	0	2		
		Oedema	6	0	1		
		Oedema peripheral	8	0	5		
		Chest pain	14	0	12		
		Pain	14	0	11		
		Chest discomfort	2	0	2		
		Chills	27	0	18		
		Feeling abnormal	22	0	20		
		Feeling cold	1	0	0		
		Feeling drunk	1	0	0		
		Feeling hot	4	0	3		
		Feeling jittery	4	0	3		
		Feeling of body temperature change	4	0	3		
		Hunger	1	0	1		
		Thirst	5	0	5		
		Drug interaction	13	1	0		
		Drug effect decreased	9	0	6		
		Drug ineffective	37	2	30		
		Therapeutic response decreased	2	0	1		
		Drug withdrawal syndrome	64	0	61		
		Drug withdrawal syndrome neonatal	14	0	9		
		Rebound effect	1	0	1		
		Product quality issue	1	0	1		
			General disorders and administration site conditions	474	14	343	
			Hepatobiliary disorders	Cholecystitis	1	0	0
				Cholelithiasis	1	0	1
				Jaundice	5	0	3
				Liver injury	1	0	0

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Hepatobiliary disorders	Hepatic function abnormal	19	1	10
		Hepatic failure	5	1	2
		Hepatitis	5	1	4
		Hepatitis chronic active	1	0	1
		Hepatitis fulminant	1	0	0
		Hepatocellular injury	1	0	0
		Hepatobiliary disorders	40	3	21
	Immune system disorders	Hypersensitivity	3	0	3
		Drug hypersensitivity	1	0	1
		Anaphylactic reaction	1	0	1
		Anaphylactic shock	1	0	1
		Anaphylactoid reaction	3	0	3
		Immune system disorders	9	0	9
	Infections and infestations	Bacterial infection	1	0	0
		Cellulitis	1	0	1
		Candidiasis	1	0	0
		Genital candidiasis	1	0	1
		Gastroenteritis	1	0	1
		Infection	1	0	1
		Pneumonia	3	0	2
		Sepsis	1	1	0
		Rash pustular	1	0	0
		Nasopharyngitis	1	0	1
		Pharyngitis	3	0	3
		Sinusitis	1	0	1
		Urinary tract infection	2	0	1
		Gastritis viral	1	0	1
		Gastroenteritis viral	1	0	1
		Infections and infestations	20	1	14
		Injury, poisoning and procedural complications	Drug toxicity	11	11
	Poisoning		1	0	1
	Poisoning deliberate		1	1	1
	Drug exposure before pregnancy		1	0	1
	Drug exposure during pregnancy		36	1	26
	Maternal drugs affecting foetus		1	1	1
	Subdural haemorrhage		1	0	1
	Fall		8	0	1
	Road traffic accident		1	0	0
	Uterine injury		1	0	1
	Head injury		2	0	0
	Contusion		4	0	2
	Chillblains		1	0	0

Medicine summary -venlafaxine (to date)

		Case Group	Death Outcomes	Sole	
Reaction Count	Injury, poisoning and procedural complications	Heat stroke	2	1	1
		Inappropriate schedule of drug administration	2	0	2
		Incorrect dose administered	1	0	1
		Medication error	3	0	0
		Drug exposure via breast milk	1	0	1
		Accidental overdose	2	1	1
		Intentional overdose	9	2	7
		Overdose	11	1	6
		Post procedural haemorrhage	1	0	1
		Injury, poisoning and procedural complications	101	19	56
	Investigations	Cardiac murmur	1	0	1
		Electrocardiogram QT prolonged	9	1	4
		Electrocardiogram abnormal	2	0	1
		Heart rate increased	3	0	3
		Blood pressure decreased	2	0	2
		Blood pressure increased	12	0	12
		Hormone level abnormal	1	0	1
		Blood prolactin increased	2	0	1
		Blood testosterone decreased	1	0	0
		Blood testosterone increased	1	0	0
		Blood creatine phosphokinase increased	9	1	3
Blood alkaline phosphatase increased		2	0	0	
Blood lactate dehydrogenase increased		1	0	0	
Bleeding time prolonged		1	0	0	
International normalised ratio decreased		1	0	0	
International normalised ratio increased		1	0	0	
Prothrombin level decreased		1	0	1	
Prothrombin level increased		2	0	0	
Red blood cell sedimentation rate increased		1	0	0	
Platelet count increased		1	0	0	
White blood cell count increased		1	0	0	
Alanine aminotransferase increased		2	0	0	
Aspartate aminotransferase increased		1	0	0	
Blood bilirubin increased		1	0	0	
Gamma-glutamyltransferase increased		2	0	0	
Hepatic enzyme abnormal		1	0	0	
Hepatic enzyme increased		1	0	0	
Liver function test abnormal		15	0	9	
Antinuclear antibody positive		2	0	0	
Blood cholesterol increased	6	0	3		
High density lipoprotein decreased	1	0	0		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole	
Reaction Count	Investigations	Low density lipoprotein increased	1	0	0	
		Total cholesterol/HDL ratio decreased	1	0	0	
		Total cholesterol/HDL ratio increased	1	0	0	
		Blood triglycerides increased	5	0	2	
		Blood glucose decreased	1	0	1	
		Blood glucose increased	1	0	1	
		Blood folate decreased	1	0	1	
		Bone density decreased	1	0	0	
		Intraocular pressure increased	1	0	1	
		Body temperature decreased	1	0	1	
		Weight decreased	14	0	11	
		Weight increased	22	0	18	
		C-reactive protein increased	1	0	0	
		Urine colour abnormal	1	0	1	
		Semen analysis abnormal	1	0	1	
		Antidepressant drug level above therapeutic	1	0	1	
		Antipsychotic drug level increased	1	0	0	
		Drug level above therapeutic	1	0	0	
		Drug level below therapeutic	1	0	1	
		Drug level decreased	2	0	0	
		Drug level increased	3	0	0	
		Blood alcohol increased	1	0	1	
		Blood phosphorus decreased	1	0	0	
		Blood electrolytes abnormal	1	0	1	
		Investigations	152	2	83	
		Metabolism and nutrition disorders	Acidosis	2	1	0
			Decreased appetite	36	1	31
			Food craving	1	0	1
			Increased appetite	3	0	2
			Feeding disorder neonatal	2	0	2
			Weight loss poor	1	0	1
			Hypercalcaemia	1	0	0
			Hypocalcaemia	2	1	1
Tetany	2		0	2		
Hyperchloraemia	1		1	0		
Hypochloraemia	2		0	0		
Polydipsia	1		0	1		
Hyperkalaemia	2		0	0		
Hypokalaemia	9		1	2		
Hypernatraemia	2		0	1		
Hyponatraemia	96		1	58		
Dehydration	6		0	4		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Metabolism and nutrition disorders	Fluid retention	3	0	3
		Alcohol intolerance	1	0	1
		Diabetes mellitus	1	0	1
		Gestational diabetes	1	0	1
		Hyperglycaemia	1	0	1
		Hypoglycaemia	6	0	2
		Hypercholesterolaemia	1	0	0
		Metabolism and nutrition disorders	183	6	115
	Musculoskeletal and connective tissue disorders	Jaw disorder	1	0	1
		Osteonecrosis	1	0	0
		Systemic lupus erythematosus	1	0	1
		Arthritis	6	0	3
		Joint hyperextension	1	0	1
		Arthralgia	11	0	8
		Joint stiffness	1	0	1
		Osteoarthritis	2	0	1
		Myalgia	32	0	25
		Muscle spasms	11	0	7
		Muscle tightness	4	0	4
		Muscle twitching	19	0	13
		Hypertonia neonatal	1	0	1
		Muscle rigidity	6	0	2
		Torticollis	1	0	0
		Trismus	5	0	4
		Muscular weakness	2	0	1
		Rhabdomyolysis	4	1	1
		Mobility decreased	3	0	0
		Musculoskeletal stiffness	6	0	5
		Back pain	2	0	2
		Musculoskeletal chest pain	1	0	1
		Neck pain	1	0	1
		Pain in extremity	3	0	2
		Musculoskeletal and connective tissue disorders	125	1	85
	Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Squamous cell carcinoma	2	0	2
Bladder neoplasm		1	0	1	
Neoplasms benign, malignant and unspecified (incl cysts and polyps)		3	0	3	
Nervous system disorders	Cerebrovascular accident	4	0	4	
	Haemorrhagic stroke	2	0	2	
	Cerebrovascular disorder	3	1	2	
	VIIth nerve paralysis	1	0	1	

Medicine summary -venlafaxine (to date)

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Encephalopathy	5	0	4
		Drug withdrawal headache	1	0	1
		Headache	120	1	95
		Migraine	7	0	4
		Migraine with aura	1	0	1
		Hydrocephalus	1	0	1
		Benign intracranial hypertension	1	0	1
		Brain oedema	1	0	0
		Amnesia	21	0	15
		Memory impairment	9	0	5
		Cognitive disorder	3	0	2
		Disturbance in attention	18	0	13
		Mental impairment	4	0	4
		Choreoathetosis	4	0	3
		Akathisia	27	2	18
		Bradykinesia	1	0	1
		Dyskinesia	21	0	13
		Extrapyramidal disorder	9	0	5
		Hyperkinesia	5	0	3
		Hypokinesia	3	0	1
		Movement disorder	2	0	1
		Psychomotor hyperactivity	4	0	3
		Tardive dyskinesia	9	0	5
		Dystonia	20	0	12
		Opisthotonus	2	0	1
		Paresis	1	0	1
		Cogwheel rigidity	3	0	2
		Masked facies	1	0	0
		Parkinson's disease	1	0	1
		Parkinsonism	6	0	3
		Tremor	98	0	60
		Hyperreflexia	10	0	5
		Hyporeflexia	1	0	1
		Reflexes abnormal	1	0	0
		Ataxia	26	0	23
		Balance disorder	8	0	3
		Coordination abnormal	10	0	7
		Dysstasia	4	0	4
		Nystagmus	4	0	2
		Coma	5	0	2
	Aphasia	2	0	1	
	Altered state of consciousness	2	0	1	

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Nervous system disorders	Consciousness fluctuating	3	0	1
		Depressed level of consciousness	6	0	2
		Lethargy	9	0	6
		Loss of consciousness	7	1	4
		Sedation	5	0	4
		Somnolence	44	0	31
		Stupor	1	0	1
		Syncope	31	0	21
		Motor dysfunction	1	0	1
		Clonus	2	0	1
		Dizziness	134	0	109
		Head discomfort	2	0	2
		Myoclonus	6	0	3
		Neurological symptom	1	0	1
		Presyncope	2	0	2
		Tongue biting	1	0	0
		Crying	5	0	5
		Burning sensation	3	0	3
		Hyperaesthesia	5	0	4
		Paraesthesia	62	0	55
		Ageusia	1	0	1
		Dysgeusia	7	0	7
		Hypoaesthesia	15	0	14
		Neuralgia	2	0	1
		Restless legs syndrome	1	0	1
		Sensory disturbance	7	0	6
		Dysarthria	10	0	9
		Incoherent	2	0	0
		Speech disorder	5	0	2
		Tunnel vision	1	0	1
		Visual field defect	2	0	2
		Horner's syndrome	1	0	1
		Hypertonia	25	0	12
		Neuroleptic malignant syndrome	11	1	3
		Serotonin syndrome	51	1	15
		Muscle contractions involuntary	1	0	0
		Myasthenia gravis	1	0	0
		Neuropathy peripheral	2	0	2
		Petit mal epilepsy	1	0	1
		Convulsion neonatal	2	0	0
Grand mal convulsion	12	0	5		
Convulsion	69	3	37		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Nervous system disorders	Convulsive threshold lowered	1	0	1
		Drug withdrawal convulsions	2	0	0
		Epilepsy	7	0	5
		Myoclonic epilepsy	1	0	1
		Status epilepticus	2	0	2
		Tonic convulsion	1	0	1
		Circadian rhythm sleep disorder	1	0	0
		Hypersomnia	3	0	2
		Narcolepsy	1	0	0
		Poor quality sleep	3	0	3
		Nervous system disorders	1073	10	728
	Pregnancy, puerperium and perinatal conditions	Abortion spontaneous	8	0	7
		Intra-uterine death	1	0	1
		Foetal distress syndrome	1	1	1
		Premature labour	1	0	1
		Abnormal labour	1	0	1
		Premature separation of placenta	1	0	1
		Pre-eclampsia	2	0	2
		Gestational hypertension	1	0	1
		Ectopic pregnancy	1	0	1
		Hyperemesis gravidarum	1	0	0
		Premature baby	9	0	6
		Birth trauma	1	0	1
		Jaundice neonatal	2	0	0
		Neonatal disorder	4	0	3
		Polyhydramnios	1	0	1
		Placental disorder	1	0	1
		Unintended pregnancy	1	0	0
		Pregnancy, puerperium and perinatal conditions	37	1	28
	Psychiatric disorders	Agitation	86	0	63
		Agitation neonatal	2	0	2
		Anxiety	75	0	54
		Nervousness	11	0	9
Stress		2	0	1	
Tension		1	0	1	
Fear		4	0	4	
Panic attack		11	0	8	
Panic disorder		1	0	1	
Neurosis		1	0	1	
Obsessive-compulsive disorder		3	0	2	
Catatonias		1	0	0	

Medicine summary -venlafaxine (to date)

Reaction Count	Psychiatric disorders		Case Group	Death Outcomes	Sole
		Decreased activity	1	0	1
		Restlessness	7	0	4
		Automatism	2	0	2
		Bruxism	12	0	11
		Posturing	1	0	1
		Stereotypy	1	0	0
		Tic	1	0	1
		Attention deficit/hyperactivity disorder	1	0	1
		Learning disorder	1	0	1
		Pressure of speech	1	0	1
		Confusional state	63	2	37
		Disorientation	17	0	12
		Delirium	20	0	13
		Depression	39	0	28
		Depression suicidal	1	0	0
		Major depression	1	0	0
		Anhedonia	1	0	1
		Decreased interest	2	0	1
		Depressed mood	4	1	3
		Feeling of despair	1	0	1
		Tearfulness	3	0	2
		Autism spectrum disorder	1	0	1
		Depersonalisation	15	0	13
		Dissociation	1	0	0
		Delusion	5	0	5
		Deja vu	1	0	1
		Derealisation	1	0	0
		Hallucination	39	0	21
		Hallucination, auditory	4	0	3
		Hallucination, visual	1	0	1
		Hallucinations, mixed	1	0	1
		Thinking abnormal	21	0	16
		Eating disorder	4	0	1
		Self-induced vomiting	1	0	1
		Impulsive behaviour	1	0	1
		Pathological gambling	2	0	2
		Bipolar disorder	1	0	1
		Hypomania	3	0	1
		Mania	16	0	12
		Affect lability	9	0	6
		Inappropriate affect	1	0	0
		Anger	12	0	10

Medicine summary -venlafaxine (to date)

Reaction Count			Case Group	Death Outcomes	Sole
	Psychiatric disorders	Dysphoria	2	0	1
		Elevated mood	1	0	0
		Emotional disorder	4	0	4
		Emotional distress	1	0	1
		Euphoric mood	6	0	5
		Mood altered	3	1	3
		Mood swings	8	0	8
		Affective disorder	1	0	0
		Apathy	7	0	7
		Aggression	44	0	31
		Disinhibition	2	0	2
		Disturbance in social behaviour	1	0	1
		Homicidal ideation	21	0	11
		Hostility	3	0	3
		Indifference	2	0	2
		Paranoia	13	0	11
		Personality change	4	0	3
		Social avoidant behaviour	1	0	1
		Violence-related symptom	3	0	2
		Self esteem decreased	1	0	1
		Abnormal behaviour	8	0	7
		Staring	1	0	1
		Hypervigilance	1	0	0
		Psychiatric symptom	1	0	1
		Mental disorder	2	0	2
		Mental status changes	2	0	1
		Alcohol abuse	1	0	1
		Alcohol problem	1	0	1
		Alcoholism	2	0	1
		Dependence	1	0	0
		Drug dependence	5	0	5
		Intentional drug misuse	3	0	3
		Withdrawal syndrome	123	0	113
		Psychotic disorder	16	0	9
		Schizophreniform disorder	1	0	1
		Schizophrenia	1	0	0
		Anorgasmia	5	0	4
		Premature ejaculation	1	0	1
		Libido decreased	11	0	10
		Libido increased	1	0	1
		Loss of libido	4	0	2
		Compulsive sexual behaviour	1	0	1

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole	
Reaction Count	Psychiatric disorders	Insomnia	65	0	52	
		Abnormal dreams	14	0	11	
		Abnormal sleep-related event	5	0	0	
		Nightmare	32	0	29	
		Somnambulism	5	0	2	
		Sleep disorder	5	0	4	
		Conversion disorder	2	0	2	
		Completed suicide	17	17	13	
		Intentional self-injury	3	0	1	
		Self injurious behaviour	1	0	0	
		Self-injurious ideation	3	0	3	
		Suicidal behaviour	3	0	1	
		Suicidal ideation	93	1	65	
		Suicide attempt	61	2	42	
			Psychiatric disorders	1147	24	851
		Renal and urinary disorders	Oliguria	1	0	1
			Renal failure acute	3	0	0
			Renal impairment	4	0	2
			Urethral disorder	1	0	1
			Dysuria	4	0	4
			Enuresis	1	0	0
			Micturition disorder	8	0	8
			Micturition urgency	2	0	1
			Pollakiuria	7	0	6
			Urinary hesitation	2	0	2
			Urinary incontinence	9	0	7
			Urinary retention	13	0	12
			Chromaturia	1	0	1
			Haematuria	2	0	2
			Nocturia	1	0	1
			Polyuria	1	0	1
			Renal pain	1	0	1
		Nephrolithiasis	2	0	1	
		Renal and urinary disorders	63	0	51	
		Reproductive system and breast disorders	Breast enlargement	1	0	0
			Gynaecomastia	7	0	5
			Breast pain	2	0	1
			Breast swelling	1	0	1
			Galactorrhoea	7	0	5
			Menstrual disorder	1	0	1
			Menstruation irregular	2	0	1
			Metrorrhagia	3	0	1

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole	
Reaction Count	Reproductive system and breast disorders	Amenorrhoea	7	0	3	
		Menorrhagia	4	0	3	
		Polymenorrhoea	1	0	1	
		Polycystic ovaries	2	0	1	
		Penile size reduced	2	0	2	
		Prostatic disorder	2	0	2	
		Oedema genital	1	0	1	
		Ejaculation delayed	1	0	1	
		Ejaculation disorder	1	0	0	
		Erectile dysfunction	4	0	2	
		Priapism	1	0	1	
		Sexual dysfunction	5	0	5	
		Spermatorrhoea	1	0	1	
		Testicular disorder	1	0	1	
		Testicular pain	1	0	0	
		Testicular atrophy	1	0	1	
		Uterine haemorrhage	1	0	0	
		Vaginal haemorrhage	1	0	1	
			Reproductive system and breast disorders	61	0	41
		Reaction Count	Respiratory, thoracic and mediastinal disorders	Asthma	1	0
Bronchospasm	2			0	2	
Wheezing	1			0	1	
Pneumonia aspiration	1			0	1	
Pneumonitis	1			0	1	
Pulmonary eosinophilia	1			0	1	
Pulmonary oedema	3			1	1	
Infantile apnoeic attack	1			0	1	
Neonatal respiratory distress syndrome	2			0	0	
Neonatal respiratory failure	1			0	0	
Pulmonary hypertension	1			0	0	
Pulmonary embolism	2			1	1	
Apnoea	3			0	2	
Cheyne-Stokes respiration	1			1	0	
Dyspnoea	23			1	16	
Hyperventilation	5			0	3	
Hypopnoea	1			0	1	
Sleep apnoea syndrome	2			0	2	
Tachypnoea	1			0	1	
Hypoxia	1			0	0	
Respiratory alkalosis	1			0	1	
Cough	3			0	2	
Hiccups	1			0	1	

Medicine summary -venlafaxine (to date)

		Case Group	Death Outcomes	Sole	
Reaction Count	Respiratory, thoracic and mediastinal disorders	Respiration abnormal	1	1	1
		Aspiration	1	1	0
		Respiratory disorder	1	0	0
		Increased upper airway secretion	1	0	1
		Sneezing	1	0	1
		Throat tightness	2	0	0
		Yawning	12	0	11
		Laryngospasm	1	0	1
		Epistaxis	4	0	3
		Oropharyngeal swelling	1	0	0
		Pharyngeal oedema	1	0	1
		Respiratory, thoracic and mediastinal disorders	85	6	58
		Skin and subcutaneous tissue disorders	Angioedema	10	0
	Urticaria		21	0	17
	Leukoplakia		1	0	0
	Dermatitis bullous		1	0	0
	Erythema multiforme		3	0	2
	Stevens-Johnson syndrome		1	0	0
	Cutaneous lupus erythematosus		1	0	1
	Dry skin		1	0	1
	Hypoaesthesia facial		1	0	1
	Skin burning sensation		1	0	1
	Skin discolouration		1	0	0
	Skin odour abnormal		1	0	0
	Eczema		2	0	1
	Erythema		3	0	3
	Rash erythematous		10	0	7
Dermatitis exfoliative	1		0	0	
Skin exfoliation	3		0	3	
Rash papular	2		0	2	
Photosensitivity reaction	4		0	1	
Pruritus	41		0	30	
Pruritus generalised	2		0	1	
Rash pruritic	3		0	2	
Dermatitis psoriasiform	1		0	1	
Psoriasis	1		0	0	
Rash follicular	1	0	1		
Rash	26	0	20		
Rash maculo-papular	13	0	11		
Systemic lupus erythematosus rash	1	0	1		
Acne	3	0	3		

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Skin and subcutaneous tissue disorders	Alopecia	6	0	4
		Cold sweat	6	0	5
		Hyperhidrosis	102	1	76
		Hypohidrosis	1	0	1
		Night sweats	3	0	2
		Hirsutism	1	0	0
		Piloerection	2	0	2
		Ecchymosis	1	0	1
		Purpura	16	0	14
		Haemorrhage subcutaneous	1	0	0
		Leukocytoclastic vasculitis	1	0	1
		Skin and subcutaneous tissue disorders	300	1	224
		Social circumstances	Sexual abuse	1	0
	Activities of daily living impaired		3	0	2
	Bedridden		1	0	1
	Impaired driving ability		1	0	1
	Impaired work ability		4	0	4
	Gambling		1	0	1
	Social circumstances		11	0	10
	Surgical and medical procedures	Colectomy	1	0	1
		Tooth extraction	1	0	0
		Caesarean section	1	0	0
		Therapy cessation	1	0	1
		Therapy regimen changed	18	0	13
		Surgical and medical procedures	22	0	15
	Vascular disorders	Aneurysm	1	1	1
		Vasospasm	1	0	1
		Peripheral ischaemia	2	0	1
		Poor peripheral circulation	1	0	0
		Peripheral arterial occlusive disease	1	0	1
		Blood pressure fluctuation	1	0	1
		Circulatory collapse	8	2	3
		Hypoperfusion	1	1	1
		Hypotension	21	3	9
		Orthostatic hypotension	15	0	10
		Thrombosis	1	0	1
		Deep vein thrombosis	2	1	1
		Thrombophlebitis	1	0	0
		Vasodilatation	1	0	1
		Flushing	21	0	15
		Hot flush	6	0	4
		Pallor	4	0	2

Medicine summary -venlafaxine (to date)

			Case Group	Death Outcomes	Sole
Reaction Count	Vascular disorders	Haemorrhage	1	0	1
		Hypertension	51	0	36
		Maternal hypertension affecting foetus	1	0	0
		Vasculitis	1	0	1
	Vascular disorders		142	8	90
Reaction			4933	118	3493