

Medicine summary - dothiepin (to end January 2009)

		Case Group	Death Outcomes	Sole
Case Count		430	14	216
Reaction Count	Blood and lymphatic system disorders	Anaemia	1	0
		Aplastic anaemia	1	0
		Bone marrow failure	2	0
		Pancytopenia	3	1
		Thrombocytopenia	7	0
		Red blood cell abnormality	1	0
		Lymphadenopathy	1	0
		Eosinophilia	2	0
		Leukocytosis	1	0
		Leukopenia	5	0
		Agranulocytosis	4	1
		Neutropenia	1	0
		Blood and lymphatic system disorders	29	2
	Cardiac disorders	Arrhythmia	2	0
		Bradycardia	1	0
		Extrasystoles	2	0
		Tachycardia	9	1
		Atrial fibrillation	1	0
		Cardiac arrest	2	1
		Torsade de pointes	2	0
		Ventricular fibrillation	1	0
		Ventricular tachycardia	1	0
		Cyanosis	1	0
		Palpitations	8	0
		Aortic valve incompetence	1	0
		Acute myocardial infarction	1	0
		Angina pectoris	2	0
		Arteriospasm coronary	1	0
		Myocardial infarction	1	1
		Cardiogenic shock	1	0
		Right ventricular failure	1	0
		Cardiomyopathy	1	0
		Cardiac disorders	39	3
	Congenital, familial and genetic disorders	Multiple congenital abnormalities	1	0
		Congenital foot malformation	1	0
		Limb reduction defect	1	0
		Congenital, familial and genetic disorders	3	0
	Ear and labyrinth disorders	Deafness	1	0
		Hyperacusis	1	0
		Tinnitus	4	0
		Vertigo	1	0

Medicine summary - dothiepin (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
	Ear and labyrinth disorders	Ear and labyrinth disorders	7	0	7
	Endocrine disorders	Inappropriate antidiuretic hormone secretion	2	0	1
		Hypothyroidism	1	0	0
		Endocrine disorders	3	0	1
	Eye disorders	Xerophthalmia	1	0	1
		Dry eye	1	0	1
		Lacrimal disorder	1	0	0
		Glaucoma	1	0	1
		Conjunctivitis	2	0	2
		Mydriasis	1	0	0
		Photophobia	1	0	1
		Retinal haemorrhage	1	0	0
		Accommodation disorder	2	0	1
		Diplopia	1	0	1
		Vision blurred	2	0	0
		Visual impairment	12	0	9
		Eye disorders	26	0	17
	Gastrointestinal disorders	Gingivitis	1	0	1
		Haematemesis	2	0	0
		Melaena	1	0	0
		Enteritis	1	0	0
		Diarrhoea	4	0	4
		Constipation	7	0	5
		Dyspepsia	5	0	2
		Abdominal distension	1	0	0
		Flatulence	1	0	1
		Abdominal pain	12	0	8
		Nausea	16	0	11
		Vomiting	8	0	5
		Duodenal ulcer haemorrhage	1	1	0
		Duodenal ulcer perforation	1	0	0
		Gastric ulcer perforation	1	0	0
		Peptic ulcer perforation	1	1	0
		Mouth ulceration	1	0	1
		Stomatitis	1	0	1
		Retroperitoneal fibrosis	1	0	0
		Dry mouth	12	0	6
		Saliva altered	1	0	1
		Salivary gland enlargement	2	0	1
		Glossitis	1	0	1
		Swollen tongue	1	0	1
		Tongue discolouration	1	0	0

Medicine summary - dothiepin (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
	Gastrointestinal disorders	Tongue oedema	2	0	1
		Gastrointestinal disorders	86	2	50
	General disorders and administration site conditions	Pyrexia	17	1	9
		Sudden death	2	2	0
		Asthenia	4	0	2
		Fatigue	13	0	5
		Malaise	6	0	4
		Gait disturbance	4	0	0
		Influenza like illness	1	0	0
		Enanthema	1	0	0
		Face oedema	2	0	2
		Gravitational oedema	2	0	0
		Oedema	1	0	1
		Oedema peripheral	1	0	1
		Chest pain	7	0	1
		Pain	2	0	1
		Chills	3	0	1
		Thirst	1	0	0
		Drug ineffective	10	0	7
		Therapeutic response decreased	1	0	0
		Therapeutic response unexpected with drug substitution	2	0	2
		Drug withdrawal syndrome neonatal	1	0	0
		General disorders and administration site conditions	81	3	36
	Hepatobiliary disorders	Hepatitis cholestatic	3	0	2
		Jaundice	11	1	1
		Hepatic function abnormal	20	1	9
		Hepatic failure	1	0	0
		Hepatic cirrhosis	1	0	0
		Hepatosplenomegaly	1	1	0
		Hepatitis	8	0	1
		Hepatocellular injury	2	0	0
		Hepatobiliary disorders	47	3	13
	Immune system disorders	Hypersensitivity	1	0	0
		Immune system disorders	1	0	0
	Infections and infestations	Bacterial infection	1	0	0
		Meningitis	1	1	0
		Abscess of salivary gland	1	0	1
		Pneumonia	2	1	0
		Laryngitis	1	0	1
		Pharyngitis	5	0	4

Medicine summary - dothiepin (to end January 2009)

Reaction Count				Case Group	Death Outcomes	Sole
				1	0	0
	Infections and infestations	Cystitis		1	0	0
		Infections and infestations		12	2	6
	Injury, poisoning and procedural complications	Drug exposure during pregnancy		1	0	0
		Fall		2	0	0
		Sunburn		1	0	1
		Intentional overdose		1	0	1
		Injury, poisoning and procedural complications		5	0	2
	Investigations	Electrocardiogram QT prolonged		1	0	1
		Electrocardiogram abnormal		3	0	0
		Blood creatine phosphokinase increased		1	0	0
		Red blood cell sedimentation rate increased		2	0	1
		Neutrophil count increased		1	0	0
		White blood cell count increased		1	0	0
		Gamma-glutamyltransferase increased		1	0	0
		Antinuclear antibody positive		1	0	1
		Immunoglobulins decreased		1	0	0
		Blood folate abnormal		1	0	0
		Electroencephalogram abnormal		1	0	0
		Weight decreased		3	0	2
		Weight increased		1	0	1
		Drug level increased		1	0	0
		Investigations		19	0	6
	Metabolism and nutrition disorders	Decreased appetite		8	0	5
		Increased appetite		1	0	1
		Feeding disorder neonatal		1	0	0
		Hypercalcaemia		1	0	0
		Hypochloraemia		2	0	0
		Polydipsia		1	0	1
		Hypokalaemia		3	1	0
		Hyponatraemia		9	0	3
		Hyperglycaemia		1	0	1
		Metabolism and nutrition disorders		27	1	11
	Musculoskeletal and connective tissue disorders	Arthralgia		3	0	1
		Myalgia		4	0	1
		Muscle spasms		7	0	3
		Muscle twitching		6	0	4
		Myopathy		2	0	1
		Rhabdomyolysis		1	0	0
		Musculoskeletal stiffness		1	0	1
		Back pain		1	0	1
		Musculoskeletal and connective tissue disorders		25	0	12

Medicine summary - dothiepin (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
	Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Pseudolymphoma	2	1	0
		Bronchioloalveolar carcinoma	1	1	0
		Neoplasms benign, malignant and unspecified (incl cysts and polyps)	3	2	0
	Nervous system disorders	Cerebral haemorrhage	1	0	0
		Transient ischaemic attack	2	0	0
		Facial palsy	1	0	1
		Parosmia	2	0	1
		Encephalopathy	2	0	1
		Headache	17	0	10
		Migraine	3	0	2
		Amnesia	7	0	3
		Cognitive disorder	1	0	0
		Disturbance in attention	4	0	1
		Mental impairment	1	0	1
		Dyskinesia	3	0	2
		Extrapyramidal disorder	2	0	0
		Hyperkinesia	3	0	3
		Tardive dyskinesia	2	0	0
		Dystonia	3	0	1
		Quadriplegia	1	0	0
		Parkinson's disease	1	0	1
		Tremor	19	0	8
		Hyperreflexia	3	0	0
		Ataxia	9	0	4
		Cerebellar syndrome	2	0	1
		Coordination abnormal	2	0	0
		Coma	2	0	1
		Aphasia	1	0	0
		Consciousness fluctuating	1	0	0
		Depressed level of consciousness	1	0	0
		Lethargy	2	0	1
		Loss of consciousness	2	0	1
		Somnolence	6	0	3
		Syncope	5	0	3
		Dizziness	19	0	9
		Hyperaesthesia	1	0	1
		Paraesthesia	18	0	10
		Dysgeusia	2	0	2
		Hypoesthesia	2	0	2
		Restless legs syndrome	1	0	1
		Sensory disturbance	1	0	1

Medicine summary - dothiepin (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Dysarthria	1	0	0
		Speech disorder	1	0	0
		Anticholinergic syndrome	1	0	1
		Hypertonia	5	0	1
		Neuroleptic malignant syndrome	3	0	0
		Serotonin syndrome	4	0	0
		Neuropathy peripheral	2	0	2
		Grand mal convulsion	6	0	4
		Convulsion	18	0	5
		Nervous system disorders	196	0	88
	Pregnancy, puerperium and perinatal conditions	Intra-uterine death	2	1	1
		Foetal growth retardation	1	1	0
		Pregnancy, puerperium and perinatal conditions	3	2	1
	Psychiatric disorders	Agitation	21	1	15
		Anxiety	9	0	3
		Nervousness	2	0	2
		Neurosis	1	0	0
		Catatonia	2	0	1
		Restlessness	1	0	1
		Bruxism	1	0	0
		Communication disorder	1	0	1
		Confusional state	24	2	8
		Disorientation	1	0	1
		Delirium	2	0	1
		Depression	5	0	3
		Depersonalisation	3	0	1
		Delusion	1	0	0
		Hallucination	15	1	8
		Thinking abnormal	4	0	1
		Mania	2	0	1
		Affect lability	3	0	3
		Anger	2	0	2
		Emotional disorder	1	0	0
		Mood swings	1	0	0
		Aggression	4	0	2
		Homicidal ideation	1	0	1
		Paranoia	6	1	2
		Withdrawal syndrome	3	0	3
		Psychotic disorder	2	0	0
		Libido decreased	2	0	1
		Loss of libido	2	0	0

Medicine summary - dothiepin (to end January 2009)

		Case Group	Death Outcomes	Sole
Reaction Count	Psychiatric disorders	Insomnia	16	0 11
		Nightmare	11	0 6
		Suicidal ideation	2	0 1
		Suicide attempt	2	0 1
		Psychiatric disorders	153	5 80
	Renal and urinary disorders	Oliguria	1	1 0
		Renal failure acute	3	1 0
		Renal impairment	2	0 0
		Dysuria	3	0 3
		Micturition disorder	1	0 1
		Pollakiuria	1	0 1
		Urinary incontinence	1	0 0
		Urinary retention	5	0 1
		Chromaturia	1	0 0
		Polyuria	2	0 2
		Renal and urinary disorders	20	2 8
	Reproductive system and breast disorders	Gynaecomastia	5	0 2
		Breast pain	1	0 0
		Galactorrhoea	1	0 1
		Menstruation irregular	1	0 0
		Metrorrhagia	1	0 0
		Amenorrhoea	1	0 1
		Perineal pain	1	0 1
		Erectile dysfunction	2	0 1
		Testicular disorder	1	0 1
		Reproductive system and breast disorders	14	0 7
	Respiratory, thoracic and mediastinal disorders	Bronchospasm	1	0 0
		Pulmonary fibrosis	1	0 0
		Pulmonary oedema	1	0 0
		Apnoea	1	0 1
		Dyspnoea	6	0 4
		Hyperventilation	2	0 1
		Hypoxia	2	0 1
		Cough	3	0 0
		Respiratory disorder	1	0 0
		Dysphonia	1	0 1
		Respiratory, thoracic and mediastinal disorders	19	0 8
	Skin and subcutaneous tissue disorders	Angioedema	1	0 1
		Periorbital oedema	1	0 0
		Urticaria	6	0 5
		Lichenoid keratosis	1	0 1
		Dermatitis bullous	1	0 1

Medicine summary - dothiepin (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
Skin and subcutaneous tissue disorders	Skin discolouration		1	0	0
	Stasis dermatitis		1	0	1
	Erythema		1	0	0
	Rash erythematous		2	0	1
	Skin exfoliation		1	0	1
	Photosensitivity reaction		2	0	2
	Pruritus		19	0	12
	Rash		19	0	6
	Rash maculo-papular		8	0	4
	Rash morbilliform		1	0	1
	Rash vesicular		1	0	0
	Chloasma		1	0	1
	Erythema nodosum		2	0	1
	Skin ulcer		1	0	1
	Acne		3	0	2
	Alopecia		4	0	2
	Hyperhidrosis		14	0	2
	Night sweats		1	0	0
	Hair texture abnormal		1	0	0
	Purpura		4	0	0
	Skin and subcutaneous tissue disorders		97	0	45
Surgical and medical procedures	Drug therapy changed		1	0	1
	Surgical and medical procedures		1	0	1
Vascular disorders	Peripheral ischaemia		3	0	0
	Hypotension		3	0	1
	Orthostatic hypotension		10	0	5
	Flushing		4	0	2
	Hot flush		3	0	1
	Pallor		1	0	0
	Hypertension		4	1	2
	Arteritis		1	0	0
	Vascular disorders		29	1	11
	Reaction		945	28	438