

Medicine summary - Antipsychotics- amisulpride

			Case Group	Death Outcomes	Sole
Case Count			275	9	193
Reaction Count	Blood and lymphatic system disorders	Pancytopenia	1	0	1
		Coagulopathy	1	1	0
		Thrombocytosis	1	0	0
		Eosinophilia	1	0	1
		Leukocytosis	4	0	1
		Leukopenia	1	0	0
		Agranulocytosis	1	0	0
		Neutropenia	2	0	0
		Blood and lymphatic system disorders	12	1	3
	Cardiac disorders	Atrioventricular block	1	0	1
		Bundle branch block left	1	0	0
		Sinoatrial block	1	0	0
		Arrhythmia	2	2	1
		Bradycardia	1	0	1
		Extrasystoles	1	0	1
		Tachycardia	10	0	4
		Atrial fibrillation	1	0	0
		Atrial flutter	1	0	0
		Sinus arrest	1	0	0
		Sinus bradycardia	1	0	0
		Supraventricular extrasystoles	1	0	0
		Cardiac arrest	1	1	1
		Ventricular extrasystoles	2	0	1
		Palpitations	3	0	1
		Cardiac failure	1	0	0
		Cardiomyopathy	1	0	0
		Myocarditis	1	0	0
		Cardiac disorders	31	3	11
	Congenital, familial and genetic disorders	Polydactyly	1	0	0
		Congenital, familial and genetic disorders	1	0	0
	Ear and labyrinth disorders	Hearing impaired	1	0	1
		Ear and labyrinth disorders	1	0	1

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

Reaction Count			Case Group	Death Outcomes	Sole
	Endocrine disorders	Hypercorticism	1	0	1
		Hyperprolactinaemia	8	0	6
		Endocrine disorders	9	0	7
	Eye disorders	Eyelid oedema	1	0	0
		Oculogyric crisis	7	0	5
		Photophobia	1	0	1
		Myopia	1	0	1
		Vision blurred	2	0	2
		Visual impairment	1	0	1
		Eye disorders	13	0	10
	Gastrointestinal disorders	Gastrointestinal haemorrhage	1	0	1
		Colitis ulcerative	2	0	1
		Reflux oesophagitis	1	0	0
		Diarrhoea	3	0	2
		Constipation	2	0	2
		Abdominal pain	1	0	1
		Dysphagia	1	0	0
		Faecal incontinence	1	0	1
		Nausea	5	0	4
		Vomiting	8	0	5
		Lip swelling	1	0	1
		Dry mouth	1	0	0
		Salivary hypersecretion	5	0	4
		Parotid gland enlargement	2	0	2
		Swollen tongue	4	0	4
		Tongue oedema	1	0	0
		Gastrointestinal disorders	39	0	28
	General disorders and administration site conditions	Pyrexia	13	0	4
		Death	1	1	0
		Sudden death	1	1	0
		Asthenia	1	0	0
		Fatigue	3	0	1
		Malaise	4	0	2

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

Case Group	Death Outcomes	Sole		
General disorders and administration site conditions	Gait disturbance Condition aggravated Influenza like illness Irritability Multi-organ failure Swelling Face oedema Oedema peripheral Chest pain Pain Chest discomfort Chills Feeling jittery Hunger Drug interaction Drug ineffective Drug withdrawal syndrome General disorders and administration site conditions	4 1 1 1 1 1 1 3 1 1 1 1 1 1 1 1 48	0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 3	3 0 0 0 1 0 0 2 0 0 1 0 0 0 0 21
Hepatobiliary disorders	Jaundice Hepatic function abnormal Acute hepatic failure Hepatobiliary disorders	1 1 1 3	0 1 1 2	0 0 0 0
Immune system disorders	Hypersensitivity Anaphylactic reaction Immune system disorders	1 1 2	0 0 0	1 1 2
Infections and infestations	Cellulitis Oesophageal candidiasis Sepsis Viral infection Infections and infestations	1 1 1 1 4	0 0 1 0 1	0 0 0 0 1
Injury, poisoning and procedural complications	Fall Contusion	2 1	0 0	1 1

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

			Case Group	Death Outcomes	Sole
Reaction Count	Injury, poisoning and procedural complications	Heat stroke	1	1	0
		Medication error	1	0	0
		Intentional overdose	4	0	3
		Overdose	1	1	1
		Injury, poisoning and procedural complications	10	2	6
	Investigations	Electrocardiogram QT prolonged	11	0	6
		Electrocardiogram abnormal	3	0	0
		QRS axis abnormal	1	0	0
		Blood prolactin increased	9	0	7
		Blood creatine phosphokinase increased	11	1	4
		Troponin increased	1	0	1
		International normalised ratio increased	1	0	1
		Platelet count increased	1	0	0
		Neutrophil count increased	1	0	0
		White blood cell count increased	2	0	1
		Corneal reflex decreased	1	0	0
		Respiratory rate increased	1	0	1
		Weight decreased	3	0	3
		Weight increased	6	1	5
		C-reactive protein increased	1	0	1
		Drug level increased	3	1	1
		Investigations	56	3	31
	Metabolism and nutrition disorders	Decreased appetite	1	0	1
		Hypophagia	2	0	0
		Increased appetite	1	0	1
		Hypocalcaemia	1	0	0
		Polydipsia	1	0	1
		Hyponatraemia	2	0	0
		Dehydration	3	0	1
		Diabetes mellitus	2	0	1
		Hyperglycaemia	2	0	1
		Metabolism and nutrition disorders	15	0	6

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

Case Group	Death Outcomes	Sole
Pain in jaw	1	0
Arthralgia	2	0
Joint stiffness	1	0
Myalgia	1	0
Muscle spasms	8	0
Muscle twitching	2	0
Muscle rigidity	5	0
Nuchal rigidity	1	0
Torticollis	1	0
Trismus	1	0
Rhabdomyolysis	1	1
Mobility decreased	2	0
Musculoskeletal stiffness	7	0
Neck pain	1	0
Musculoskeletal and connective tissue disorders	34	1
Neoplasms benign, malignant and unspecified (incl cysts and polyps)		
Breast cancer female	2	0
Pituitary tumour benign	1	0
Pituitary tumour	1	0
Myelofibrosis	1	0
Angiocentric lymphoma	1	1
Prolactinoma	1	0
Neoplasms benign, malignant and unspecified (incl cysts and polyps)	7	1
Nervous system disorders		
Cerebrovascular accident	1	0
Subarachnoid haemorrhage	1	0
Transient ischaemic attack	1	0
Tongue paralysis	1	0
Headache	6	0
Brain oedema	1	0
Cognitive disorder	1	0
Disturbance in attention	1	0
Akathisia	5	0
Dyskinesia	4	0

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

Reaction Count	Outcome Description	Case Group	Death Outcomes	Sole
	Nervous system disorders			
	Extrapyramidal disorder	15	0	14
	Tardive dyskinesia	12	0	10
	Dystonia	18	0	15
	Opisthotonus	1	0	1
	Hemiparesis	1	0	0
	Cogwheel rigidity	4	0	2
	Parkinson's disease	1	0	1
	Parkinsonian gait	1	0	1
	Parkinsonism	8	0	7
	Tremor	15	1	13
	Hyperreflexia	2	0	1
	Hyporeflexia	1	0	0
	Ataxia	4	0	3
	Coma	1	0	0
	Aphasia	1	0	0
	Lethargy	2	0	1
	Loss of consciousness	1	1	0
	Somnolence	4	0	3
	Syncope	1	0	0
	Clonus	1	0	1
	Dizziness	2	0	2
	Dysgeusia	1	1	1
	Hypoesthesia	1	0	1
	Dysarthria	2	0	2
	Speech disorder	1	0	0
	Autonomic nervous system imbalance	1	0	1
	Hypertonia	4	0	3
	Neuroleptic malignant syndrome	19	0	9
	Myasthenia gravis	1	0	0
	Grand mal convulsion	3	0	2
	Complex partial seizures	2	0	1
	Convulsion	9	0	3
	Convulsive threshold lowered	1	0	0

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

			Case Group	Death Outcomes	Sole
Reaction Count	Nervous system disorders	Nervous system disorders	163	3	111
	Psychiatric disorders	Agitation	6	0	3
		Anxiety	2	0	2
		Restlessness	4	0	4
		Bruxism	1	0	1
		Confusional state	5	0	1
		Delirium	3	0	1
		Depression	4	0	4
		Depressive symptom	1	0	1
		Depersonalisation	1	0	1
		Hallucination, auditory	1	0	0
		Bipolar disorder	1	0	1
		Hypomania	2	0	2
		Mania	1	0	1
		Paranoia	3	0	3
		Abnormal behaviour	2	0	2
		Psychotic disorder	3	0	2
		Schizophrenia	1	0	1
		Libido decreased	1	0	1
		Loss of libido	1	0	1
		Insomnia	4	0	3
		Nightmare	1	0	1
		Sleep disorder	2	0	2
		Suicidal ideation	1	0	1
		Suicide attempt	4	0	2
		Psychiatric disorders	55	0	41
	Renal and urinary disorders	Nephrogenic diabetes insipidus	1	0	1
		Renal failure acute	2	1	1
		Renal impairment	3	0	1
		Incontinence	1	0	0
		Micturition disorder	1	0	1
		Urinary incontinence	3	0	2
		Urinary retention	2	0	0

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

Reaction Count				Case Group	Death Outcomes	Sole
				1	0	1
	Renal and urinary disorders	Polyuria		1	0	1
		Renal and urinary disorders		14	1	7
	Reproductive system and breast disorders	Breast enlargement		1	0	0
		Gynaecomastia		1	0	1
		Nipple disorder		1	0	1
		Breast pain		2	0	1
		Breast tenderness		2	0	1
		Galactorrhoea		20	0	12
		Dysmenorrhoea		1	0	0
		Metrorrhagia		1	0	0
		Amenorrhoea		12	0	8
		Oligomenorrhoea		1	0	0
		Menorrhagia		1	0	1
		Erectile dysfunction		3	0	3
		Priapism		2	0	2
		Reproductive system and breast disorders		48	0	30
	Respiratory, thoracic and mediastinal disorders	Bronchospasm		1	0	1
		Wheezing		1	0	1
		Pneumonitis		1	0	1
		Dyspnoea		8	0	4
		Hyperventilation		1	0	1
		Respiratory distress		1	0	1
		Aspiration		1	1	1
		Respiratory disorder		1	0	0
		Choking		1	0	1
		Laryngospasm		2	0	2
		Respiratory, thoracic and mediastinal disorders		18	1	13
	Skin and subcutaneous tissue disorders	Angioedema		3	0	3
		Urticaria		3	0	3
		Erythema		2	0	2
		Rash erythematous		2	0	2
		Dermatitis exfoliative		1	0	0
		Pruritus		4	0	4

 [Outcome Description](#)

 [\(Causality possible,Causality probable,Causality certain\)](#)

 [Suspect Type](#)

 [Suspect Code](#)

 [Case Group](#)

 [GM](#)

 [Amisulpride](#)

Medicine summary - Antipsychotics- amisulpride

			Case Group	Death Outcomes	Sole
Reaction Count	Skin and subcutaneous tissue disorders	Pruritus generalised	1	0	1
		Rash pruritic	4	0	4
		Psoriasis	1	0	1
		Rash	8	1	6
		Rash maculo-papular	2	0	1
		Acne	2	0	2
		Alopecia	4	0	3
		Cold sweat	1	0	0
		Hyperhidrosis	10	0	4
		Purpura	1	0	1
		Vasculitic rash	1	0	1
		Skin and subcutaneous tissue disorders	50	1	38
	Social circumstances	Physical assault	1	0	1
		Social circumstances	1	0	1
Surgical and medical procedures		Therapy regimen changed	2	0	1
		Surgical and medical procedures	2	0	1
Vascular disorders		Circulatory collapse	2	1	1
		Hypotension	6	1	2
		Orthostatic hypotension	3	0	1
		Hypertension	5	0	1
		Vascular disorders	16	2	5
Reaction			652	25	407

🚫 Rows are suppressed based on zeros and empty cells for Case Group

👉 [Outcome Description](#)

👉 [\(Causality possible,Causality probable,Causality certain\)](#)

👉 [Suspect Type](#)

👉 [Suspect Code](#)

👉 [Case Group](#)

👉 [GM](#)

👉 [Amisulpride](#)