

Medicine summary - pimozide (to end January 2009)

			Case Group	Death Outcomes	Sole
Case Count			44	5	25
Reaction Count	Blood and lymphatic system disorders	Eosinophilia	1	0	1
		Blood and lymphatic system disorders	1	0	1
	Cardiac disorders	Arrhythmia	1	1	0
		Tachycardia	1	0	0
		Cardiac disorder	1	1	0
		Myocardial infarction	1	1	0
		Cardiac disorders	4	3	0
	Congenital, familial and genetic disorders	Congenital hand malformation	1	0	0
		Polydactyly	1	0	0
		Congenital, familial and genetic disorders	2	0	0
	Ear and labyrinth disorders	Vertigo	1	0	1
		Ear and labyrinth disorders	1	0	1
	Endocrine disorders	Hyperprolactinaemia	1	0	1
		Endocrine disorders	1	0	1
	Eye disorders	Visual impairment	1	0	1
		Eye disorders	1	0	1
	Gastrointestinal disorders	Abdominal pain	1	0	1
		Nausea	3	0	2
		Vomiting	2	0	2
		Salivary hypersecretion	1	0	1
		Gastrointestinal disorders	7	0	6
	General disorders and administration site conditions	Death	1	1	0
		Sudden death	2	2	1
		Asthenia	1	0	1
		Fatigue	1	0	1
		Gait disturbance	4	0	2
		Pain	1	0	1
		Drug interaction	1	1	0
		General disorders and administration site conditions	11	4	6
	Hepatobiliary disorders	Hepatic function abnormal	1	0	1
		Hepatobiliary disorders	1	0	1
	Injury, poisoning and procedural complications	Drug toxicity	1	1	0
		Intentional overdose	1	1	0
		Injury, poisoning and procedural complications	2	2	0
	Investigations	Electrocardiogram abnormal	2	0	1
		Blood creatine phosphokinase increased	1	0	0
		Neutrophil count increased	1	0	0
		White blood cell count increased	1	0	0
		Investigations	5	0	1

Medicine summary - pimozide (to end January 2009)

Reaction Count			Case Group	Death Outcomes	Sole
	Metabolism and nutrition disorders	Polydipsia	1	0	0
		Metabolism and nutrition disorders	1	0	0
	Musculoskeletal and connective tissue disorders	Arthralgia	1	0	1
		Muscle spasms	1	0	1
		Musculoskeletal and connective tissue disorders	2	0	2
	Nervous system disorders	Dyskinesia	2	0	2
		Extrapyramidal disorder	5	0	4
		Psychomotor hyperactivity	1	0	0
		Tardive dyskinesia	1	0	1
		Dystonia	2	0	2
		Tremor	2	0	1
		Somnolence	1	0	0
		Syncope	1	0	1
		Dizziness	1	0	1
		Speech disorder	2	0	0
		Hypertonia	1	0	1
		Neuroleptic malignant syndrome	2	0	1
		Convulsion	1	0	0
		Nervous system disorders	22	0	14
		Psychiatric disorders	Agitation	1	0
	Confusional state		1	0	0
	Depression		4	0	2
	Hallucination		1	0	1
	Insomnia		2	0	1
	Suicidal ideation		1	0	0
	Psychiatric disorders		10	0	5
	Renal and urinary disorders	Hydronephrosis	1	0	1
		Urinary retention	1	0	1
		Polyuria	1	0	0
		Renal and urinary disorders	3	0	2
	Reproductive system and breast disorders	Breast cyst	1	0	1
		Breast pain	1	0	1
		Galactorrhoea	1	0	1
		Amenorrhoea	1	0	1
		Erectile dysfunction	1	0	1
		Reproductive system and breast disorders	5	0	5
	Skin and subcutaneous tissue disorders	Photosensitivity reaction	1	0	0
		Rash maculo-papular	1	0	0
		Alopecia	1	0	0
		Skin and subcutaneous tissue disorders	3	0	0
	Vascular disorders	Hypotension	1	0	0

Medicine summary - pimozide (to end January 2009)

		Case Group	Death Outcomes	Sole	
Reaction Count	Vascular disorders	Hypertension	1	0	0
		Vascular disorders	2	0	0
	Reaction		84	9	46