

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Case Count			17611	286	13179
Reaction Count	Blood and lymphatic system disorders	Anaemia vitamin B12 deficiency	1	0	1
		Iron deficiency anaemia	1	0	1
		Anaemia	37	2	22
		Anaemia macrocytic	1	0	1
		Hypochromic anaemia	3	0	3
		Microcytic anaemia	1	0	1
		Normochromic normocytic anaemia	2	0	1
		Aplastic anaemia	9	4	1
		Bone marrow failure	13	0	7
		Hypoplastic anaemia	1	0	0
		Pancytopenia	42	4	14
		Coagulopathy	7	2	2
		Haemolytic anaemia	7	0	4
		Coombs positive haemolytic anaemia	6	0	2
		Platelet disorder	7	0	6
		Thrombocytopenia	103	4	48
		Thrombocytopenia neonatal	1	0	1
		Thrombocytopenic purpura	2	0	1
		Thrombocytosis	3	0	0
		Macrocytosis	1	0	1
		Red blood cell abnormality	1	0	1
		Lymphadenopathy	23	0	18
		Lymphadenopathy mediastinal	1	0	1
		Spleen disorder	1	0	1
		Splenomegaly	2	0	2
		Eosinophilia	33	1	12
		Leukocytosis	22	1	9
		Lymphocytosis	4	0	3
		Monocytosis	1	0	1
		Neutrophilia	3	0	1
		Leukopenia	73	4	38
		Lymphopenia	19	0	11
		Agranulocytosis	69	6	33

📌 Outcome Description

📌 (Causality possible,Causality probable,Causality certain)

📌 Suspect Type

📌 Case Group

📌 GM

📌 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Blood and lymphatic system disorders	Febrile neutropenia	3	0	2
		Neutropenia	159	4	82
		Blood and lymphatic system disorders	662	32	332
	Cardiac disorders	Atrioventricular block	10	0	4
		Atrioventricular block first degree	1	0	0
		Brugada syndrome	1	1	0
		Bundle branch block	3	0	2
		Bundle branch block bilateral	1	0	0
		Bundle branch block left	1	0	0
		Bundle branch block right	1	0	0
		Conduction disorder	1	0	1
		Arrhythmia	38	7	22
		Bradycardia	59	1	28
		Extrasystoles	26	0	16
		Tachycardia	251	1	146
		Arrhythmia supraventricular	1	0	1
		Atrial fibrillation	34	0	29
		Atrial flutter	2	0	1
		Atrial tachycardia	1	0	1
		Sick sinus syndrome	1	0	1
		Sinus bradycardia	3	0	2
		Sinus tachycardia	7	0	2
		Supraventricular tachycardia	12	0	7
		Cardiac arrest	29	11	10
		Cardio-respiratory arrest	2	2	0
		Electromechanical dissociation	1	0	0
		Torsade de pointes	11	1	2
		Ventricular arrhythmia	1	0	1
		Ventricular extrasystoles	2	0	2
		Ventricular fibrillation	6	0	5
		Ventricular tachycardia	14	3	6
		Cardiac disorder	2	1	0
		Cardiovascular insufficiency	1	0	0
		Carditis	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Cardiac disorders	Cyanosis	10	2	6
		Palpitations	315	0	255
		Aortic valve incompetence	1	0	0
		Cardiac valve disease	1	0	1
		Mitral valve incompetence	4	0	1
		Mitral valve prolapse	1	0	0
		Arteriosclerosis coronary artery	1	1	1
		Coronary artery disease	1	1	0
		Coronary artery occlusion	1	0	1
		Coronary artery thrombosis	1	0	0
		Acute coronary syndrome	1	0	0
		Acute myocardial infarction	5	0	3
		Angina pectoris	12	0	8
		Arteriospasm coronary	2	0	0
		Myocardial infarction	27	9	15
		Myocardial ischaemia	4	3	1
		Stress cardiomyopathy	3	0	2
		Cardiac failure	19	4	11
		Cardiac failure congestive	5	2	3
		Cardiogenic shock	1	0	0
		Left ventricular failure	6	1	3
		Right ventricular failure	1	0	1
		Cardiomyopathy	33	5	17
		Congestive cardiomyopathy	1	0	1
		Atrial hypertrophy	1	0	0
		Cardiomegaly	5	1	2
		Dilatation ventricular	2	0	0
		Left atrial dilatation	1	0	0
		Ventricular hypokinesia	1	0	0
		Myocarditis	11	2	0
		Pericarditis	4	2	2
		Pericardial effusion	1	0	0
		Cardiac disorders	1006	61	624
	Congenital, familial and genetic disorders	Pulmonary artery stenosis congenital	1	0	1

Outcome Description

(Causality possible,Causality probable,Causality certain)

Suspect Type

Case Group

GM

(Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Congenital, familial and genetic disorders	Heart disease congenital	10	1	8
		Ventricular hypoplasia	1	1	1
		Atrial septal defect	1	0	1
		Cardiac septal defect	1	0	1
		Ventricular septal defect	5	0	4
		Coarctation of the aorta	2	0	2
		Transposition of the great vessels	1	0	1
		Fallot's tetralogy	2	1	1
		Patent ductus arteriosus	1	0	1
		Vascular malformation peripheral	2	0	1
		Trisomy 18	1	0	1
		Trisomy 21	2	0	1
		Cytogenetic abnormality	2	0	2
		Congenital anomaly	3	1	3
		Foetal malformation	1	0	1
		Hemihypertrophy	2	0	2
		Multiple congenital abnormalities	14	1	8
		Congenital eye disorder	1	0	1
		Coloboma	1	0	1
		Anal atresia	1	0	0
		Exomphalos	1	0	1
		Gastrointestinal malformation	1	0	0
		Hernia congenital	2	0	1
		Gastroschisis	1	0	0
		Oesophageal atresia	1	0	0
		Cleft palate	4	0	3
		Cleft lip	1	0	1
		Micrognathia	1	0	1
		Pierre Robin syndrome	2	0	2
		Congenital foot malformation	2	0	1
		Congenital hand malformation	4	0	2
		Hip dysplasia	1	0	1
	Limb malformation	1	0	0	
	Limb reduction defect	3	0	3	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Congenital, familial and genetic disorders	Polydactyly	3	0	3
		Syndactyly	3	0	1
		Talipes	5	0	4
		Microcephaly	1	0	1
		Congenital musculoskeletal anomaly	1	0	0
		Dysmorphism	2	0	2
		Meningomyelocele	1	0	1
		Cerebellar hypoplasia	1	1	1
		Cerebral palsy	3	0	2
		Congenital brain damage	4	0	4
		Congenital hydrocephalus	2	0	2
		Congenital neurological disorder	1	1	1
		Tourette's disorder	3	0	3
		Kidney malformation	1	0	0
		Renal aplasia	1	0	1
		Hypospadias	1	0	0
		Disorder of sex development	1	0	1
		Pulmonary malformation	2	0	2
		Birth mark	1	0	1
		Congenital, familial and genetic disorders		117	7
	Ear and labyrinth disorders	Ear discomfort	2	0	2
		Ear pain	9	0	7
		Deafness	31	0	22
		Deafness neurosensory	1	0	1
		Deafness unilateral	1	0	1
		Hearing impaired	5	0	5
		Hypoacusis	1	0	0
		Hyperacusis	17	0	15
Inner ear disorder		4	0	4	
Motion sickness		3	0	3	
Tinnitus		150	0	129	
Vertigo		123	0	99	
Vertigo positional	1	0	1		
Eustachian tube obstruction	1	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Ear and labyrinth disorders	Otosclerosis	1	0	1
		Tympanic membrane hyperaemia	1	0	0
		Ear and labyrinth disorders	351	0	291
	Endocrine disorders	Cushing's syndrome	2	0	0
		Adrenal insufficiency	1	1	0
		Hyperprolactinaemia	37	0	28
		Diabetes insipidus	1	0	1
		Inappropriate antidiuretic hormone secretion	119	2	90
		Hyperparathyroidism	2	0	1
		Thyroiditis	2	0	2
		Goitre	3	0	3
		Thyroid disorder	1	0	1
		Hyperthyroidism	6	0	4
		Hypothyroidism	10	0	4
		Endocrine disorders	184	3	134
		Eye disorders	Cataract	7	0
	Corneal opacity		1	0	1
	Keratopathy		1	0	0
	Xerophthalmia		11	0	9
	Pigment dispersion syndrome		1	0	1
	Dry eye		5	0	5
	Lacrimal disorder		10	0	7
	Lacrimation increased		2	0	1
	Eye disorder		6	0	6
	Eye pain		29	0	20
	Eye swelling		4	0	4
	Ocular discomfort		3	0	3
	Retinal disorder		3	0	3
	Periorbital oedema		43	0	35
	Angle closure glaucoma		3	0	3
Glaucoma	37		0	32	
Open angle glaucoma	1		0	1	
Hyphaema	1	0	1		
Conjunctival haemorrhage	4	0	4		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Eye disorders		Case Group	Death Outcomes	Sole
		Optic ischaemic neuropathy	1	0	1
		Conjunctivitis	25	0	16
		Conjunctival irritation	1	0	0
		Keratitis	2	0	2
		Ulcerative keratitis	1	0	1
		Eyelid oedema	1	0	1
		Ocular hyperaemia	5	0	2
		Blepharospasm	6	0	5
		Excessive eye blinking	1	0	0
		Eyelid ptosis	2	0	2
		Eye movement disorder	4	0	4
		Oculogyric crisis	21	0	15
		Ophthalmoplegia	1	0	1
		Strabismus	2	0	2
		Miosis	3	0	1
		Mydriasis	84	1	57
		Pupil fixed	1	0	1
		Pupillary reflex impaired	2	0	0
		Abnormal sensation in eye	2	0	2
		Asthenopia	1	0	1
		Eye rolling	5	0	1
		Eyelid sensory disorder	1	0	1
		Photophobia	37	0	27
		Vitreous detachment	1	0	1
		Vitreous floaters	2	0	2
		Papilloedema	2	0	0
		Macular degeneration	1	0	0
		Retinal degeneration	1	0	0
		Exophthalmos	2	0	2
		Retinal haemorrhage	2	0	1
		Blindness	5	0	4
		Blindness transient	1	0	1
		Night blindness	2	0	2
		Sudden visual loss	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Eye disorders	Visual acuity reduced	5	0	4
		Accommodation disorder	28	0	23
		Myopia	1	0	1
		Chromatopsia	1	0	1
		Xanthopsia	1	0	1
		Diplopia	41	0	33
		Photopsia	8	0	8
		Scintillating scotoma	1	0	1
		Vision blurred	85	1	66
		Visual impairment	317	1	251
		Scotoma	4	0	1
		Optic neuropathy	1	0	0
		Eye disorders		894	3
	Gastrointestinal disorders	Abdominal hernia	1	0	1
		Hiatus hernia	1	0	1
		Anorectal disorder	1	0	1
		Proctalgia	1	0	1
		Anal inflammation	1	0	1
		Anal pruritus	1	0	1
		Rectal discharge	1	0	1
		Rectal tenesmus	3	0	3
		Dental caries	9	0	6
		Tooth malformation	1	0	1
		Tooth disorder	7	0	4
		Sensitivity of teeth	2	0	2
		Toothache	5	0	4
		Tooth discolouration	5	0	2
Gingival atrophy	2	0	1		
Gingival hyperplasia	4	0	3		
Gingivitis	12	0	12		
Gingival bleeding	6	0	5		
Pancreatitis	20	0	13		
Pancreatitis acute	2	0	1		
Gastric disorder	1	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Gastrointestinal disorders	Gastrointestinal disorder	6	0	5
		Barrett's oesophagus	1	0	1
		Hyperchlorhydria	1	0	1
		Gastric haemorrhage	1	0	0
		Anal haemorrhage	2	0	2
		Rectal haemorrhage	20	0	16
		Gastrointestinal haemorrhage	17	3	4
		Haematemesis	23	3	10
		Melaena	16	2	2
		Upper gastrointestinal haemorrhage	1	0	1
		Colitis	10	0	9
		Colitis ischaemic	1	0	1
		Colitis ulcerative	2	1	1
		Gastritis	11	1	7
		Crohn's disease	1	0	1
		Enteritis	2	0	1
		Oesophagitis	13	0	9
		Reflux oesophagitis	8	0	6
		Proctitis	3	0	2
		Diarrhoea	681	4	583
		Diarrhoea haemorrhagic	3	0	3
		Diarrhoea neonatal	1	0	1
		Constipation	168	1	128
		Gastrooesophageal reflux disease	12	0	10
		Impaired gastric emptying	1	0	0
		Bowel movement irregularity	1	0	1
		Gastrointestinal motility disorder	1	0	1
		Frequent bowel movements	1	0	1
		Irritable bowel syndrome	3	0	3
		Oesophageal spasm	5	0	5
		Ileus paralytic	7	0	2
		Gastrointestinal sounds abnormal	1	0	1
		Dyspepsia	112	1	100
		Epigastric discomfort	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Gastrointestinal disorders	Eructation	15	0	12
		Abnormal faeces	2	0	2
		Faeces discoloured	4	0	4
		Faeces pale	1	0	1
		Abdominal distension	17	0	13
		Flatulence	56	0	47
		Abdominal pain	303	1	230
		Abdominal pain lower	2	0	2
		Abdominal pain upper	36	0	32
		Gastrointestinal pain	2	0	2
		Infantile colic	1	0	1
		Oesophageal pain	2	0	2
		Abdominal discomfort	15	0	14
		Breath odour	4	0	2
		Dysphagia	86	0	61
		Faecal incontinence	17	0	14
		Abdominal symptom	1	0	1
		Nausea	1663	3	1396
		Retching	11	0	10
		Vomiting	617	5	461
		Vomiting in pregnancy	1	0	1
		Vomiting neonatal	3	0	3
		Ileus	3	0	1
		Intestinal obstruction	13	1	6
		Oesophageal stenosis	1	0	0
		Duodenal ulcer	9	0	1
		Duodenal ulcer haemorrhage	8	1	1
		Duodenal ulcer perforation	5	2	0
		Gastric ulcer	4	0	0
		Gastric ulcer haemorrhage	4	0	1
		Gastric ulcer perforation	1	0	0
		Gastritis erosive	1	0	0
Intestinal perforation	2	1	1		
Oesophagitis ulcerative	3	0	0		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Gastrointestinal disorders	Peptic ulcer	2	1	1
		Peptic ulcer haemorrhage	1	0	1
		Peptic ulcer perforation	3	2	0
		Gastrointestinal necrosis	1	1	0
		Coeliac disease	1	0	1
		Malabsorption	1	0	0
		Chapped lips	2	0	2
		Cheilitis	7	0	6
		Lip oedema	2	0	2
		Lip swelling	15	0	9
		Palatal disorder	1	0	1
		Lip haemorrhage	1	0	1
		Oral pain	1	0	1
		Paraesthesia oral	2	0	2
		Hypoaesthesia oral	5	0	5
		Oral discomfort	2	0	1
		Oral mucosal exfoliation	2	0	0
		Burning mouth syndrome	1	0	0
		Palatal oedema	1	0	1
		Aphthous stomatitis	2	0	2
		Mouth ulceration	67	1	56
		Stomatitis	17	0	12
		Ascites	6	3	2
		Peritonitis	1	1	0
		Retroperitoneal fibrosis	3	0	0
		Aptyalism	1	0	1
		Dry mouth	293	1	235
		Lip dry	1	0	1
		Saliva altered	2	0	2
		Salivary hypersecretion	34	1	22
		Salivary gland enlargement	5	0	3
		Glossitis	28	0	22
		Tongue disorder	11	0	10
	Tongue ulceration	10	0	7	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Gastrointestinal disorders	Glossodynia	1	0	1
		Swollen tongue	20	0	16
		Tongue blistering	1	0	0
		Tongue discolouration	5	0	3
		Tongue oedema	40	0	31
		Buccoglossal syndrome	1	0	1
		Gastrointestinal disorders	4736	41	3767
	General disorders and administration site conditions	Application site reaction	2	0	1
		Hyperthermia	1	0	1
		Hyperthermia malignant	3	0	2
		Hypothermia	14	2	7
		Temperature regulation disorder	3	0	2
		Fever neonatal	3	0	2
		Hyperpyrexia	4	1	1
		Pyrexia	337	5	197
		Death	27	27	10
		Death neonatal	2	1	2
		Sudden death	51	51	11
		Asthenia	192	2	135
		Chronic fatigue syndrome	1	0	1
		Fatigue	433	1	330
		Malaise	309	4	223
		Sluggishness	2	0	2
		Abasia	4	0	2
		Gait disturbance	101	0	64
		Loss of control of legs	1	0	1
		Concomitant disease aggravated	1	0	1
Condition aggravated	48	1	36		
Developmental delay	3	0	3		
Disease progression	2	0	2		
Energy increased	2	0	1		
General physical health deterioration	1	0	1		
Ill-defined disorder	1	0	1		
Influenza like illness	46	0	37		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type


 Case Group


 GM


 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	General disorders and administration site conditions		Case Group	Death Outcomes	Sole
		Irritability	59	0	51
		Local swelling	1	0	1
		Multi-organ failure	1	1	0
		Secretion discharge	1	0	1
		Swelling	3	0	3
		General symptom	1	0	1
		Enanthema	1	0	0
		Mucosal inflammation	1	0	0
		Face oedema	101	0	76
		Generalised oedema	15	0	12
		Gravitational oedema	50	0	31
		Oedema	77	1	53
		Oedema peripheral	124	0	102
		Breakthrough pain	1	0	0
		Chest pain	192	0	141
		Discomfort	1	0	1
		Facial pain	1	0	0
		Pain	131	1	105
		Chest discomfort	23	0	19
		Chills	139	1	92
		Feeling abnormal	62	2	56
		Feeling cold	10	0	6
		Feeling drunk	2	0	1
		Feeling hot	18	0	13
		Feeling jittery	10	0	8
		Feeling of body temperature change	11	0	10
		Hangover	2	0	2
		Hunger	3	0	3
		Sensation of foreign body	2	0	2
		Thirst	39	0	27
		Alcohol interaction	4	1	1
		Drug interaction	75	10	1
		Drug effect decreased	10	0	7
		Drug effect increased	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	General disorders and administration site conditions	Drug ineffective	318	11	263
		Drug tolerance increased	2	1	1
		Paradoxical drug reaction	3	0	1
		Therapeutic response decreased	12	0	8
		Therapeutic response increased	1	0	0
		Therapeutic response unexpected	25	0	24
		Therapeutic response unexpected with drug substitution	33	0	33
		Therapeutic product ineffective for unapproved indication	1	0	1
		Drug withdrawal syndrome	117	0	110
		Drug withdrawal syndrome neonatal	45	0	30
		Rebound effect	1	0	1
		Impaired healing	1	0	1
		Incorrect product storage	1	0	1
		Medication residue	1	0	1
		Product quality issue	1	0	1
		Product substitution issue	21	0	20
		General disorders and administration site conditions		3349	124
	Hepatobiliary disorders	Biliary colic	2	0	2
		Cholangitis	1	0	1
		Bile duct obstruction	1	0	1
Vanishing bile duct syndrome		1	0	1	
Cholecystitis		5	0	2	
Cholelithiasis		6	0	5	
Cholestasis		3	0	2	
Hepatitis cholestatic		38	0	27	
Hyperbilirubinaemia		3	0	1	
Jaundice		113	8	63	
Jaundice cholestatic		2	0	2	
Liver disorder		5	0	5	
Liver injury		9	0	6	
Hepatic function abnormal	344	5	184		
Acute hepatic failure	1	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Hepatobiliary disorders	Hepatic failure	24	12	9
		Hepatic cirrhosis	4	2	0
		Portal vein thrombosis	1	0	1
		Hepatomegaly	13	0	7
		Hepatosplenomegaly	4	1	1
		Liver tenderness	2	0	2
		Autoimmune hepatitis	1	0	0
		Hepatic necrosis	3	3	1
		Hepatic steatosis	9	2	4
		Hepatitis	118	6	58
		Hepatitis acute	1	0	1
		Hepatitis chronic active	1	0	1
		Hepatitis fulminant	1	0	0
		Hepatocellular injury	20	1	6
		Hepatotoxicity	3	0	2
		Hepatobiliary disorders		739	40
	Immune system disorders	Hypersensitivity	27	0	23
		Serum sickness	4	0	4
		Drug hypersensitivity	3	0	3
		Food allergy	1	0	1
		Anaphylactic reaction	11	0	10
		Anaphylactic shock	2	0	2
		Anaphylactoid reaction	10	0	7
		Hypogammaglobulinaemia	1	0	1
		Immune system disorders		59	0
	Infections and infestations	Bacterial infection	2	0	0
		Cellulitis	7	0	4
		Folliculitis	3	0	2
		Pyomyositis	1	0	1
		Candidiasis	6	0	2
		Genital candidiasis	1	0	1
		Oesophageal candidiasis	1	0	0
		Oral candidiasis	1	0	0
		Fungal infection	1	0	0


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Infections and infestations		Case Group	Death Outcomes	Sole
		Diverticulitis	3	0	3
		Gastroenteritis	1	0	1
		Gastrointestinal infection	1	0	1
		Breast abscess	1	0	1
		Mastitis	4	0	3
		Meningitis	3	1	2
		Meningitis aseptic	1	0	0
		Abscess of salivary gland	1	0	1
		Labyrinthitis	2	0	1
		Otitis externa	1	0	0
		Otitis media	2	0	1
		Vaginal infection	9	0	7
		Abscess	3	0	2
		Infection	5	0	4
		Respiratory tract infection	1	0	0
		Neonatal infection	1	0	0
		Bronchiectasis	1	0	1
		Bronchitis	1	0	1
		Lower respiratory tract infection	2	0	2
		Lung infection	1	0	1
		Pneumonia	29	10	11
		Orchitis	1	0	1
		Sepsis	22	9	7
		Furuncle	3	0	3
		Rash pustular	11	0	8
		Laryngitis	2	0	2
		Nasopharyngitis	5	0	4
		Pharyngitis	43	0	28
		Rhinitis	27	0	23
		Sinusitis	4	0	4
		Upper respiratory tract infection	3	0	3
		Cystitis	5	0	4
		Urinary tract infection	17	0	13
		Lymphangitis	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Infections and infestations	Herpes simplex	8	0	8
		Herpes zoster	3	0	3
		Influenza	5	0	4
		Gastritis viral	1	0	1
		Gastroenteritis viral	1	0	1
		Viral infection	1	0	0
		Infections and infestations	259	20	171
	Injury, poisoning and procedural complications	Limb injury	1	0	0
		Spinal fracture	1	0	0
		Drug toxicity	34	31	5
		Poisoning	1	0	1
		Poisoning deliberate	1	1	1
		Therapeutic agent toxicity	2	0	0
		Drug exposure before pregnancy	1	0	1
		Drug exposure during pregnancy	113	6	77
		Maternal drugs affecting foetus	1	1	1
		Subdural haematoma	2	0	1
		Subdural haemorrhage	1	0	1
		Fall	67	1	30
		Road traffic accident	2	0	0
		Wound haemorrhage	1	0	0
		Uterine injury	1	0	1
		Face injury	2	0	1
		Head injury	3	1	1
		Anal injury	1	0	1
		Contusion	35	0	30
		Skin laceration	1	0	1
Chillblains	3	0	2		
Heat stroke	2	1	1		
Sunburn	1	0	1		
Drug administration error	4	1	2		
Drug dose omission	1	0	0		
Inappropriate schedule of drug administration	3	0	3		
Incorrect dose administered	2	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Injury, poisoning and procedural complications	Underdose	1	0	1
		Wrong technique in drug usage process	1	0	1
		Drug dispensing error	1	0	1
		Drug prescribing error	3	0	1
		Medication error	17	0	10
		Accidental drug intake by child	1	0	1
		Drug exposure via breast milk	7	0	5
		Accidental overdose	5	1	3
		Intentional overdose	28	4	17
		Multiple drug overdose	1	0	0
		Multiple drug overdose intentional	1	0	0
		Overdose	44	7	22
		Post procedural haemorrhage	2	0	2
		Injury, poisoning and procedural complications	399	55	227
	Investigations	Cardiac murmur	2	0	2
		Echocardiogram abnormal	1	0	0
		Ejection fraction decreased	4	0	1
		Electrocardiogram QT interval	2	0	2
		Electrocardiogram QT prolonged	34	2	13
		Electrocardiogram ST segment abnormal	1	0	1
		Electrocardiogram ST segment depression	1	0	1
		Electrocardiogram ST segment elevation	1	0	1
		Electrocardiogram T wave inversion	1	0	0
		Electrocardiogram abnormal	21	1	8
		QRS axis abnormal	1	0	0
Heart rate abnormal		1	0	1	
Heart rate decreased		1	0	0	
Heart rate increased		20	0	17	
Heart rate irregular		2	0	1	
Blood pressure decreased		10	0	6	
Blood pressure increased	46	0	40		
Blood pressure systolic decreased	1	0	1		
Blood pressure systolic increased	1	0	0		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Investigations	Case Group	Death Outcomes	Sole
	Glucocorticoids increased	1	0	0
	Hormone level abnormal	2	0	2
	Blood prolactin increased	4	0	1
	Blood thyroid stimulating hormone decreased	1	0	1
	Blood testosterone decreased	1	0	0
	Blood testosterone increased	2	0	1
	Thyroid function test abnormal	2	0	2
	Blood creatine phosphokinase increased	72	5	21
	Troponin I increased	1	0	0
	Troponin increased	6	0	1
	Blood alkaline phosphatase increased	6	0	4
	Blood lactate dehydrogenase increased	2	0	1
	Blood amylase increased	2	0	0
	Lipase increased	1	0	0
	Bleeding time prolonged	10	0	8
	International normalised ratio decreased	1	0	0
	International normalised ratio increased	10	0	1
	Prothrombin level decreased	31	0	6
	Prothrombin level increased	2	0	0
	Prothrombin time prolonged	1	0	0
	Red blood cell sedimentation rate increased	20	0	11
	Platelet adhesiveness decreased	2	0	1
	Platelet aggregation abnormal	2	0	0
	Platelet count decreased	5	0	5
	Platelet count increased	1	0	0
	CD4 lymphocytes decreased	1	0	1
	Eosinophil count increased	1	0	0
	Lymphocyte count decreased	1	0	1
	Neutrophil count decreased	2	0	1
	Neutrophil count increased	3	0	1
	White blood cell count decreased	4	0	2
	White blood cell count increased	7	0	2
	Alanine aminotransferase increased	10	0	7
	Ammonia increased	1	0	0


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Investigations	Case Group	Death Outcomes	Sole
	Aspartate aminotransferase increased	8	0	6
	Blood bilirubin increased	2	0	1
	Gamma-glutamyltransferase increased	12	0	7
	Hepatic enzyme abnormal	2	0	1
	Hepatic enzyme increased	6	0	5
	Liver function test	2	0	1
	Liver function test abnormal	70	1	42
	Transaminases increased	2	0	2
	Urine bilirubin increased	1	0	1
	Urobilinogen urine	1	0	1
	Antinuclear antibody increased	1	0	1
	Antinuclear antibody positive	8	0	6
	Immunoglobulins decreased	1	0	0
	Laboratory test abnormal	1	0	1
	Blood cholesterol increased	12	0	7
	High density lipoprotein decreased	1	0	0
	Low density lipoprotein increased	1	0	0
	Total cholesterol/HDL ratio decreased	1	0	0
	Blood cholesterol decreased	1	0	1
	Total cholesterol/HDL ratio increased	1	0	0
	Lipids abnormal	1	0	0
	Lipids increased	1	0	1
	Blood triglycerides increased	6	0	2
	Oxygen saturation decreased	1	0	1
	Blood glucose decreased	2	0	1
	Blood glucose fluctuation	1	0	0
	Blood glucose increased	8	0	7
	Blood folate abnormal	1	0	0
	Blood folate decreased	2	0	2
	Bone density decreased	1	0	0
	CSF pressure increased	1	0	1
	Electroencephalogram abnormal	5	0	1
	Nerve conduction studies abnormal	1	0	1
	Intraocular pressure increased	4	0	4


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Investigations	Case Group	Death Outcomes	Sole
	Apgar score low	5	0	5
	Body temperature decreased	2	0	1
	Body temperature fluctuation	2	0	1
	Body temperature increased	5	0	1
	Respiratory rate increased	1	0	0
	Weight decreased	142	3	104
	Weight increased	260	2	215
	Blood albumin decreased	1	0	1
	Blood albumin increased	1	0	0
	C-reactive protein increased	9	0	6
	Globulins increased	2	0	2
	C-reactive protein abnormal	1	0	1
	Blood creatinine decreased	1	0	1
	Blood creatinine increased	4	0	3
	Creatinine renal clearance decreased	2	0	0
	Blood urine present	4	0	3
	Protein urine	1	0	1
	Urine analysis abnormal	11	0	8
	Urine colour abnormal	1	0	1
	Urine output decreased	2	0	2
	Semen analysis abnormal	4	0	4
	Sperm count decreased	1	0	0
	Spermatozoa abnormal	1	0	1
	Anticonvulsant drug level decreased	1	0	0
	Antidepressant drug level above therapeutic	2	1	2
	Antipsychotic drug level increased	2	0	0
	Drug level above therapeutic	6	1	0
	Drug level below therapeutic	1	0	1
	Drug level decreased	8	0	0
	Drug level increased	62	8	2
	Blood alcohol increased	1	0	1
	Amphetamines positive	1	1	1
	Blood calcium abnormal	1	0	1
	Blood phosphorus decreased	2	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Investigations	Blood potassium increased	1	0	1
		Blood sodium decreased	8	0	7
		Serum ferritin increased	2	0	2
		Blood magnesium abnormal	1	0	1
		Blood phosphorus abnormal	1	0	1
		Blood electrolytes abnormal	3	0	3
		Blood osmolarity decreased	4	0	3
		Urine osmolarity decreased	1	0	0
		Investigations	1109	25	668
	Metabolism and nutrition disorders	Ketosis	2	0	1
		Lactic acidosis	2	2	1
		Metabolic acidosis	2	0	1
		Alkalosis	1	0	0
		Acidosis	11	2	3
		Decreased appetite	262	5	212
		Food craving	1	0	1
		Hyperphagia	2	0	2
		Hypophagia	3	0	2
		Increased appetite	57	0	48
		Abnormal weight gain	2	0	1
Failure to thrive		1	0	1	
Feeding disorder neonatal		15	0	12	
Obesity		2	0	1	
Weight loss poor		1	0	1	
Hypercalcaemia		2	0	0	
Hypocalcaemia		7	1	1	
Tetany		17	0	13	
Hypermagnesaemia		1	0	1	
Hypomagnesaemia		5	1	1	
Hypophosphataemia		2	0	1	
Diabetic ketoacidosis	1	0	0		
Hyperchloraemia	2	1	0		
Hypochloraemia	9	1	4		
Electrolyte imbalance	4	0	3		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole	
	Metabolism and nutrition disorders	Oligodipsia	1	0	1	
		Polydipsia	14	0	10	
		Hyperkalaemia	15	1	3	
		Hypokalaemia	53	3	16	
		Hypernatraemia	12	0	8	
		Hyponatraemia	657	6	403	
		Dehydration	47	0	29	
		Hypovolaemia	1	0	0	
		Fluid retention	10	0	9	
		Alcohol intolerance	20	0	12	
		Lactose intolerance	1	0	1	
		Diabetes mellitus	21	0	13	
		Diabetes mellitus inadequate control	2	0	1	
		Gestational diabetes	1	0	1	
		Type 1 diabetes mellitus	1	0	1	
		Type 2 diabetes mellitus	1	0	0	
		Glucose tolerance impaired	2	0	2	
		Hyperglycaemia	32	0	23	
		Hyperinsulinaemia	1	0	1	
		Hypoglycaemia	41	0	25	
		Hypoglycaemia neonatal	3	0	2	
		Iron deficiency	1	0	1	
		Mineral deficiency	1	0	1	
		Hypercholesterolaemia	8	0	6	
		Hypertriglyceridaemia	3	0	2	
		Hyperlipidaemia	8	0	6	
		Hypoproteinaemia	1	0	0	
		Gout	7	0	6	
		Hyperuricaemia	2	0	1	
			Metabolism and nutrition disorders		1381	23
		Musculoskeletal and connective tissue disorders	Exostosis	1	0	1
			Jaw disorder	2	0	2
			Osteonecrosis	1	0	0
Bone pain			9	0	8	

📌 Outcome Description

📌 (Causality possible,Causality probable,Causality certain)

📌 Suspect Type

📌 Case Group

📌 GM

📌 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Musculoskeletal and connective tissue disorders		Case Group	Death Outcomes	Sole
		Pain in jaw	4	0	4
		Osteoporosis	4	0	3
		Collagen disorder	2	0	2
		Scleroderma	3	0	3
		Sjogren's syndrome	1	0	1
		Lupus-like syndrome	1	0	1
		Systemic lupus erythematosus	10	0	4
		Pathological fracture	1	0	0
		Arthritis	45	0	35
		Arthropathy	1	0	1
		Polyarthritis	4	0	4
		Temporomandibular joint syndrome	1	0	1
		Joint hyperextension	1	0	1
		Arthralgia	233	0	195
		Joint stiffness	4	0	3
		Joint swelling	14	0	12
		Osteoarthritis	23	0	19
		Rheumatoid arthritis	1	0	1
		Myositis	5	1	2
		Myalgia	307	0	238
		Muscle atrophy	2	0	2
		Muscle disorder	2	0	2
		Muscle fatigue	1	0	1
		Muscle spasms	89	0	68
		Muscle tightness	9	0	8
		Muscle twitching	203	0	155
		Hypertonia neonatal	3	0	2
		Hypotonia neonatal	5	0	4
		Muscle rigidity	23	1	7
		Nuchal rigidity	1	0	0
		Torticollis	6	0	3
		Trismus	20	0	17
		Muscular weakness	29	0	20
		Myopathy	8	1	3


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole	
	Musculoskeletal and connective tissue disorders	Rhabdomyolysis	26	2	6	
		Limb deformity	1	0	1	
		Spinal column stenosis	1	0	0	
		Rib deformity	1	0	1	
		Mobility decreased	10	0	3	
		Musculoskeletal stiffness	21	0	10	
		Sensation of heaviness	5	0	4	
		Fistula	1	0	1	
		Back pain	50	0	34	
		Limb discomfort	1	0	1	
		Musculoskeletal chest pain	2	0	1	
		Musculoskeletal pain	1	0	0	
		Neck pain	6	0	5	
		Pain in extremity	17	0	15	
		Bursitis	5	0	5	
		Synovitis	2	0	2	
		Tendonitis	1	0	1	
		Tenosynovitis	1	0	1	
			Musculoskeletal and connective tissue disorders	1231	5	924
			Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Fibroadenoma of breast	1	0
Breast cancer	1			0	0	
Breast cancer female	2			0	0	
Breast cancer male	1			0	1	
Breast neoplasm	1			0	1	
Prolactin-producing pituitary tumour	1			0	1	
Colon cancer	1			0	0	
Gastric cancer	1			1	1	
Gastrointestinal carcinoma	1			0	0	
Pseudolymphoma	3			1	0	
Langerhans' cell histiocytosis	1			0	1	
Hepatic neoplasm malignant	1			1	1	
Leukaemia	1			0	0	
Acute leukaemia	2			0	0	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Neoplasms benign, malignant and unspecified (incl cysts and polyps)	Hairy cell leukaemia	1	0	0
		Leukaemia granulocytic	1	0	0
		Lymphoma	2	0	1
		Burkitt's lymphoma	2	1	0
		Angiocentric lymphoma	1	1	0
		Non-Hodgkin's lymphoma	1	0	0
		Metastases to bone marrow	1	1	0
		Metastasis	1	0	1
		Neoplasm malignant	2	0	2
		Squamous cell carcinoma	2	0	2
		Brain neoplasm benign	1	0	1
		Prolactinoma	1	0	1
		Paraproteinaemia	1	0	1
		Bladder neoplasm	1	0	1
		Bronchioloalveolar carcinoma	1	1	0
		Sarcoma	2	0	2
		Neoplasms benign, malignant and unspecified (incl cysts and polyps)	39	7	19
	Nervous system disorders	Cerebellar haemorrhage	1	0	0
		Cerebellar infarction	1	0	0
		Cerebral haemorrhage	14	4	4
		Cerebrovascular accident	12	0	8
		Haemorrhage intracranial	4	0	1
		Haemorrhagic stroke	2	0	2
		Subarachnoid haemorrhage	1	1	0
		Cerebral amyloid angiopathy	1	0	1
		Cerebrovascular disorder	17	3	11
		Vertebral artery stenosis	1	0	0
Cerebrovascular spasm		1	0	1	
Transient ischaemic attack		4	0	2	
Facial spasm		1	0	0	
VIIth nerve paralysis		6	0	6	
Tongue paralysis	2	0	1		
Anosmia	2	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Parosmia	12	0	10
		Multiple sclerosis	1	0	1
		Encephalopathy	26	6	12
		Encephalopathy neonatal	1	0	1
		Hypertensive encephalopathy	3	0	3
		Hypoxic-ischaemic encephalopathy	1	0	1
		Drug withdrawal headache	3	0	3
		Headache	975	5	794
		Tension headache	3	0	2
		Migraine	73	0	54
		Migraine with aura	1	0	1
		Hydrocephalus	1	0	1
		Benign intracranial hypertension	1	0	1
		Brain oedema	5	2	2
		Intracranial pressure increased	1	0	1
		Dementia	11	0	2
		Dementia with Lewy bodies	1	1	0
		Autism	2	0	2
		Amnesia	173	0	125
		Memory impairment	25	0	15
		Transient global amnesia	1	0	1
		Cognitive disorder	17	0	8
		Disturbance in attention	124	2	101
		Judgement impaired	1	0	1
		Mental impairment	12	0	11
		Mental retardation	1	0	1
		Chorea	1	0	0
		Choreoathetosis	19	0	14
		Akathisia	98	4	63
		Akinesia	1	0	1
		Bradykinesia	8	1	5
		Clumsiness	3	0	3
		Dyskinesia	146	0	95
	Dyskinesia neonatal	1	0	0	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Extrapyramidal disorder	90	3	49
		Hyperkinesia	133	0	103
		Hypokinesia	27	0	16
		Movement disorder	5	0	4
		Psychomotor hyperactivity	13	0	11
		Tardive dyskinesia	47	0	23
		Dystonia	165	0	106
		Opisthotonus	9	0	3
		Spasmodic dysphonia	3	0	0
		Gait spastic	1	0	1
		Hemiparesis	12	0	7
		Hemiplegia	1	0	1
		Monoplegia	1	0	1
		Paralysis	13	0	12
		Paresis	18	0	14
		Quadriplegia	1	0	0
		Paraparesis	1	0	0
		Cogwheel rigidity	6	0	3
		Masked facies	1	0	0
		Parkinson's disease	3	0	3
		Parkinsonian gait	1	0	0
		Parkinsonian rest tremor	1	0	0
		Parkinsonism	14	2	5
		Asterixis	1	0	0
		Tremor	858	3	626
		Tremor neonatal	3	0	2
		Perineurial cyst	1	0	1
		Hyperreflexia	52	0	18
		Hyporeflexia	6	0	5
		Reflexes abnormal	4	0	3
		Ataxia	197	1	137
		Balance disorder	28	0	18
		Cerebellar syndrome	5	0	2
	Coordination abnormal	70	0	46	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Nervous system disorders		Case Group	Death Outcomes	Sole
		Dystasia	4	0	4
		Nystagmus	25	0	10
		Coma	52	4	20
		Coma hepatic	1	0	1
		Diabetic coma	1	0	0
		Aphasia	29	0	21
		Dysgraphia	2	0	2
		Altered state of consciousness	4	1	1
		Consciousness fluctuating	24	1	5
		Depressed level of consciousness	21	0	7
		Lethargy	65	0	49
		Loss of consciousness	45	1	25
		Sedation	30	0	18
		Somnolence	502	4	371
		Somnolence neonatal	2	0	2
		Stupor	15	0	12
		Syncope	256	5	163
		Central nervous system lesion	1	0	0
		Motor dysfunction	1	0	1
		Nervous system disorder	3	1	3
		Clonus	12	0	3
		Dizziness	1031	1	830
		Dizziness postural	2	0	1
		Drooling	1	0	0
		Head discomfort	3	0	3
		Meningism	6	0	4
		Myoclonus	47	0	22
		Neurological symptom	2	0	1
		Presyncope	5	0	5
		Tongue biting	1	0	0
		Unresponsive to stimuli	2	0	0
		Crying	37	0	33
		Burning sensation	12	0	12
		Formication	9	0	9


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Hyperaesthesia	22	0	18
		Paraesthesia	484	0	417
		Ageusia	14	0	11
		Aura	2	0	0
		Dysgeusia	70	0	56
		Hypoaesthesia	132	0	110
		Neuralgia	8	0	7
		Restless legs syndrome	31	0	31
		Sensory disturbance	48	0	39
		Sensory loss	3	0	3
		Dysarthria	88	0	57
		Incoherent	8	0	3
		Repetitive speech	1	0	0
		Speech disorder	74	0	49
		Hemianopia	3	0	1
		Tunnel vision	2	0	2
		Visual field defect	13	0	11
		Adrenergic syndrome	1	0	0
		Anticholinergic syndrome	5	0	3
		Autonomic nervous system imbalance	2	0	0
		Autonomic neuropathy	1	0	0
		Cholinergic syndrome	1	0	0
		Horner's syndrome	1	0	1
		Drop attacks	1	0	0
		Hypertonia	204	3	119
		Hypotonia	10	0	9
		Neuroleptic malignant syndrome	59	5	10
		Serotonin syndrome	339	10	112
		Muscle contractions involuntary	11	0	7
		Muscle spasticity	1	0	0
		Myasthenia gravis	1	0	0
		Myasthenic syndrome	4	0	4
		Guillain-Barre syndrome	1	0	0
	Mononeuropathy	1	0	0	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group


 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

		Case Group	Death Outcomes	Sole		
Reaction Count	Nervous system disorders	Peroneal nerve palsy	1	0	1	
		Neuritis	4	0	3	
		Neuropathy peripheral	34	0	22	
		Brachial plexopathy	1	0	0	
		Petit mal epilepsy	3	0	2	
		Convulsion neonatal	9	0	6	
		Grand mal convulsion	122	1	67	
		Temporal lobe epilepsy	1	0	0	
		Convulsion	466	8	290	
		Convulsions local	2	0	1	
		Convulsive threshold lowered	2	0	1	
		Drug withdrawal convulsions	6	0	2	
		Epilepsy	18	0	12	
		Myoclonic epilepsy	1	0	1	
		Status epilepticus	3	0	3	
		Tonic clonic movements	2	0	2	
		Tonic convulsion	4	0	2	
		Seizure anoxic	1	0	1	
		Sleep paralysis	2	0	1	
		Circadian rhythm sleep disorder	1	0	0	
		Hypersomnia	8	0	6	
		Narcolepsy	1	0	0	
		Poor quality sleep	15	1	13	
		Nerve root lesion	1	0	1	
		Spinal cord compression	1	0	0	
		Nervous system disorders		8221	84	5748
		Pregnancy, puerperium and perinatal conditions	Abortion	5	0	5
	Abortion missed		1	0	1	
	Abortion spontaneous		27	0	17	
	Intra-uterine death		27	3	22	
	Stillbirth		2	1	1	
	Foetal cardiac disorder		2	1	2	
	Foetal disorder		3	1	3	
Foetal distress syndrome	5	1	2			


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole		
Reaction Count	Pregnancy, puerperium and perinatal conditions	Foetal growth restriction	4	1	1		
		Foetal malpresentation	1	0	1		
		Labour onset delayed	1	0	1		
		Premature labour	6	0	2		
		Premature rupture of membranes	3	0	2		
		Abnormal labour	1	0	1		
		Antepartum haemorrhage	2	0	2		
		Premature separation of placenta	2	0	2		
		Pre-eclampsia	5	0	4		
		Gestational hypertension	1	0	1		
		Ectopic pregnancy	3	0	3		
		Hyperemesis gravidarum	2	0	1		
		Postmature baby	1	0	1		
		Premature baby	15	0	8		
		Small for dates baby	2	0	1		
		Birth trauma	1	0	1		
		Jaundice neonatal	5	0	2		
		Hypothermia neonatal	1	0	1		
		Neonatal disorder	26	0	19		
		Umbilical cord prolapse	1	0	1		
		Meconium stain	1	0	1		
		Oligohydramnios	3	0	1		
		Polyhydramnios	2	0	2		
		Placental disorder	1	0	1		
		Postpartum haemorrhage	1	0	1		
		Unintended pregnancy	7	0	1		
		Delivery	1	0	1		
		Pregnancy, puerperium and perinatal conditions			171	8	116
		Psychiatric disorders	Agitation		1036	7	796
			Agitation neonatal		20	0	17
			Anxiety		606	3	479
			Nervousness		112	0	84
			Stress		9	1	6

Outcome Description

(Causality possible,Causality probable,Causality certain)

Suspect Type

Case Group

GM

(Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Psychiatric disorders		Case Group	Death Outcomes	Sole
		Tension	7	0	5
		Agoraphobia	2	1	1
		Fear	13	0	11
		Fear of death	1	0	1
		Panic attack	60	1	47
		Panic disorder	4	0	3
		Panic reaction	8	0	8
		Post-traumatic stress disorder	1	0	0
		Neurosis	54	0	42
		Obsessive thoughts	2	0	2
		Obsessive-compulsive disorder	18	0	10
		Catatonia	6	0	3
		Decreased activity	1	0	1
		Restlessness	57	0	35
		Automatism	4	0	3
		Bruxism	100	0	89
		Posturing	1	0	1
		Stereotypy	1	0	0
		Tic	6	0	4
		Attention deficit/hyperactivity disorder	2	0	2
		Change in sustained attention	2	0	1
		Learning disorder	2	0	2
		Reading disorder	1	0	1
		Communication disorder	3	0	3
		Expressive language disorder	1	0	0
		Mutism	1	0	0
		Verbigeration	1	0	0
		Dysphemia	3	0	2
		Pressure of speech	1	0	1
		Screaming	5	0	5
		Confusional state	695	12	382
		Disorientation	66	0	43
		Delirium	138	0	71
		Agitated depression	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Psychiatric disorders		Case Group	Death Outcomes	Sole
		Depression	280	7	200
		Depression suicidal	2	0	0
		Major depression	1	0	0
		Postpartum depression	1	0	1
		Anhedonia	2	0	2
		Decreased interest	2	0	1
		Depressed mood	19	1	15
		Depressive symptom	1	0	1
		Feeling of despair	2	0	2
		Tearfulness	13	0	10
		Autism spectrum disorder	1	0	1
		Depersonalisation	175	0	152
		Dissociation	12	0	9
		Delusion	49	0	34
		Delusion of grandeur	1	0	0
		Persecutory delusion	1	0	0
		Thought insertion	1	0	1
		Deja vu	2	0	1
		Derealisation	2	0	1
		Hallucination	374	2	241
		Hallucination, auditory	29	0	24
		Hallucination, tactile	1	0	1
		Hallucination, visual	30	0	20
		Hallucinations, mixed	2	0	1
		Illusion	1	0	1
		Jamais vu	1	0	0
		Bradyphrenia	1	0	1
		Morbid thoughts	1	0	0
		Tachyphrenia	4	0	4
		Thinking abnormal	151	1	116
		Eating disorder	7	0	2
		Self-induced vomiting	1	0	1
		Compulsive shopping	1	0	1
		Impulsive behaviour	4	0	3


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Psychiatric disorders		Case Group	Death Outcomes	Sole
		Onychophagia	1	0	1
		Pathological gambling	5	0	5
		Bipolar disorder	5	0	4
		Hypomania	17	0	12
		Mania	178	1	138
		Affect lability	73	0	60
		Inappropriate affect	4	0	2
		Anger	56	1	49
		Dysphoria	5	0	2
		Elevated mood	3	0	2
		Emotional disorder	8	0	7
		Emotional distress	9	0	7
		Euphoric mood	54	0	45
		Frustration	3	0	1
		Mood altered	13	1	10
		Mood swings	35	1	29
		Affective disorder	1	0	0
		Apathy	42	1	37
		Aggression	287	0	207
		Antisocial behaviour	1	0	1
		Disinhibition	2	0	2
		Disturbance in social behaviour	1	0	1
		Homicidal ideation	50	0	30
		Hostility	7	0	7
		Indifference	4	0	4
		Paranoia	84	4	52
		Personality change	16	1	11
		Social avoidant behaviour	4	1	3
		Violence-related symptom	13	0	9
		Personality disorder	18	0	13
		Self esteem decreased	1	0	1
		Abnormal behaviour	40	0	22
		Staring	3	0	2
		Hypervigilance	4	0	3


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count	Psychiatric disorders	Psychiatric symptom	Case Group	Death Outcomes	Sole
		Psychiatric symptom	1	0	1
		Mental disorder	12	0	6
		Mental status changes	5	0	3
		Alcohol abuse	1	0	1
		Alcohol problem	2	0	2
		Alcoholism	8	0	5
		Dependence	2	0	1
		Drug dependence	14	0	10
		Intentional drug misuse	8	0	6
		Withdrawal syndrome	634	0	582
		Delusional disorder, unspecified type	2	0	0
		Acute psychosis	3	0	2
		Psychotic disorder	125	1	84
		Schizophreniform disorder	4	0	3
		Schizophrenia	2	0	1
		Anorgasmia	113	0	107
		Premature ejaculation	4	0	3
		Disturbance in sexual arousal	2	0	2
		Libido decreased	231	0	213
		Libido increased	22	0	19
		Loss of libido	12	1	8
		Compulsive sexual behaviour	1	0	1
		Insomnia	748	2	635
		Middle insomnia	3	0	2
		Terminal insomnia	1	0	1
		Sleep attacks	1	0	1
		Abnormal dreams	62	0	54
		Abnormal sleep-related event	15	1	3
		Nightmare	275	1	235
		Sleep talking	2	0	2
		Sleep terror	2	0	1
		Somnambulism	29	0	17
		Sleep disorder	71	0	66
		Conversion disorder	6	0	6


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole
Reaction Count	Psychiatric disorders	Somatoform disorder pregnancy	1	0	1
		Completed suicide	43	43	30
		Intentional self-injury	18	0	13
		Self injurious behaviour	15	1	8
		Self-injurious ideation	13	0	10
		Suicidal behaviour	13	1	8
		Suicidal ideation	321	2	244
		Suicide attempt	247	15	161
		Psychiatric disorders	8367	115	6346
	Renal and urinary disorders	Vesicoureteric reflux	1	0	1
		Glomerulonephritis	1	0	0
		Nephrotic syndrome	1	0	1
		Goodpasture's syndrome	1	0	1
		Tubulointerstitial nephritis	9	0	3
		Nephropathy toxic	1	0	0
		Anuria	5	0	1
		Oliguria	10	1	6
		Renal failure	9	0	7
		Renal failure acute	47	6	8
		Renal failure chronic	3	0	1
		Renal impairment	40	1	12
		Renal tubular necrosis	2	1	2
		Pyelocaliectasis	1	0	1
		Urethral obstruction	1	0	1
		Urethral disorder	4	0	2
		Bladder spasm	1	0	1
		Dysuria	65	1	58
Enuresis		5	0	4	
Incontinence		1	0	0	
Micturition disorder	60	0	54		
Micturition urgency	3	0	2		
Pollakiuria	72	0	65		
Strangury	1	0	1		
Urethral pain	1	0	1		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Renal and urinary disorders	Urinary hesitation	20	0	18
		Urinary incontinence	94	1	65
		Urinary retention	166	0	125
		Urine flow decreased	5	0	4
		Albuminuria	8	0	6
		Choluria	1	0	0
		Chromaturia	10	0	6
		Glycosuria	1	0	1
		Haematuria	28	1	20
		Myoglobinuria	1	0	0
		Proteinuria	1	0	1
		Pyuria	2	0	1
		Nocturia	23	0	22
		Polyuria	21	0	19
		Renal pain	9	0	6
		Nephrolithiasis	6	0	3
		Calculus bladder	1	0	0
	Renal and urinary disorders		742	12	530
	Reproductive system and breast disorders	Breast calcifications	1	0	0
		Breast enlargement	27	0	19
		Breast mass	6	0	3
		Gynaecomastia	53	0	38
		Breast discharge	1	0	1
		Breast engorgement	4	0	4
		Breast pain	46	0	37
		Breast swelling	1	0	1
		Breast tenderness	2	0	2
Nipple pain		1	0	1	
Galactorrhoea	108	0	86		
Suppressed lactation	14	0	12		
Cervix disorder	1	0	0		
Prostatitis	2	0	2		
Epididymitis	1	0	0		
Menopausal symptoms	2	0	2		

Y Outcome Description

Y (Causality possible,Causality probable,Causality certain)

Y Suspect Type

Y Case Group

Y GM

Y (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Reproductive system and breast disorders	Atrophic vulvovaginitis	2	0	2
		Dysfunctional uterine bleeding	1	0	1
		Dysmenorrhoea	2	0	2
		Menstrual disorder	25	0	21
		Menstruation irregular	4	0	2
		Metrorrhagia	28	0	21
		Premenstrual syndrome	1	0	1
		Amenorrhoea	30	0	21
		Menorrhagia	35	0	30
		Polymenorrhoea	1	0	1
		Ovarian cyst	1	0	1
		Polycystic ovaries	2	0	1
		Penile discharge	1	0	1
		Penile pain	1	0	1
		Penile size reduced	5	0	5
		Penis disorder	6	0	6
		Peyronie's disease	1	0	0
		Scrotal disorder	1	0	1
		Scrotal oedema	1	0	0
		Scrotal swelling	1	0	1
		Benign prostatic hyperplasia	1	0	1
		Prostatic disorder	4	0	4
		Genital ulceration	2	0	1
		Genital discharge	2	0	1
		Genital pain	1	0	0
		Oedema genital	2	0	2
		Perineal pain	7	0	7
		Ejaculation delayed	8	0	8
		Ejaculation disorder	20	0	19
		Ejaculation failure	170	0	160
		Erectile dysfunction	137	0	121
		Priapism	14	0	10
		Retrograde ejaculation	1	0	1
	Spontaneous penile erection	1	0	0	


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
Reproductive system and breast disorders	Dyspareunia		2	0	2
	Female sexual arousal disorder		1	0	1
	Infertility female		2	0	2
	Infertility male		1	0	1
	Sexual dysfunction		61	0	58
	Azoospermia		2	0	2
	Spermatorrhoea		2	0	2
	Testicular disorder		15	0	12
	Testicular pain		7	0	5
	Testicular retraction		1	0	0
	Testicular atrophy		2	0	2
	Uterine disorder		1	0	1
	Uterine haemorrhage		10	0	9
	Uterine pain		1	0	1
	Vaginal haemorrhage		31	0	29
	Vaginal mucosal blistering		1	0	1
	Vulval disorder		4	0	3
	Vulval ulceration		1	0	1
	Vulvovaginal pain		1	0	1
	Vulvovaginal erythema		1	0	1
		Reproductive system and breast disorders		936	0
Respiratory, thoracic and mediastinal disorders	Asthma		10	0	7
	Bronchospasm		40	0	34
	Chronic obstructive pulmonary disease		2	0	1
	Obstructive airways disorder		2	0	1
	Wheezing		6	0	6
	Alveolitis allergic		1	0	1
	Eosinophilic pneumonia		2	0	1
	Pneumonia aspiration		1	0	1
	Pneumonitis		3	0	3
	Pulmonary eosinophilia		1	0	1
	Interstitial lung disease		1	0	1
	Lung infiltration		2	1	1
	Pulmonary fibrosis		7	1	3

📌 Outcome Description

📌 (Causality possible,Causality probable,Causality certain)

📌 Suspect Type

📌 Case Group

📌 GM

📌 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Respiratory, thoracic and mediastinal disorders	Acute respiratory distress syndrome	1	0	0
		Pulmonary congestion	1	1	0
		Pulmonary oedema	14	6	7
		Cyanosis neonatal	1	0	1
		Infantile apnoeic attack	5	0	3
		Neonatal asphyxia	1	0	1
		Neonatal hypoxia	1	0	1
		Neonatal respiratory depression	3	0	3
		Neonatal respiratory distress syndrome	6	0	2
		Neonatal respiratory failure	1	0	0
		Respiratory disorder neonatal	1	0	0
		Pleural fibrosis	2	0	1
		Pleural effusion	5	0	2
		Pulmonary hypertension	6	1	1
		Pulmonary embolism	21	8	10
		Pulmonary vascular disorder	1	0	1
		Apnoea	11	0	10
		Cheyne-Stokes respiration	1	1	0
		Dyspnoea	220	4	145
		Dyspnoea exertional	1	0	1
		Hyperventilation	28	0	20
		Hypopnoea	1	0	1
		Hypoventilation	4	0	2
		Orthopnoea	1	0	1
		Respiratory arrest	2	1	2
		Respiratory depression	5	1	1
		Respiratory distress	4	0	3
		Sleep apnoea syndrome	3	0	3
		Tachypnoea	2	0	1
		Asphyxia	2	1	1
		Hypercapnia	1	0	0
		Hypoxia	9	2	3
		Respiratory alkalosis	1	0	1
		Cough	69	0	53


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole		
	Respiratory, thoracic and mediastinal disorders	Haemoptysis	6	1	3		
		Sputum increased	4	0	2		
		Hiccups	6	0	5		
		Pleuritic pain	1	0	0		
		Respiratory failure	10	7	1		
		Respiration abnormal	1	1	1		
		Aspiration	3	1	2		
		Respiratory disorder	14	0	8		
		Choking	5	0	4		
		Choking sensation	3	0	3		
		Dry throat	2	0	1		
		Dysphonia	16	0	15		
		Increased upper airway secretion	1	0	1		
		Oropharyngeal pain	11	0	9		
		Rhinorrhoea	3	0	3		
		Sneezing	3	0	2		
		Snoring	2	0	2		
		Throat irritation	7	0	6		
		Throat tightness	21	0	16		
		Yawning	82	0	77		
		Laryngospasm	4	0	2		
		Stridor	4	0	1		
		Nasal congestion	2	0	1		
		Epistaxis	52	0	39		
		Nasal dryness	1	0	1		
		Sinus congestion	3	0	3		
		Oropharyngeal swelling	2	0	1		
		Pharyngeal oedema	8	0	8		
		Pharyngeal disorder	1	0	1		
			Respiratory, thoracic and mediastinal disorders	791	38	560	
			Skin and subcutaneous tissue disorders	Angioedema	64	0	43
				Urticaria	275	0	226
				Urticaria papular	1	0	1


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Skin and subcutaneous tissue disorders	Mechanical urticaria	3	0	3
		Lichenoid keratosis	9	0	6
		Skin hypertrophy	4	0	2
		Skin atrophy	1	0	0
		Leukoplakia	1	0	0
		Blister	6	0	3
		Dermatitis bullous	34	0	26
		Erythema multiforme	27	0	16
		Pemphigoid	1	0	0
		Pemphigus	1	0	1
		Stevens-Johnson syndrome	6	0	2
		Toxic epidermal necrolysis	3	1	1
		Cutaneous lupus erythematosus	1	0	1
		Dry skin	17	0	16
		Hypoaesthesia facial	4	0	4
		Skin burning sensation	5	0	4
		Skin discolouration	15	0	12
		Skin disorder	8	0	4
		Skin necrosis	2	0	2
		Skin odour abnormal	5	0	4
		Skin reaction	3	0	2
		Swelling face	21	0	17
		Yellow skin	2	0	2
		Dermatitis	10	0	7
		Dermatitis allergic	1	0	1
		Eczema	16	0	13
		Neurodermatitis	1	0	1
		Skin irritation	1	0	1
		Stasis dermatitis	1	0	1
		Drug eruption	3	0	2
		Erythema	15	0	11
		Rash erythematous	139	0	103
		Dermatitis exfoliative	11	0	6
	Exfoliative rash	2	0	2	

Y Outcome Description

Y (Causality possible,Causality probable,Causality certain)

Y Suspect Type

Y Case Group

Y GM

Y (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

Reaction Count			Case Group	Death Outcomes	Sole
	Skin and subcutaneous tissue disorders	Skin exfoliation	32	0	27
		Granuloma annulare	1	0	1
		Lichen planus	1	0	1
		Lichen sclerosus	1	0	0
		Lichenification	1	0	0
		Pityriasis rosea	1	0	1
		Rash papular	14	0	11
		Photosensitivity allergic reaction	2	0	0
		Photosensitivity reaction	98	0	69
		Pruritus	530	1	409
		Pruritus generalised	5	0	4
		Rash pruritic	23	0	20
		Dermatitis psoriasiform	7	0	6
		Psoriasis	17	0	13
		Pustular psoriasis	1	0	1
		Acute generalised exanthematous pustulosis	1	0	0
		Rash follicular	3	0	2
		Fixed eruption	6	0	4
		Rash	540	3	400
		Rash generalised	3	0	2
		Rash macular	5	0	1
		Rash maculo-papular	227	0	169
		Rash morbilliform	16	0	8
		Rash neonatal	1	0	1
		Rash vesicular	14	0	11
		Systemic lupus erythematosus rash	4	0	2
		Pityriasis	1	0	1
		Chloasma	6	0	4
		Skin hyperpigmentation	2	0	1
		Skin depigmentation	1	0	1
		Vitiligo	2	0	1
		Lipodystrophy acquired	3	0	0
Erythema nodosum	12	0	11		
Skin nodule	1	0	0		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)


Medicine summary five antidepressant ATC codes to 18 April 2011

			Case Group	Death Outcomes	Sole	
Reaction Count	Skin and subcutaneous tissue disorders	Skin ulcer	2	0	2	
		Acne	49	0	40	
		Alopecia	134	1	102	
		Madarosis	1	0	1	
		Anhidrosis	2	0	2	
		Cold sweat	36	0	28	
		Hyperhidrosis	779	3	585	
		Hypohidrosis	1	0	1	
		Night sweats	20	0	15	
		Hirsutism	5	0	3	
		Hypertrichosis	2	0	1	
		Nail disorder	12	0	10	
		Onychoclasia	1	0	1	
		Hair colour changes	4	0	1	
		Hair disorder	1	0	1	
		Hair texture abnormal	11	0	9	
		Piloerection	2	0	2	
		Rosacea	3	0	2	
		Seborrhoea	2	0	2	
		Ecchymosis	5	0	5	
		Henoch-Schonlein purpura	2	0	2	
		Increased tendency to bruise	3	0	2	
		Petechiae	4	0	3	
		Purpura	212	3	159	
		Haemorrhage subcutaneous	1	0	0	
		Leukocytoclastic vasculitis	2	0	2	
		Vasculitic rash	1	0	1	
		Skin and subcutaneous tissue disorders			3598	12
	Social circumstances	Homicide	1	0	1	
		Physical assault	6	0	2	
		Sexual abuse	2	0	2	
		Verbal abuse	1	0	1	
		Delinquency	1	0	1	
Alcohol use		3	0	2		


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

		Case Group	Death Outcomes	Sole	
Reaction Count	Social circumstances	Activities of daily living impaired	4	0	3
		Bedridden	2	0	2
		Impaired driving ability	5	0	5
		Impaired work ability	7	0	7
		Walking disability	1	0	0
		Walking aid user	1	0	0
		Learning disability	1	0	1
		Gambling	1	0	1
		Social circumstances	36	0	28
	Surgical and medical procedures	Colectomy	1	0	1
		Tooth extraction	1	0	0
		Cholecystectomy	1	0	1
		Abortion induced	2	1	2
		Caesarean section	1	0	0
		Drug therapy changed	42	0	40
		Off label use	12	0	11
		Therapy cessation	1	0	1
		Therapy regimen changed	71	0	46
		Self-medication	1	0	1
		Surgical and medical procedures	133	1	103
	Vascular disorders	Aneurysm	2	2	1
		Aortic stenosis	1	0	1
		Ischaemia	1	0	1
		Vascular occlusion	1	0	1
		Vasospasm	1	0	1
		Intermittent claudication	1	0	1
		Peripheral ischaemia	17	0	9
		Poor peripheral circulation	1	0	0
		Raynaud's phenomenon	2	0	2
		Vasoconstriction	1	0	1
		Peripheral arterial occlusive disease	1	0	1
		Peripheral coldness	2	0	2
		Blood pressure fluctuation	2	0	1
		Circulatory collapse	37	2	14


 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Case Group

 GM

 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)

Medicine summary five antidepressant ATC codes to 18 April 2011

		Case Group	Death Outcomes	Sole	
Reaction Count	Vascular disorders	Shock	2	0	1
		Hypoperfusion	1	1	1
		Hypotension	184	8	86
		Orthostatic hypotension	189	0	117
		Thrombosis	5	1	4
		Embolism venous	1	0	0
		Arterial thrombosis limb	1	0	0
		Deep vein thrombosis	12	3	6
		Thrombophlebitis	2	0	0
		Lymphoedema	1	0	1
		Angiopathy	2	0	1
		Vasodilatation	6	1	5
		Vein disorder	1	0	1
		Vein pain	1	0	1
		Flushing	171	0	129
		Hot flush	83	0	67
		Pallor	24	1	16
		Aortic dilatation	1	0	1
		Haematoma	10	0	6
		Haemorrhage	20	1	10
		Hypertensive crisis	3	0	3
		Malignant hypertension	1	0	1
		Hypertension	243	1	160
		Maternal hypertension affecting foetus	1	0	0
		Arteritis	2	0	0
		Phlebitis	2	0	2
		Vasculitis	20	0	15
		Vascular disorders		1059	21
Reaction		40569	737	29279	

⊘ Rows are suppressed based on zeros and empty cells for Case Group

📄 Outcome Description

📄 (Causality possible,Causality probable,Causality certain)

📄 Suspect Type

📄 Case Group

📄 GM

📄 (Other antidepressants,Selective serotonin reuptake inhibitors,Non-selective monoamine reuptake inhibitors,Monoamine oxidase A inhibitors,Monoamine oxidase inhibitors, non-selective)