

## **Medicine summary -moclobemide (to date)**

		Case Group	Death Outcomes	Sole
Case Count		<b>760</b>	<b>13</b>	<b>526</b>
Reaction Count	Blood and lymphatic system disorders	Anaemia Anaemia macrocytic Bone marrow failure Pancytopenia Thrombocytopenia Macrocytosis Eosinophilia Leukopenia Agranulocytosis Neutropenia <b>Blood and lymphatic system disorders</b>	1 1 1 3 3 1 3 1 2 2 <b>18</b>	0 0 0 0 0 0 0 0 0 0 <b>0</b> <b>6</b>
	Cardiac disorders	Bradycardia Extrasystoles Tachycardia Atrial fibrillation Supraventricular tachycardia Ventricular tachycardia Palpitations Angina pectoris Arteriospasm coronary Left ventricular failure Cardiomyopathy <b>Cardiac disorders</b>	4 1 13 1 2 2 21 1 1 1 1 <b>48</b>	0 0 0 0 0 0 0 0 1 1 1 <b>2</b> <b>31</b>
	Congenital, familial and genetic disorders	Talipes <b>Congenital, familial and genetic disorders</b>	1 <b>1</b>	0 0 <b>1</b>
	Ear and labyrinth disorders	Deafness Hyperacusis Tinnitus Vertigo <b>Ear and labyrinth disorders</b>	2 2 13 14 <b>31</b>	0 0 0 0 <b>1</b> <b>2</b> <b>9</b> <b>11</b>
	Endocrine disorders	Hyperprolactinaemia Inappropriate antidiuretic hormone secretion <b>Endocrine disorders</b>	6 4 <b>10</b>	0 0 <b>4</b> <b>2</b> <b>6</b>
	Eye disorders	Periorbital oedema Conjunctivitis Blepharospasm Oculogyric crisis Mydriasis Pupillary reflex impaired Photophobia Accommodation disorder	1 3 1 2 5 1 2 1	0 0 0 0 0 0 0 0 <b>1</b> <b>2</b> <b>0</b> <b>1</b>

## **Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes	Sole
Eye disorders		Diplopia	4	0	2
		Vision blurred	1	0	0
		Visual impairment	18	0	14
		<b>Eye disorders</b>	<b>39</b>	<b>0</b>	<b>24</b>
Gastrointestinal disorders		Rectal tenesmus	1	0	1
		Pancreatitis	1	0	1
		Rectal haemorrhage	1	0	1
		Haematemesis	1	0	1
		Melaena	1	0	0
		Gastritis	1	0	0
		Diarrhoea	51	0	41
		Constipation	5	0	5
		Flatulence	7	0	6
		Abdominal pain	27	0	18
		Abdominal pain upper	1	0	1
		Dysphagia	5	0	4
		Faecal incontinence	1	0	1
		Nausea	93	0	64
		Vomiting	30	0	17
		Duodenal ulcer	1	0	1
		Mouth ulceration	1	0	1
		Dry mouth	14	0	11
		Salivary hypersecretion	4	0	2
		Glossitis	2	0	2
		Tongue disorder	2	0	2
		Glossodynia	1	0	1
		Tongue oedema	4	0	3
		<b>Gastrointestinal disorders</b>	<b>255</b>	<b>0</b>	<b>184</b>
General disorders and administration site conditions		Hypothermia	1	0	0
		Pyrexia	14	0	6
		Death	2	2	1
		Sudden death	3	3	0
		Asthenia	14	0	7
		Fatigue	13	0	8
		Malaise	18	0	6
		Gait disturbance	3	0	2
		Condition aggravated	1	0	1
		Influenza like illness	2	0	2
		Face oedema	6	0	6
		Gravitational oedema	6	0	5
		Oedema	1	0	0
		Oedema peripheral	6	0	4

## **Medicine summary -moclobemide (to date)**

			Case Group	Death Outcomes	Sole
Reaction Count	General disorders and administration site conditions	Chest pain	<b>11</b>	<b>0</b>	<b>7</b>
		Pain	<b>3</b>	<b>0</b>	<b>2</b>
		Chest discomfort	<b>2</b>	<b>0</b>	<b>0</b>
		Chills	<b>11</b>	<b>0</b>	<b>3</b>
		Feeling abnormal	<b>1</b>	<b>0</b>	<b>1</b>
		Thirst	<b>2</b>	<b>0</b>	<b>2</b>
		Drug interaction	<b>3</b>	<b>2</b>	<b>1</b>
		Drug ineffective	<b>19</b>	<b>1</b>	<b>16</b>
		Therapeutic response decreased	<b>2</b>	<b>0</b>	<b>2</b>
		Therapeutic response increased	<b>1</b>	<b>0</b>	<b>0</b>
		Therapeutic response unexpected	<b>2</b>	<b>0</b>	<b>2</b>
		Therapeutic response unexpected with drug substitution	<b>1</b>	<b>0</b>	<b>1</b>
		Drug withdrawal syndrome	<b>1</b>	<b>0</b>	<b>0</b>
		Drug withdrawal syndrome neonatal	<b>1</b>	<b>0</b>	<b>0</b>
		Product substitution issue	<b>1</b>	<b>0</b>	<b>1</b>
		<b>General disorders and administration site conditions</b>	<b>151</b>	<b>8</b>	<b>86</b>
	Hepatobiliary disorders	Hepatitis cholestatic	<b>1</b>	<b>0</b>	<b>1</b>
		Jaundice	<b>2</b>	<b>1</b>	<b>1</b>
		Hepatic function abnormal	<b>15</b>	<b>0</b>	<b>8</b>
		Hepatitis	<b>4</b>	<b>1</b>	<b>1</b>
		<b>Hepatobiliary disorders</b>	<b>22</b>	<b>2</b>	<b>11</b>
	Immune system disorders	Hypersensitivity	<b>1</b>	<b>0</b>	<b>0</b>
		Anaphylactic reaction	<b>2</b>	<b>0</b>	<b>2</b>
		Anaphylactoid reaction	<b>1</b>	<b>0</b>	<b>1</b>
		<b>Immune system disorders</b>	<b>4</b>	<b>0</b>	<b>3</b>
	Infections and infestations	Folliculitis	<b>1</b>	<b>0</b>	<b>0</b>
		Vaginal infection	<b>1</b>	<b>0</b>	<b>1</b>
		Pharyngitis	<b>2</b>	<b>0</b>	<b>2</b>
		Rhinitis	<b>1</b>	<b>0</b>	<b>1</b>
		Herpes simplex	<b>1</b>	<b>0</b>	<b>1</b>
		<b>Infections and infestations</b>	<b>6</b>	<b>0</b>	<b>5</b>
	Injury, poisoning and procedural complications	Drug toxicity	<b>4</b>	<b>4</b>	<b>2</b>
		Drug exposure during pregnancy	<b>2</b>	<b>0</b>	<b>0</b>
		Fall	<b>1</b>	<b>0</b>	<b>0</b>
		Medication error	<b>2</b>	<b>0</b>	<b>0</b>
		Intentional overdose	<b>1</b>	<b>1</b>	<b>0</b>
		<b>Injury, poisoning and procedural complications</b>	<b>10</b>	<b>5</b>	<b>2</b>
	Investigations	Blood pressure increased	<b>1</b>	<b>0</b>	<b>0</b>
		Blood creatine phosphokinase increased	<b>2</b>	<b>0</b>	<b>1</b>
		Prothrombin level decreased	<b>5</b>	<b>0</b>	<b>0</b>

## **Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes	Sole
	Investigations	Red blood cell sedimentation rate increased	2	0	0
		White blood cell count decreased	1	0	1
		Antinuclear antibody positive	1	0	1
		Weight decreased	1	0	0
		Urine analysis abnormal	2	0	1
		Antidepressant drug level above therapeutic	1	1	1
		Drug level increased	2	1	0
		Amphetamines positive	1	1	1
		<b>Investigations</b>	<b>19</b>	<b>3</b>	<b>6</b>
	Metabolism and nutrition disorders	Decreased appetite	13	0	11
		Increased appetite	2	0	2
		Feeding disorder neonatal	1	0	0
		Tetany	2	0	1
		Electrolyte imbalance	1	0	0
		Polydipsia	1	0	1
		Hypokalaemia	2	0	1
		Hyponatraemia	24	0	14
		Dehydration	1	0	1
		Alcohol intolerance	2	0	1
		Glucose tolerance impaired	1	0	1
		Hypoglycaemia	2	0	0
		Gout	1	0	1
		<b>Metabolism and nutrition disorders</b>	<b>53</b>	<b>0</b>	<b>34</b>
	Musculoskeletal and connective tissue disorders	Arthritis	3	0	3
		Arthralgia	7	0	6
		Joint swelling	1	0	0
		Osteoarthritis	2	0	2
		Myalgia	13	0	9
		Muscle spasms	3	0	2
		Muscle twitching	7	0	5
		Trismus	1	0	0
		Muscular weakness	1	0	0
		Myopathy	1	0	1
		Rhabdomyolysis	1	0	0
		Back pain	3	0	3
		<b>Musculoskeletal and connective tissue disorders</b>	<b>43</b>	<b>0</b>	<b>31</b>
	Nervous system disorders	Cerebrovascular disorder	3	0	2
		Anosmia	1	0	0
		Encephalopathy	1	0	1
		Hypertensive encephalopathy	2	0	2
		Headache	64	0	54

**Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Migraine	6	0	4
		Dementia	1	0	0
		Amnesia	8	0	3
		Disturbance in attention	9	0	6
		Chorea	1	0	0
		Choreoathetosis	1	0	1
		Dyskinesia	7	0	2
		Extrapyramidal disorder	5	0	3
		Hyperkinesia	13	0	10
		Hypokinesia	1	0	0
		Tardive dyskinesia	1	0	0
		Dystonia	5	0	1
		Hemiparesis	1	0	1
		Paralysis	2	0	2
		Paresis	1	0	1
		Tremor	33	0	11
		Hyperreflexia	4	0	2
		Ataxia	12	0	9
		Balance disorder	1	0	0
		Coordination abnormal	3	0	1
		Nystagmus	2	0	0
		Coma	2	0	0
		Aphasia	2	0	2
		Consciousness fluctuating	1	0	0
		Lethargy	2	0	1
		Loss of consciousness	1	0	1
		Somnolence	20	0	12
		Stupor	2	0	1
		Syncope	18	0	6
		Clonus	1	0	0
		Dizziness	62	0	41
		Myoclonus	1	0	0
		Crying	1	0	0
		Paraesthesia	25	0	22
		Ageusia	1	0	1
		Dysgeusia	5	0	5
		Hypoesthesia	10	0	7
		Neuralgia	2	0	2
		Sensory disturbance	2	0	1
		Dysarthria	7	0	6
		Speech disorder	7	0	4
		Hypertonia	12	0	4

## **Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes	Sole
	Nervous system disorders	Hypotonia	1	0	1
		Neuroleptic malignant syndrome	2	0	2
		Serotonin syndrome	30	1	5
		Muscle contractions involuntary	3	0	1
		Neuropathy peripheral	3	0	1
		Convulsion	20	0	8
		Convulsions local	1	0	0
		<b>Nervous system disorders</b>	<b>432</b>	<b>1</b>	<b>250</b>
	Pregnancy, puerperium and perinatal conditions	Intra-uterine death	2	0	2
		Foetal growth restriction	1	0	0
		Premature labour	1	0	0
		Pre-eclampsia	1	0	0
		Premature baby	1	0	0
		Neonatal disorder	1	0	0
		<b>Pregnancy, puerperium and perinatal conditions</b>	<b>7</b>	<b>0</b>	<b>2</b>
	Psychiatric disorders	Agitation	80	1	50
		Anxiety	24	0	16
		Nervousness	7	0	3
		Fear	1	0	1
		Neurosis	2	0	1
		Obsessive-compulsive disorder	1	0	0
		Restlessness	1	0	1
		Bruxism	1	0	1
		Confusional state	51	0	28
		Delirium	7	0	3
		Depression	15	0	9
		Decreased interest	1	0	0
		Depersonalisation	11	0	9
		Dissociation	1	0	0
		Delusion	4	0	4
		Hallucination	19	0	10
		Thinking abnormal	15	0	11
		Mania	9	0	8
		Euphoric mood	6	0	5
		Apathy	2	0	2
		Aggression	13	0	11
		Paranoia	3	0	3
		Withdrawal syndrome	4	0	3
		Psychotic disorder	6	0	5
		Libido decreased	4	0	3
		Libido increased	2	0	2

## **Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes		Sole
				Count	Deaths	
Psychiatric disorders		Loss of libido	1	0	0	0
		Insomnia	69	0	59	
		Abnormal dreams	1	0	0	
		Nightmare	11	0	11	
		Completed suicide	2	2	1	
		Suicidal behaviour	1	0	0	
		Suicide attempt	6	1	4	
		<b>Psychiatric disorders</b>	<b>381</b>	<b>4</b>	<b>264</b>	
		Oliguria	1	0	1	
Renal and urinary disorders		Renal failure acute	2	0	0	
		Renal impairment	1	0	1	
		Dysuria	2	0	1	
		Micturition disorder	3	0	3	
		Pollakiuria	5	0	5	
		Urinary incontinence	2	0	1	
		Urinary retention	5	0	3	
		Albuminuria	1	0	1	
		Haematuria	2	0	1	
		Nocturia	3	0	3	
		<b>Renal and urinary disorders</b>	<b>27</b>	<b>0</b>	<b>20</b>	
Reproductive system and breast disorders		Breast mass	1	0	0	
		Gynaecomastia	4	0	3	
		Breast pain	3	0	2	
		Galactorrhoea	6	0	3	
		Suppressed lactation	1	0	0	
		Menstrual disorder	4	0	2	
		Amenorrhoea	2	0	1	
		Ejaculation failure	2	0	2	
		Erectile dysfunction	4	0	4	
		Sexual dysfunction	2	0	2	
		Testicular pain	1	0	0	
		<b>Reproductive system and breast disorders</b>	<b>30</b>	<b>0</b>	<b>19</b>	
Respiratory, thoracic and mediastinal disorders		Bronchospasm	2	0	2	
		Lung infiltration	1	1	0	
		Pulmonary oedema	1	1	1	
		Dyspnoea	16	1	9	
		Hyperventilation	1	0	1	
		Hypoxia	1	0	0	
		Haemoptysis	1	1	0	
		Respiratory failure	1	1	0	
		Respiratory disorder	1	0	0	
		Choking	1	0	1	

## **Medicine summary -moclobemide (to date)**

Reaction Count			Case Group	Death Outcomes	Sole
	Respiratory, thoracic and mediastinal disorders	Dysphonia	2	0	2
		Epistaxis	1	0	1
		<b>Respiratory, thoracic and mediastinal disorders</b>	<b>29</b>	<b>5</b>	<b>17</b>
	Skin and subcutaneous tissue disorders	Angioedema	2	0	1
		Urticaria	25	0	21
		Mechanical urticaria	1	0	1
		Dermatitis bullous	2	0	2
		Erythema multiforme	2	0	1
		Dry skin	1	0	1
		Skin odour abnormal	1	0	1
		Rash erythematous	10	0	9
		Skin exfoliation	3	0	3
		Photosensitivity reaction	4	0	3
		Pruritus	43	0	39
		Rash	28	0	18
		Rash maculo-papular	9	0	7
		Rash morbilliform	2	0	0
		Rash vesicular	1	0	1
		Lipodystrophy acquired	1	0	0
		Acne	2	0	2
		Alopecia	6	0	4
		Hyperhidrosis	21	0	11
		Seborrhoea	1	0	1
		Purpura	4	0	3
		<b>Skin and subcutaneous tissue disorders</b>	<b>169</b>	<b>0</b>	<b>129</b>
	Vascular disorders	Peripheral ischaemia	1	0	0
		Blood pressure fluctuation	1	0	0
		Circulatory collapse	2	0	1
		Hypotension	12	0	8
		Orthostatic hypotension	10	0	5
		Flushing	17	0	7
		Hot flush	2	0	2
		Pallor	2	0	1
		Hypertension	23	0	12
		Vasculitis	6	0	3
		<b>Vascular disorders</b>	<b>76</b>	<b>0</b>	<b>39</b>
	<b>Reaction</b>		<b>1861</b>	<b>30</b>	<b>1193</b>