

Cases Count: 76

Case Number: 198263

Gender: M

Data Entry Date: 18/06/2004 **Weight (kg)**: 40

Hospitalisation : Age :

Onset Date: 08/06/2004 **DOB**: 20/03/1992

Outcome: Causality: Causality possible

Not yet recovered

Information: Symptoms recurred when came off anti-diarrheals.

Patient was started on 18mg 25/05/05, 40mg 01/06/04, 60mg 08/06/04, 40mg 11/06/04.

Reaction:

Preferred TermSeverityReport DescriptionTreatmentDiarrhoeaRequired Visit toDiarrhoea for 4 days.Anti Diarrheals.

Doctor

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason: Behavior disorders of childhood

60 Milligram Daily

Batch: Started: 08/06/2004 Stopped:

PUTRAN02 Page 1 of 81



Cases Count: 76

Case Number : 198467

Gender: F

Data Entry Date: 24/06/2004

Weight (kg): 0

Hospitalisation:

Age:

Onset Date: 18/06/2004

DOB: 11/10/1979

Outcome:

Causality: Causality possible

Medication ceased

Not yet recovered

Information: New drug, 1st report. Indication of ADHD from 6+ years of age.

Reaction:

Preferred Term Severity Report Description Treatment

Affect lability Required Visit to

temperature dysregulation Medication ceased (feeling cold),

Doctor

hyperactivity, irritability & lability to point where experienced suicidal

ideation

Feeling cold Required Visit to Doctor

temperature dysregulation

(feeling cold),

hyperactivity, irritability & lability to point where experienced suicidal

ideation

Irritability Required Visit to

Doctor

Psychomotor hyperactivity Required Visit to

Doctor

Suicidal ideation Required Visit to

Doctor

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram 1 time Oral

Batch: unknown **Started**: 18/06/2004 **Stopped**: 22/06/2004

PUTRAN02 Page 2 of 81



Cases Count: 76

Case Number: 198545

Gender: M

Data Entry Date: 28/06/2004 Weight (kg): 0

Hospitalisation: Treated in Accident/Emergency Depart

Age:

Onset Date: 02/06/2004 DOB: 12/10/1991

Outcome: Causality: Causality possible

Not yet recovered

Information: Dosage had been increased from 18mg daily to 36mg daily and then to 40mg daily a

few days prior to onset of events.

Reaction:

Preferred Term Severity Report Description Treatment

Tachycardia Tachycardia and palpitations.

Palpitations

Medicine details:

Dexamphetamine Sulphate (Suspected) Reason :

10 Milligram Daily

Batch: Started: L TERM Stopped: Continuing

Strattera (Suspected) Reason : Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: Started: 03/05/2004 Stopped: Continuing

PUTRAN02 Page 3 of 81



Cases Count: 76

Case Number: 199694

Gender: M

Data Entry Date: 05/08/2004

Weight (kg): 29.1

Hospitalisation:

Age:

Onset Date: 14/07/2004

DOB: 12/09/1996

Outcome:

Causality: Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity **Report Description**

Treatment

0

Patient experienced severe

GIT upset (nausea, reflux,

generally unwell).

Medicine details:

Gastrointestinal disorder

Atomoxetine Hydrochloride (Suspected)

Reason: Behavior disorders of childhood

35 Milligram

Daily

Batch:

Started: 21/06/2004

Severe

Stopped:

PUTRAN02 Page 4 of 81



Hospitalisation:

Public Case Detail

Cases Count: 76

Case Number: 199697

Gender: M

Data Entry Date: 05/08/2004 **Weight (kg)**: 28

Age:

Onset Date: 24/07/2004

DOB: 24/03/1995

Outcome: 29/07/2004

Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Gastrointestinal disorder Required Visit to Patient experienced GIT Doctor upset with nausea ++,

severe headache.

Headache Required Visit to

Doctor

Nausea Required Visit to

Doctor

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 10 Milligram Daily Oral

Batch: **Started**: 16/07/2004 **Stopped**: 28/07/2004 0

PUTRAN02 Page 5 of 81



Cases Count: 76

Case Number: 200332

Gender: M

Data Entry Date: 27/08/2004 Weight (kg): 72

Hospitalisation: Age:

DOB: 25/11/1985 Onset Date: 11/08/2004

Causality: Causality possible Outcome:

Recovered

Information:

Reaction:

Preferred Term Severity **Report Description Treatment**

Orchitis Patient suffered swollen, Dose decreased to 40mg/day.

painful and tender testicles.

Medicine details:

Strattera (Suspected) Reason:

Oral Capsule 80 Milligram Daily

Batch: Started: Stopped:

PUTRAN02 Page 6 of 81



Cases Count: 76

Case Number: 203879

Gender: M

Data Entry Date: 04/01/2005 **Weight (kg)**: 71.9

Hospitalisation : Age :

Onset Date: 06/10/2004 **DOB**: 09/07/1993

Outcome : Causality : Causality probable

Recovered

Information: Note - showed increased symptoms with increased dose. Symptoms stopped when

drug stopped.

Reaction:

Preferred Term Severity Report Description Treatment

Agitation The patient became Atomoxetine ceased.

agitated, emotionally labile and experienced thoughts

of self harm.

Affect lability

Self-injurious ideation

Medicine details:

Strattera (Suspected) Reason :

Capsule 25 Milligram Daily Oral

Batch: **Started**: 06/10/2004 **Stopped**: 22/10/2004

PUTRAN02 Page 7 of 81



Cases Count: 76

Case Number: 204246

Gender: M

Data Entry Date: 14/01/2005 **Weight (kg)**: 35

Hospitalisation: Required a visit to the doctor Age:

Onset Date: 15/07/2004 DOB: 03/05/1995

Outcome: Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Abnormal behaviour Required Visit to With gradual increase in Atomoxetine discontinued.

Doctor drug dose, developed

drug dose, developed abnormal behaviours including a "strange" facial expression with ?bilateral eyelid ptosis, and became

very withdrawn emotionally.

Emotional disorder Required Visit to

Doctor

Eyelid ptosis Required Visit to

Doctor

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason: Behavior disorders of childhood

Capsule 18 Milligram Daily Oral

Batch: **Started**: 25/06/2004 **Stopped**: 16/07/2004

PUTRAN02 Page 8 of 81



Cases Count: 76

Case Number: 205312

Gender: F

Data Entry Date: 16/02/2005

Weight (kg): 0

Hospitalisation:

Age:

Onset Date: 15/01/2005

DOB: 06/04/1997

Outcome:

Causality: Causality possible

Recovered

Information: History includes explosive mood swings. One week later the patient recommenced the

Atomoxetine without effect, the patient stil experienced mood swings.

Reaction:

Preferred Term

Severity

Report Description

Treatment

to Dexamphetamine.

Strattera ceased, changed back

Drug ineffective

Six days after commencing Strattera the child was seeking attention and

wanted the focus to be on her. She became very agitated whilst travelling in the family car, described as an explosive mood swing. She stated that she was going to open the door and put herself in front of the car. She tried to open the car door. The mother confirmed that the drug was not effective.

Agitation

Attention-seeking behaviour

Mood swings

Suicide attempt

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

10 Milligram

Daily

Oral

Batch: A051888 Started: 15/12/2004 Stopped:

0

PUTRAN02 Page 9 of 81



Cases Count: 76

Case Number: 207582

Gender: M

Data Entry Date: 03/05/2005 **Weight (kg)**: 17

Hospitalisation: Required a visit to the doctor Age:

Onset Date: 13/04/2005 DOB: 21/12/1999

Outcome: 16/04/2005 Causality: Causality certain

Recovered

Information: Drug is cert/rechallenge. Similar response with earlier trial of use after 2 weeks of

treatment with similar dose - 10mg/day - 04/03/05 to 18/03/05.

Reaction:

Preferred Term Severity Report Description Treatment

Vomiting Patient experienced Ceased Strattera.

vomiting and headache.

Headache

Medicine details:

Strattera (Suspected) Reason :

Capsule 10 Milligram Daily Oral

Batch: **Started**: 29/03/2005 **Stopped**: 13/04/2005

PUTRAN02 Page 10 of 81



Hospitalisation:

Public Case Detail

Cases Count: 76

Case Number: 208106

Gender: M

Data Entry Date: 23/05/2005 **Weight (kg)**: 51

Age:

Onset Date: 25/03/2005 **DOB**: 08/11/1991

Outcome: Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Chest pain Incapacity/disability Chest pains, severe Cease Medication

coughing, hostile and aggressive behaviour. Problems immediately disappeared with cessation

of medication.

Aggression Incapacity/disability
Cough Incapacity/disability

Medicine details:

Strattera (Suspected) Reason :

Capsule Milligram Daily Oral

Batch: **Started**: 10/03/2005 **Stopped**: 12/05/2005

PUTRAN02 Page 11 of 81



Cases Count: 76

Stopped Stratera.

Case Number: 208168

Gender: M

Age:

Data Entry Date: 25/05/2005 Weight (kg): 48

Hospitalisation: Required a visit to the doctor

Onset Date : DOB : 13/01/1991

Outcome: Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Dizziness Patient experienced dizziness, knee pains and

dizziness, knee pains and swelling of knee,

dyspepsia.

Arthralgia

Dyspepsia

Joint swelling

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: **Started**: 15/08/2004 **Stopped**: 13/05/2005

PUTRAN02 Page 12 of 81



Cases Count: 76

Case Number: 209854

Gender: M

Data Entry Date: 15/07/2005 **Weight (kg)**: 59

Hospitalisation: Required a visit to the doctor Age:

Onset Date: 04/03/2005 DOB: 12/01/1990

Outcome: 20/03/2005 Causality: Causality possible

Recovered

Information: The patient's medical history included learning difficulty, and frontal lobe epilepsy (

1999). The patient's last serious seizure occurred on ?? dec 2003

Reaction:

Batch:

Preferred Term Severity Report Description Treatment

Convulsion Patient experienced loss of Ceased Atomoxetine.

seizure control.

Condition aggravated convulsions aggravated.

Started: 24/01/2005

Medicine details: **Carbamazepine (Interaction)** Reason: Other&unspecified epilepsy **Tablet** 400 Milligram Daily L TERM Batch: Started: Stopped: Lamotrigine (Interaction) Reason: Other&unspecified epilepsy Tablet 55 Milligram Daily Oral L TERM Batch: Started: Stopped: **Sodium Valproate (Interaction)** Reason: Other&unspecified epilepsy 1.2 Gram Daily Oral Batch: Started: L TERM Stopped: Strattera (Interaction) Reason: 25 Milligram Daily

S TERM

Stopped:

0

PUTRAN02 Page 13 of 81



Cases Count: 76

Gender: F

Case Number : 209855

Data Entry Date: 15/07/2005 **Weight (kg)**: 0

Hospitalisation : Age :

Onset Date: 15/05/2005 DOB: 13/12/1994

Outcome: 05/05/2005 Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Convulsion Deterioration in control of

seizures. The patient experienced a deterioration in seizure control, from one fit to five fits daily. These were partial seizures abd also possibly absence

seizures.

Dose of Atomoxetine reduced to

25mg.

Medicine details :

Carbamazepine (Interaction) Reason :

Tablet 840 Milligram Daily Oral

Batch: Started: L TERM Stopped:

Risperidone (Interaction) Reason :

Tablet 4 Milligram Daily Oral

Batch: Started: 14/04/2004 L TERM Stopped:

Sodium Valproate (Interaction) Reason :

Tablet 800 Milligram Daily Oral

Batch: Started: 15/02/2005 S TERM Stopped:

Strattera (Interaction) Reason :

40 Milligram Daily

Batch: Started: 15/05/2005 S TERM **Stopped:** 0

Fluoxetine Hydrochloride (Other drug) Reason :

20 Milligram Daily Oral

Batch: Started: 15/03/2005 S TERM Stopped:

Melatonin (Other drug) Reason:

3 Milligram Daily Oral

Batch: Started: 15/01/2005 S TERM Stopped:

PUTRAN02 Page 14 of 81



Cases Count: 76

Case Number: 210050

Gender: F

Age:

bd.

Data Entry Date: 21/07/2005 **Weight (kg)**: 159

Hospitalisation:

Onset Date: 15/03/2005 **DOB**: 04/04/1986

Outcome : Causality : Causality possible

Recovered

Information: The patients medical history included mixed seizure disorder (general tonic clonic and

absence seizures, simple or shildhood) from october 1995. The patient had previous

long term good seizure control since february 2001

Reaction:

Preferred Term Severity Report Description Treatment

Convulsion Patient experienced Increased Lamotrigine to 150mg

recurrence of absence

seizures.

Medicine details:

Lamotrigine (Interaction) Reason :

Tablet 200 Milligram Daily Oral

Batch: Started: 15/10/1995 LTERM Stopped:

Sodium Valproate (Interaction) Reason :

Tablet 1 Gram Daily Oral

Batch: Started: 15/10/1995 L TERM Stopped:

Strattera (Interaction) Reason :

60 Milligram Daily

Batch: Started: 18/08/2004 S TERM Stopped: Continuing.

PUTRAN02 Page 15 of 81



Cases Count: 76

Case Number: 211490

Gender: M

Data Entry Date: 07/09/2005 **Weight (kg)**: 36

Hospitalisation: Required a visit to the doctor Age:

Onset Date : DOB : 16/03/1996

Outcome : Causality : Causality certain

Recovered

Information: Suspected drug positive rechallenge.

Reaction:

Preferred Term Severity Report Description Treatment

Aggression Patient experienced

aggression and was totally irrational for 3 days, became violent, totally out

of character.

Thinking abnormal

Medicine details:

Strattera (Suspected) Reason : Behavior disorders of childhood

Capsule 25 Milligram Daily Oral

Batch: **Started**: 27/04/2005 **Stopped**: 25/08/2005 0

PUTRAN02 Page 16 of 81



Cases Count: 76

Case Number: 211934

Gender: F

Data Entry Date: 23/09/2005 **Weight (kg)**: 0

Hospitalisation: Required a visit to the doctor Age:

Onset Date: DOB: 30/07/1993

Outcome: 15/08/2005 Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Decreased appetite Patient experienced Strattera stopped.

anorexia, weight loss, fidgeting, compulsive behaviour eg. ripping fingers and toe nails out, cutting and picking clothing

and anger outburst.

Aggression

Obsessive-compulsive

disorder

Restlessness

Weight decreased

Medicine details:

Strattera (Suspected) Reason :

Capsule 60 Milligram Daily Oral

Batch: **Started**: 15/12/2004 **Stopped**: 15/08/2005

PUTRAN02 Page 17 of 81



Cases Count: 76

Case Number : 212597

Gender: M

Data Entry Date: 17/10/2005 **Weight (kg)**: 0

Hospitalisation: Age: 11Y

Onset Date: 15/02/2005 **DOB**:

Outcome: Causality: Causality probable

Recovered

Information: Journal of paediatrics and child health. Paxton GA, Cranswick NE. Acute suicidality

after commencing atomoxetine. Volume 44 2008; pg 596-598

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Patient threatened to kill himself, cycling of his mood and agitation and

crying. Handwriting changed and threw a cricket stump javelin style

at a school teacher.

Affect lability

Agitation

Crying

Dysgraphia

Mood swings

Medicine details:

Strattera (Suspected) Reason : Behavior disorders of childhood

Capsule 25 Milligram Daily Oral

Batch: **Started**: 15/02/2005 **Stopped**: 15/05/2005

PUTRAN02 Page 18 of 81



Cases Count: 76

Case Number: 212705

Gender: M

Data Entry Date: 19/10/2005 **Weight (kg)**: 25

Hospitalisation: Age: 8Y

Onset Date: 30/05/2004 **DOB**:

Outcome: Causality: Causality possible

Not yet recovered

Information: History: High protein, low carbohydrate diet.

Reaction:

Preferred Term Severity Report Description Treatment

Depressed mood Patient experienced

sadness and hit his head against a wall (purposely). He has had thoughts of suidide- stating that he wants to kill himself.

Self injurious behaviour

Suicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 20 Milligram Daily Oral

Batch: Started: 27/05/2004 Stopped: Continuing

PUTRAN02 Page 19 of 81



Cases Count: 76

Case Number: 213520

Gender: M

Data Entry Date: 17/11/2005 Weight (kg): 0

Hospitalisation: Admitted to hospital Age: 20Y

Onset Date: 03/11/2005 DOB:

Outcome: Causality: Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity **Report Description Treatment**

Syncope Caused or prolonged

inpatient hospitalisation

Fall Caused or prolonged

inpatient

after commencing hospitalisation

Atomoxetine treatment the patient woke up and

Approximately one year

fainted.

Medicine details:

Strattera (Suspected) Reason:

Capsule 80 Milligram Daily Oral

Batch: Started: Stopped:

PUTRAN02 Page 20 of 81



Cases Count: 76

Case Number: 220443

Gender: M

Data Entry Date: 31/07/2006

Weight (kg): 0

Hospitalisation:

Age:

Onset Date: 30/09/2005

DOB: 03/11/1999

Outcome:

Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Coagulopathy

Severity

Report Description Treatment

Patient experienced coagulopathy characterised by loose bowel motions

with blood in stools, epistaxis (2 in a month) and easy bruising.

Medicine details:

Epilim (Suspected)

Reason:

Batch:

Started: 29/07/2005

Started: 09/09/2005

Stopped: 19/10/2005

Reason: Behavior disorders of childhood

0

Ceased Strattera and Epilim.

Strattera (Suspected)

Capsule Batch:

Type

Fibrinogen

10 Milligram

Daily

Details

Stopped: 09/10/2005 0

Laboratory Investigations:

Prothrombin time 10-14 seconds 10/10/2005 Prothrombin time 10-14 seconds Activated partial 24-40 seconds thromboplastin time Activated partial 24-40 seconds thromboplastin time Fibrinogen 2.00-6.00 g/L 10/10/2005

2.00-6.00 g/L

Range

Date Tested Result 18

28/10/2005

12

10/10/2005

19

28/10/2005 30

28/10/2005

1.81

3.55

PUTRAN02 Page 21 of 81



Cases Count: 76

Case Number: 220681

Gender: M

Data Entry Date: 09/08/2006

Weight (kg): 25

Hospitalisation: Required a visit to the doctor

Age:

Onset Date: 17/07/2006

Information:

DOB: 21/10/1998

Outcome:

Causality: Causality possible

Not yet recovered

•

Reaction:

Preferred Term
Depressed mood

Severity

Report Description

Treatment

Depressed sensitive and tearful mood,

anxiety-excessive worry and tightness in throat soon after increasing Atomoxetine dose from 18mg/day to 25mg/day.

Anxiety

Tearfulness

Therapy regimen changed

Throat tightness

Medicine details:

Atomoxetine Hydrochloride (Suspected)

Reason: Behavior disorders of childhood

25 Milligram

Daily

Batch:

Started: 15/07/2006

Stopped:

Cephalexin (Other drug)

Reason: Othr diseases of urinary tract

Batch :

Started: 15/05/2006

Stopped:

PUTRAN02 Page 22 of 81



Cases Count: 76

Case Number: 220852

Gender: M

Age:

Data Entry Date: 17/08/2006 **Weight (kg)**: 34.5

Hospitalisation : Required a visit to the doctor

Onset Date : DOB : 02/08/1998

Outcome: Causality: Causality possible

Recovered

Information: Growth of 7 cm in 3 months since stopping drug.

Reaction:

Preferred Term Severity Report Description Treatment

Growth retardation Started on atomoxetine in early 2004 and did not

grow for 18 months

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason :

Capsule Oral

Batch: Started: Stopped:

Catapres (Suspected) Reason : Behavior disorders of childhood

Batch: Started: Stopped:

PUTRAN02 Page 23 of 81



Cases Count: 76

Case Number: 221550

Data Entry Date: 12/09/2006 **Weight (kg)**: 85

Hospitalisation: Age:

Onset Date: 26/08/2006 DOB: 09/07/1973

Outcome : Causality : Causality possible

Recovered

Information:

Reaction:

Preferred Term

Headache

Severity

Report Description

Patient commenced Strattera (atomoxetine hydrochloride) 10 mg on 23/08/06 in the morning, and noted onset almost immediately of the following symptoms: headache, subjective increase in body temperature, nausea, anorexia. Persisted with Strattera 10 mg mane for the next three days (i.e. 24/8, 25/8 and 26/8). Noted a worsening of side effects when consumed alcohol (consumed 40 grams on 23/8 at least 8 hours after first dose; consumed 10 grams on 25/8, again at least 8 hours after dosing). Took Cialis 20 mg on the evening of 26/8/06 at least 12 hours after dose of Strattera and noted the following symptoms commencing afterwards: irritability of mood, restlessness, insomnia. nausea and subjective increase in temperature. These symptoms persisted at a clinically significant (subjective distress) level for 24 hours, resolved completely at 48 hours

after taking the Cialis.

Treatment

Gender: M

Patient ceased Strattera following development of adverse reaction that occurred when he took Cialis.

Decreased appetite

Drug interaction

Feeling hot

Nausea

PUTRAN02 Page 24 of 81

Medicine details :

Cialis (Interaction) Reason :

Tablet 20 Milligram As necessary Oral

Batch: **Started**: 26/08/2006 **Stopped**: 0

Strattera (Interaction) Reason :

10 Milligram Daily Oral

Batch: **Started**: 23/08/2006 **Stopped**: 26/08/2006 0

Laboratory Investigations:

Type Range Date Tested Result Details

Other data

PUTRAN02 Page 25 of 81



Cases Count: 76

Case Number: 221914

Gender: M

Data Entry Date: 26/09/2006 **Weight (kg)**: 0

Hospitalisation: Age: 9Y

Onset Date: 15/06/2006 **DOB**:

Outcome : Causality : Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Blood pressure increased Significant increase in Strattera discontinued.

blood pressure.

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: Started: Stopped: 15/08/2006

PUTRAN02 Page 26 of 81



Cases Count: 76

Case Number: 222837

Gender: F

Data Entry Date: 01/11/2006

Weight (kg): 36

Hospitalisation:

Age:

Onset Date: 20/06/2006

DOB: 21/01/1991

Outcome:

Causality: Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity

Report Description

Treatment

Pancreatitis

Caused or prolonged inpatient

Acute pancreatitis with

subsequent persistent

hospitalisation

pancreatitis.

Caused or prolonged

Marked deterioration in

inpatient

behaviour

hospitalisation

Medicine details:

Strattera (Suspected)

Abnormal behaviour

Reason:

40 Milligram

Daily

Batch:

Started: 12/05/2006

Stopped:

Laboratory Investigations:

Type

Range

Date Tested Result

Details

Amylase

Peak amylase of 1012 U/L (114 - 286)

PUTRAN02 Page 27 of 81



Cases Count: 76

Case Number: 223047 Gender: M

Data Entry Date: 13/11/2006 **Weight (kg)**: 0

Hospitalisation : Age :

Onset Date : DOB : 27/06/1984

Outcome: Causality: Causality possible

Unknown

Information: Other relevant history suicide attempt.

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Suicidal ideation, homicidal

ideation.

Homicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

10 Milligram

Batch: Started: Stopped: 0

Zyprexa (Suspected) Reason: Unspecifid affective psychosis

5 Milligram Daily

Batch: Started: Stopped: 0

Lithium Carbonate (Other drug) Reason :

Batch: Started: Stopped:

PUTRAN02 Page 28 of 81



Cases Count: 76

Case Number: 223348

Gender: M

Data Entry Date: 20/11/2006 Weight (kg): 41.5 Hospitalisation: Age:

Onset Date: 15/07/2006 **DOB**: 28/05/1996

Outcome : Causality : Causality probable

Not yet recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation

Patient experienced
nausea, then became
acutely depressed,
aggressive and had

aggressive and na suicidal thoughts.

Treated with a small dose of Prozac. Strattera discontinued.

Aggression Depression

Nausea

Medicine details:

Strattera (Suspected) Reason :

Capsule 1 Milligram Daily Oral

Batch: **Started**: 02/03/2006 **Stopped**: 06/07/2006 0

PUTRAN02 Page 29 of 81



Cases Count: 76

improved and she is taking in

date atomoxetine.

Gender: F

Case Number: 223349

Data Entry Date: 20/11/2006 **Weight (kg)**: 0

Hospitalisation : Age :

Onset Date : DOB : 14/08/1999

Outcome : Causality : Causality possible

Not yet recovered

Information: Patient's parents realised that the atomoxetine actually expired on31/10/2005, this

expired medication was commenced on approximately 18/09/2006, at around the same time several of the events started. She was on the expired medication for 15-20 days. The patient's laboratory results and corrective tratments were not reported. The out-of-date atomoxetine was discontinued and since then most of her symptoms have

improved although she is still not back to her normal self.

Reaction:

Preferred TermSeverityReport DescriptionTreatmentAbdominal painThe patient experiencedPatient symptoms have

Abdominal pain

The patient experienced abdominal pain, nausea and severe right sided headache - dominating frontal and facial regions causing her to wake up at night, shooting pains throughout limbs, white spots in visual field, waking at night, regression in academic progress and

academic progress and difficulty recognising words.
Also had faecal and urinary

incontinence.

Abnormal behaviour

Dizziness

Drug ineffective

Educational problem

Faecal incontinence

Headache

Insomnia

Intracranial pressure increased

Motor dysfunction

Nausea

Pain

Strabismus

Urinary incontinence

Visual acuity tests abnormal

Visual impairment

Vomiting

PUTRAN02 Page 30 of 81

Medicine details :					
Strattera (Suspected)	Reason: Behavior disorders of childhood				
Capsule	40 Milligram	Daily	Oral		
Batch :	Started : 18/09/2006		Stopped :	0	
Serenace (Other drug) Reason :					
Batch :	Started :		Stopped :		

PUTRAN02 Page 31 of 81



Cases Count: 76

Gender: M

Case Number: 223950

Data Entry Date: 08/12/2006 **Weight (kg)**: 0

Hospitalisation: Age: 9Y

Onset Date : DOB :

Outcome: Causality: Causality probable

Recovered

Information: On Strattera for about six months from the age of 9 after unsuccessful treatment with

dexamphetamine for supposed "ADHD".

Reaction:

Preferred Term Severity Report Description Treatment

Self injurious behaviour Self-harm, slams his head stopped Strattera and changed against walls, has extreme diet: Failsafe diet.

mood swings, violent outbursts. Always angry, depressed or sad and said he wanted to kill himself.

outbursts. Always angry,

Aggression

Anger

Depression

Mood swings

Suicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Batch: Started: Stopped:

PUTRAN02 Page 32 of 81



Cases Count: 76

Case Number: 226118

Gender: M

Data Entry Date: 26/02/2007 **Weight (kg)**: 26

Hospitalisation: Age: 7Y

Onset Date: 28/01/2007 **DOB**:

Outcome: Causality: Causality probable

Recovered

Information: The patient's dose of atomoxetine was increased from 10mg to 25mg daily.

The cardiologist report was not available.

Reaction:

Preferred Term Severity Report Description Treatment

Supraventricular tachycardia Patient experienced severe Atomoxetine was discontinued.

chest pain, what appeared

to have been supraventricular

tachycardia 2 weeks after a

dose increase.

Chest pain The episode lasted 15 Carotid massage

minutes

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

25 Milligram Daily Oral

Batch: Started: 15/01/2007 **Stopped:** 28/01/2007

Strattera (Other drug) Reason: Behavior disorders of childhood

Capsule 10 Milligram Daily Oral

Batch: **Started**: 01/07/2006 **Stopped**: 14/01/2007 0

Laboratory Investigations:

Type Range Date Tested Result Details

Other data Heart rate was 160 beats per minute.

PUTRAN02 Page 33 of 81



Cases Count: 76

Case Number : 226323

Gender: M

Data Entry Date: 05/03/2007

Weight (kg): 0

Hospitalisation:

Age: 9Y

Onset Date: 15/07/2006

DOB:

Outcome:

Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity

Report Description

Treatment

Hepatitis

Caused or prolonged inpatient

Patient had a history of

Daily

Intravenous hydration. Stratters

hospitalisation

ospitalisation .

vomiting, an ultrasound revealed an inflamed liver.

ceased.

Vomiting

Caused or prolonged

inpatient hospitalisation

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

35 Milligram

Batch :

Started: 15/06/2006

Stopped: 15/07/2006

Laboratory Investigations:

Type

Ultrasound

Range

Date Tested Result

Details

Jul 2006 Revealed an inflamed liver. Ultrasound also revealed: the portal triads of the liver had an echogenic appearance and there was tenderness overlying the liver. The sonographic features are non-specific, however, echogenic portal triads were sometimes seen in acute hepaitis. One month later

in Aug 2006, an ultrasound was performed and the result was normal.

PUTRAN02 Page 34 of 81



Cases Count: 76

Case Number: 227168

Gender: F

Data Entry Date: 30/03/2007

Weight (kg): 0

Hospitalisation:

Age: 48Y

Onset Date: 25/02/2007

DOB:

Outcome :

Causality: Causality possible

Not yet recovered

Severity

Information:

Reaction:

Preferred Term

Report Description

Treatment

Atomoxetine discontinued.

Suicidal ideation

Patient experienced thoughts of death and thoughts of wanting to die, nervousness, tingling in her

arms and legs and

numbness in her face and

hands.

Hypoaesthesia

Nervousness

Paraesthesia

Medicine details:

Strattera (Suspected) Reason : Behavior disorders of childhood

Tablet 100 Milligram Daily Oral

Batch: **Started**: 15/01/2007 **Stopped**: 01/03/2007

PUTRAN02 Page 35 of 81



Cases Count: 76

Case Number : 227440

Gender: M

Data Entry Date: 10/04/2007

Weight (kg): 0

Hospitalisation:

Age: 99U

Onset Date :

DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity

Report Description

Treatment

Abnormal behaviour

After 6 days patient had violent reactions, which included bizarre behaviour, hostility, fantasy, suicide talks, anxiety attackes, distorted face and regressional behaviour.

Persisting with Strattera

Anxiety

Facial spasm

Hostility

Paramnesia

Regressive behaviour

Suicidal ideation

Medicine details:

Strattera (Suspected)

Reason: Other atyp forms schizophrenia

Batch:

Started:

Stopped:

PUTRAN02 Page 36 of 81



Cases Count: 76

Case Number: 229120

Gender: M

Data Entry Date: 30/05/2007

Weight (kg): 0

Hospitalisation:

Age: 11Y

DOB:

Onset Date: Outcome:

Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term

Severity

Report Description

Treatment

Ceased medication.

Suicidal ideation

The patient tookStrattera for the treatment of ADHD

to complement Ritalin, under the influence of

which he became suicidal and depressed.

Depression

Drug ineffective

Medicine details:

Ritalin (Suspected)

Reason: Behavior disorders of childhood

Batch:

Started:

Stopped:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Oral

Capsule Batch:

Started:

Stopped:

PUTRAN02 Page 37 of 81



Cases Count: 76

Case Number : 230590

Gender: M

Data Entry Date: 04/07/2007

Weight (kg): 0

Hospitalisation:

Age: 13Y

Onset Date :

DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term

Severity Report Description

Treatment

Psychotic disorder

Patient developed

psychosis, voices in his

head.

Hallucination, auditory

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Batch:

Started:

Stopped:

PUTRAN02 Page 38 of 81



Hospitalisation:

Public Case Detail

Cases Count: 76

Case Number: 236301

Gender: M

Data Entry Date: 14/12/2007 **Weight (kg)**: 31

Age:

Onset Date : DOB : 27/07/1995

Outcome: Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Rash truncal rash

Balanitis

Periorbital oedema

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: **Started**: 19/11/2007 **Stopped**: 0

PUTRAN02 Page 39 of 81



Hospitalisation:

Public Case Detail

Cases Count: 76

Case Number: 236378

Gender: U

Data Entry Date: 17/12/2007 Weight (kg): 23

Age:

Onset Date: 01/12/2007

DOB: 04/02/2000

Outcome: Causality: Causality possible

Not yet recovered

Information: Backgorund: ADHD and aspergers syndrome.

Reaction:

Preferred Term Severity **Report Description Treatment**

Suicidal ideation Caused or prolonged inpatient

hospitalisation

Suicidal ideation and mood changes (self-harming behaviour, withdrawn in himselft) ? secondary to increase of Strattera. Strattera has been

increased from 25mg daily to 40mg daily, 3/7 later poor sleep, increased aggression, no eye contact, anxiety then threats to self with knife, picking his skin, pinching self and others, poking self with knife (drawing blood).

Aggression Caused or prolonged

inpatient

hospitalisation

Caused or prolonged Anxiety

> inpatient hospitalisation

Mood altered Caused or prolonged

> inpatient hospitalisation

Self injurious behaviour Caused or prolonged

inpatient

hospitalisation

Sleep disorder Caused or prolonged

> inpatient hospitalisation

Social avoidant behaviour Caused or prolonged

inpatient

hospitalisation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: Started: S TERM Stopped: 0

Strattera (Other drug) Reason: Behavior disorders of childhood

Capsule 25 Milligram Daily Oral

S TERM Batch: Started: Stopped:

PUTRAN02 Page 40 of 81



Cases Count: 76

Case Number: 236629

Gender: M

Data Entry Date: 24/12/2007

Weight (kg): 21.9

Hospitalisation: Required a visit to the doctor

Age:

Onset Date: 02/11/2007

DOB: 02/11/1997

Outcome: 22/11/2007

Causality: Causality probable

Recovered

Information:

Reaction:

Preferred Term

Batch:

Tic

Severity

Report Description Treatment

Increase in pre-existing

motor tics.

Daily

Medicine details:

Atomoxetine Hydrochloride (Suspected)

Reason: Behavior disorders of childhood

15 Milligram **Started**: 01/11/2007

Stopped: 21/11/2007

PUTRAN02 Page 41 of 81



Cases Count: 76

Case Number : 236802

Gender: M

Data Entry Date: 09/01/2008

Weight (kg): 0

Hospitalisation:

Age: 6Y

Onset Date: 15/11/2007

DOB:

Outcome:

Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity

Report Description

for the treatmentof

Treatment

Hypertension

Caused or prolonged

The patient recieved atomoxetine hydrochloride

Ranitidine. Nifedipine. Discontinued atomoxetine.

inpatient hospitalisation

attention

deficit-hyperactivity disorder, beginning in Nov 2007. 2 weeks after starting the atomoxetine, the patient experienced hypertension, epigastric pain and headache.

Abdominal pain upper

Caused or prolonged

inpatient

hospitalisation

Caused or prolonged

inpatient hospitalisation

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

Headache

10 Milligram

Daily

Batch:

Started:

Stopped:

Oral

PUTRAN02 Page 42 of 81



Cases Count: 76

Case Number: 236996

Gender: M

Data Entry Date: 16/01/2008

Weight (kg): 0

Hospitalisation:

Age: 12Y

Onset Date: 15/11/2007

DOB:

Outcome:

Causality: Causality probable

Treatment

Recovered

Information: Positive dechallenge no rechallenge.

Reaction:

Suicidal ideation

Preferred Term Severity **Report Description**

> The patient received **Discontinued Strattera**

atomoxetine hcl (Strattera). 10mg frequency and route of administration not reported, for the treatment of attention deficit disorder,

beginning on an

unspecified date in Nov 2007, six weeks before the date of report. On an unspecifed date in Nov 2007, soon after starting medication, the patient experienced very strong suicidal ideation, was crying and talking about dead bodies and about

hanging himself.

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

10 Milligram Daily Capsule Oral

Stopped: 15/11/2007 Batch: Started: 15/11/2007 0

Ritalin (Other drug) Reason:

Started: Stopped: Batch:

Laboratory Investigations:

Type Range Date Tested Result Details

Other data Patient's laboratory results were not

provided.

PUTRAN02 Page 43 of 81



Cases Count: 76

Case Number: 237070

Hospitalisation: Required a specialist consultation Age: 11Y

Onset Date: 18/11/2007 DOB:

Outcome: Causality: Causality possible

Not yet recovered

Information: Medical history of attention deficit disorder, attention hyperactivity disorder at five and six

years old in 2000 and 2001 and aggression. The patient commenced the following packet on the 15/11/07, lot number: A129025, exp date 2008. Patient was originally

treated with dexamphetamine and clonidine hydrochloride (milder version).

Reaction:

Preferred Term Severity Report Description Treatment

Suicide attempt On the 18/11/07, Unknown if patient received any approximately three corrective treatment.

approximately three months after beginning Strattera, patient attermpted suicide, headache, stomach

cramps, muscle rigidity and

poor concentration.

Abdominal pain upper

Disturbance in attention

Headache

Muscle rigidity

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Catapres (Other drug) Reason :

Batch: Started: Stopped:

Clonidine Hydrochloride (Other drug) Reason :

Tablet Oral

Batch: Started: Stopped:

Laboratory Investigations:

Type Range Date Tested Result Details

Other data

No physical findings or laboratory results

were provided

PUTRAN02 Page 44 of 81



Hospitalisation:

Public Case Detail

Cases Count: 76

Case Number: 237129

Gender: M

Data Entry Date: 21/01/2008 **Weight (kg)**: 26

Age:

Onset Date :

DOB: 26/12/2002

Outcome: 06/11/2007 Causality: Causality certain

Recovered

Information: Cert/rechallenged.

Reaction:

Preferred Term Severity Report Description Treatment

Pallor and vomiting. Ceased aotomexetine.

Vomiting

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason :

10 Milligram Daily

Batch: **Started**: 31/10/2007 **Stopped**: 06/11/2007 0

PUTRAN02 Page 45 of 81



Cases Count: 76

Case Number: 238474

Gender: M

Data Entry Date: 29/02/2008

Weight (kg): 0

Hospitalisation:

Age: 25Y

Onset Date: 09/02/2008

DOB:

Outcome:

Causality: Causality possible

Unknown

Information: Medical history included substance abuse.

Reaction:

Preferred Term Suicidal ideation Severity

Report Description Treatment

Suicidal thoughts, agitation, Atomoxetine discontinued

panic attacks.

09/02/08

Agitation

Panic attack

Capsule

Medicine details:

Strattera (Suspected)

Reason:

40 Milligram

Daily

Oral

Batch: A344066 Exp Feb 2

Started: 08/02/2008

Stopped: 09/02/2008

PUTRAN02 Page 46 of 81



Cases Count: 76

Case Number: 238475

Gender: M

Data Entry Date: 29/02/2008 **Weight (kg)**: 63

Hospitalisation: Required a visit to the doctor **Age**: 20Y

Onset Date: 15/02/2008 **DOB**:

Outcome : Causality : Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Intentional self-injury Possible hypoadrenergic

syndrome.

Agitation

Anger

Depressed mood
Major depression
Mental disorder
Psychotic disorder
Suicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 60 Milligram Daily Oral

Batch: Started: L TERM Stopped: 0

Terbinafine (Other drug) Reason :

PUTRAN02 Page 47 of 81



Cases Count: 76

Case Number: 238517

Gender: M

Data Entry Date: 03/03/2008

Weight (kg): 49

Hospitalisation:

Age: 13Y

Onset Date: 06/02/2008

DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term

Severity

Report Description Dizziness, vomiting.

Treatment

Dizziness

Vomiting

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

20 Milligram

Daily

Oral

Batch:

Started: 29/01/2008

Stopped:

PUTRAN02 Page 48 of 81



Cases Count: 76

Case Number: 239851

Gender: M

Data Entry Date: 11/04/2008

Weight (kg): 85

Hospitalisation:

Age:

Onset Date: 29/02/2008

DOB: 19/01/1990

Outcome:

Causality: Causality possible

Not yet recovered

Information: Acutely distressed. Auditory hallucinations continued after lithium was ceased. Became

less after atomoxetine was withdrawn.

Reaction:

Preferred Term

Severity

Report Description

Treatment

Suicidal ideation

Life threatening

Auditory hallucinations, suicidal ideation.

Lithium ceased, atomoxetine

withdrawn

Hallucination, auditory Life threatening Lithium ceased, atomoxetine withdrawn

Medicine details:

Atomoxetine Hydrochloride (Suspected)

Reason: Behavior disorders of childhood

60 Milligram

750 Milligram

Daily

Batch:

Started: 27/02/2008

Stopped: 09/03/2008

Lithium Carbonate (Other drug)

Reason:

Daily

Oral

Batch:

Started: 27/02/2008

Stopped: 04/03/2008

PUTRAN02 Page 49 of 81



Cases Count: 76

Case Number: 240530

Gender: M

Data Entry Date: 01/05/2008 **Weight (kg)**: 0

Hospitalisation: Admitted to hospital **Age**: 13Y

Onset Date : DOB :

Outcome: Causality: Causality possible

Recovered

Information: History of borderline autism, delusional disorder and psychotic disorder.

Reaction:

Anxiety

Preferred Term Severity Report Description Treatment

Psychotic disorder Caused or prolonged

inpatient hospitalisation

Psychotic disorder, heart rate increased, dizziness and anxiety.

Strattera discontinued.

Caused or prolonged

inpatient

hospitalisation

Dizziness Caused or prolonged

inpatient hospitalisation

Heart rate increased Caused or prolonged

inpatient

hospitalisation

Medicine details:

Strattera (Suspected) Reason :

Capsule 60 Milligram Daily Oral

Batch: Started: Stopped: 0

PUTRAN02 Page 50 of 81



Cases Count: 76

Case Number: 241010

Gender: M

Age:

Data Entry Date: 19/05/2008 Weight (kg): 36

Hospitalisation: Required a visit to the doctor

Onset Date : DOB : 23/01/1995

Outcome : Causality : Causality probable

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Tachycardia Tachycardia Atomoxetine withdrawn

Medicine details:

Atomoxetine Hydrochloride (Suspected) Reason: Behavior disorders of childhood

40 Milligram Daily

Batch: Started: Stopped:

PUTRAN02 Page 51 of 81



Cases Count: 76

Case Number : 241793

Gender: M

Data Entry Date: 11/06/2008

Weight (kg): 0

Hospitalisation:

Age:

Onset Date :

DOB: 19/07/1960

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term

Severity Report Description

Treatment

Suicidal ideation

Suicidal ideation.

Medicine details:

Lovan (Suspected)

Reason: Depression

Oral

Batch :

Started:

Stopped :

Strattera (Suspected)

Reason:

18 Milligram

Daily

Oral

Capsule

Batch:

Started:

Stopped:

0

PUTRAN02 Page 52 of 81



Cases Count: 76

Case Number: 241920

Gender: F

Data Entry Date: 16/06/2008 Weight (kg): 0

Hospitalisation: Age: 25Y

Onset Date : DOB :

Outcome : Causality : Causality possible

Unknown

Information: Suspected interaction: Concurrent use of paroxetine and atomoxetine may result in an

increase in atomoxetine steady-state plasma concentrations.

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation, nausea Reduced dose of Atomoxetine

and gastroesophageal

reflux.

Gastrooesophageal reflux

disease Nausea

Medicine details:

Paroxetine Hydrochloride (Interaction) Reason :

Batch: Started: Stopped:

Strattera (Interaction) Reason : Behavior disorders of childhood

60 Milligram Daily

Batch: Started: Stopped:

PUTRAN02 Page 53 of 81



Cases Count: 76

Case Number: 242440

Gender: M

Data Entry Date: 01/07/2008 **Weight (kg)**: 23.3

Hospitalisation: Age: 7Y

Onset Date: 26/05/2008 **DOB**:

Outcome: Causality: Causality probable

Recovered

Information: Medical condition. Average IQ, sleep disorder, anxiety and history of suicidal ideation.

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Suicidal ideation. Strattera stopped.

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Tablet 1 Dose Unspec Daily Oral

Batch: **Started**: 01/02/2008 **Stopped**: 29/05/2008

PUTRAN02 Page 54 of 81



Cases Count: 76

Case Number: 242981

Gender: M

Data Entry Date: 16/07/2008

Weight (kg): 0

Hospitalisation:

Age: 10Y

Onset Date: 15/06/2008 DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity **Report Description**

Treatment

Atomexetine was discontinued.

Psychotic behaviour

Patient developed psychotic symptoms, was being vague and talking about suicide, the reporting healthcare professional

also thought that the patient had developed a

rash.

Rash

Suicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 10 Milligram Daily Oral

Stopped: 15/06/2008 Batch: Started: 15/06/2008

PUTRAN02 Page 55 of 81



Cases Count: 76

Case Number: 243276

M/-1-14 (L-) 00

Data Entry Date: 29/07/2008

Weight (kg): 60

Hospitalisation:

Age:

Gender: F

Onset Date: 10/07/2008

DOB: 23/08/1974

Outcome: 15/07/2008

Causality: Causality probable

Recovered

Information:

Reaction:

Breast swelling

Preferred Term Severity

Report Description

Treatment

Swollen breasts "as if

Ceased Atomoxetine

pregnant".

Medicine details:

Atomoxetine Hydrochloride (Suspected)

Reason: Behavior disorders of childhood

85 Milligram

Daily

Batch: **Started**: 09/07/2008

Stopped: 12/07/2008

PUTRAN02 Page 56 of 81



Cases Count: 76

Gender: M

Case Number: 244192

Hospitalisation: Required a specialist consultation Age:

Onset Date: 27/07/2008 DOB: 29/12/1993

Outcome : Causality : Causality possible

Recovered

Information: Experiencing seizures about two years ago while on methylphenidate. Diagnosed as

primary generalised epilepsy, manifesting as photosensitive seizures. Treated with

Epilim.

Reaction:

Preferred Term Severity Report Description Treatment

Convulsion Two days after starting Ceased Atomoxetine. atomoxetine, the patient Methylphenidate recommenced.

experienced a convulsion.
Pt was initially on Ritalin
(methylphenidate) but was

switched to Strattera (Atomoxetine

hydrochloride) because Ritalin had an effect on the pts growth (as stated by the treating physician). the patient had a past history of seizures and was

already on on sodium valproate 400mg bd

Medicine details:

Ritalin (Suspected) Reason :

Batch: Started: Stopped:

Strattera (Suspected) Reason :

Capsule

Batch: **Started**: 25/07/2008 **Stopped**: 27/07/2008 0

Epilim (Other drug) Reason :

2 times Oral

Batch: Started: Stopped: 0

Laboratory Investigations:

Type Range Date Tested Result Details

Other data 350-700 (no 27/07/2008 467 epilim level 467

units)

Electroencephalograph 27/07/2008 abn abnormal bifrontal spike wave and photo

peroxyl response

PUTRAN02 Page 57 of 81



Cases Count: 76

Gender: M

Age:

Case Number: 245184

Data Entry Date: 07/10/2008 **Weight (kg)**: 30

Hospitalisation: Required a visit to the doctor

Onset Date : DOB : 02/12/2000

Outcome : Causality : Causality probable

Recovered

Information:

Reaction:			
Preferred Term	Severity	Report Description	Treatment
Agitation	Caused or prolonged inpatient hospitalisation	Aggressive outbursts, agitation, poor appetite, weight loss of 2 kg, night sweats.	
Aggression	Caused or prolonged inpatient hospitalisation		
Decreased appetite	Caused or prolonged inpatient hospitalisation		
Night sweats	Caused or prolonged inpatient hospitalisation		
Weight decreased	Caused or prolonged inpatient hospitalisation		

Medicine details :						
Strattera (Suspected)	Re	Reason: Behavior disorders of childhood				
Capsule	40 Milligram	Daily	Oral			
Batch :	Started : 19/05/2008		Stopped : 25/07/2008			
Lovan (Other drug)	Re	eason :				
Batch :	Started :		Stopped :			
Omeprazole (Other drug)	Re	eason :				
Batch :	Started :		Stopped :			
Ranitidine (Other drug)	Re	eason :				
Batch :	Started :		Stopped :			
Seretide 125/25 MDI (Other dru	g) Re	eason:				
Batch :	Started :		Stopped :			
Singulair (Other drug)	Re	eason :				
Batch :	Started :		Stopped :			

PUTRAN02 Page 58 of 81

Medicine details :							
Ventolin (Other drug)		Reason:					
Batch :	Started :		Stopped:				

PUTRAN02 Page 59 of 81



Cases Count: 76

Case Number: 245264

Gender: M

Data Entry Date: 08/10/2008 **Weight (kg)**: 0

Hospitalisation : Age :

Onset Date : DOB : 28/02/1992

Outcome: Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Urinary retention Experienced severe urinary

retention.

Medicine details:

Strattera (Suspected) Reason : Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: **Started**: 29/07/2008 **Stopped**: 0

PUTRAN02 Page 60 of 81



Cases Count: 76

Case Number: 245627

Gender: F

Data Entry Date: 20/10/2008

Weight (kg): 0

Hospitalisation:

Age: 40Y

Onset Date:

DOB:

Outcome:

Causality: Causality probable

Recovered

Information:

Medical condition: deafness neurosensory partial - took her son's medication and said

that her hearing improved - dexamphetamine.

Reaction:

Preferred Term

Severity

Report Description

Treatment

Psychotic disorder

Caused or prolonged inpatient hospitalisation

Patient's son started on Strattera 60mg daily.

Patient took large amounts of her sons medication and

became psychotic.

Intentional drug misuse

Caused or prolonged

inpatient

hospitalisation

Overdose

Caused or prolonged

inpatient hospitalisation

Medicine details:

Reason:

Batch:

Strattera (Suspected)

Started:

Stopped:

PUTRAN02 Page 61 of 81



Cases Count: 76

Case Number: 245849

Gender: M

Data Entry Date: 27/10/2008

Weight (kg): 0

Hospitalisation:

Age: 11Y

Onset Date :

DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term

Overdose

Severity

Report Description

Treatment

F

Patient experienced a psychotic episode and took

an overdose of his mother's thyroxine.

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Oral

Batch :

Started:

Stopped:

PUTRAN02 Page 62 of 81



Cases Count: 76

Strattera had been temporarily

withheld since 19/06/2008.

Gender: M

Case Number : 246156

Data Entry Date: 11/11/2008 **Weight (kg)**: 0

Hospitalisation: Age:

Onset Date: 19/06/2008 DOB: 13/11/1989

Outcome: 20/06/2008 Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Abdominal pain upper Caused or prolonged inpatient

hospitalisation

Patient received Strattera, 40-60mg daily orall ybeginning on 2/06/2008, on the night of the 19/06/2008, patient was admitted to hospital, it was reported that the patient had acute onset of severe sharp epigastric pain with radiation to the back, nausea. The pain was so severe that the patient felt hecould not breathe, he was initially diagnosed with acute pancreatitis. The

patient was also reported to have preceded with signs of viral infection with probable viral induced pancreatitis. Increased neutrophils and CRP increased from 43 to 73.

Stopped: 19/06/2008

Dyspnoea Caused or prolonged

inpatient hospitalisation

Nausea Caused or prolonged

inpatient hospitalisation

Neutrophil count increased Caused or prolonged

inpatient hospitalisation

Pancreatitis viral Caused or prolonged

inpatient hospitalisation

Started: 02/06/2008

Medicine details:

Batch:

Strattera (Suspected) Reason: Behavior disorders of childhood

Tablet 40 Milligram Daily Oral

PUTRAN02 Page 63 of 81

Laboratory Investigations:

Туре Range Details Date Tested Result

Neutrophils

Computerised axial tomography CT normal, no incidence of serious pancreatitis. 20/06/2008

Neutrophil increased 20/06/2008.

C-Reactive Protein 20/06/2008 43

PUTRAN02 Page 64 of 81



Cases Count: 76

Case Number: 246181 Gender: M

Data Entry Date: 12/11/2008 **Weight (kg)**: 0

Hospitalisation: Age: 16Y

Onset Date : DOB :

Outcome : Causality : Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Raynaud's phenomenon Patient received

atomoxetine hydrochloride

for the treatment of

attention

deficit/hyperactivity disorder, beginning on an unknown day in 2006. On an unknown date the patient experienced Raynaud's phenomenon.

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 40 Milligram Daily Oral

Batch: **Started**: 01/10/2007 **Stopped**: 0

Risperdal (Other drug) Reason :

Batch: Started: Stopped:

PUTRAN02 Page 65 of 81



Cases Count: 76

Case Number : 246386

Gender: M

Data Entry Date: 19/11/2008 **Weight (kg)**: 0

Hospitalisation: Age:

Onset Date : DOB : 12/12/1976

Outcome: Causality: Causality possible

Unknown

Information: The patient was having abnormal rhythm for many years.

Minor raynaud's syndrome.

Recurrence of ADHD symptoms was observed and the dosage was increased to 85mg

(60/25) on 11/8/08.

The patient was continuing 85mg daily without recurrence of palpitations but not so good control of ADHD symptoms and the psychiatrist was planning to increase the dose to 25mg three times and 18.5mg once per day. The reporting psychiatrist stated that the event palpitation was possibly due to exacerbation of sinus tachycardia which may have been secondary to low blood pressure (BP) or could be due to atomoxetine with benign

ventricular and supraventricular beats.

Reaction:

Preferred Term Severity Report Description Treatment

Palpitations
Patient experienced palpitations, supraventricular extrasystoles, weight decreased, dry mouth,

decreased, dry mouth hypoaesthesia. upper central chest pain.

Dosage of atomoxetine was dropped to 60mg and then increased to 85mg and dropped

to 80mg.

Chest pain

Dry mouth

Hypoaesthesia

Ventricular extrasystoles

Weight decreased

Medicine details:

Electrocardiography

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 85 Milligram Daily Oral

Batch: Started: Stopped:

Laboratory Investigations:

Type Range Date Tested Result Details

performed for 24-hours total of 131742 beats (QRS) were analysed. Average heart rate was 91 beats per minute with

heart rate was 91 beats per minute with a maximum rate of 167 BPM at 18:38 hours and a minimum of 53 BPM at

04:55.

Shows Sinus rhythm with multiple nodal

beat, discussed with

electrocardiophysiologist, feels it a begnign rhythm and the need for ADD treatment may out weight the annoyance

of the frequent junctional beats.

Ambulatory ECG analysis was

PUTRAN02 Page 66 of 81

Laboratory Investigations:

Type Range Date Tested Result Details

Heart Rate Maximum heart rate was 167/min. Was

Maximum heart rate was 167/min. Was noted but no bouts of paroxysmal tachycardia were seen patient signalled two events these showed sinus tachycardia and rapid sinus rhythm.

PUTRAN02 Page 67 of 81



Cases Count: 76

Case Number: 246522

Onset Date: 15/10/2008

Gender: M

Age:

Data Entry Date: 25/11/2008 **Weight (kg)**: 27

Hospitalisation: Required a visit to the doctor

DOB: 22/05/1999

Outcome : Causality : Causality possible

Unknown

Information: DOCI report.

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Child experienced suicidal Strattera reduced to 25mg.

thoughts, ongoing nausea and taste disturbance.

Dysgeusia Nausea

Medicine details:

Strattera (Suspected) Reason : Behavior disorders of childhood

35 Milligram Daily

Batch: Started: 15/08/2008 **Stopped:** 14/10/2008

Concerta (Other drug) Reason: Behavior disorders of childhood

27 Milligram Daily

Batch: Started: Stopped:

PUTRAN02 Page 68 of 81



Cases Count: 76

Case Number: 246545

Onset Date: 01/09/2008

Gender: M

Age:

Data Entry Date: 25/11/2008 **Weight (kg)**: 34.8

Hospitalisation: Required a specialist consultation

DOB: 20/04/1997

Outcome: Causality: Causality possible

Not yet recovered

Information: Several years ago the child had a 2 week trial of Ritalin which caused depression and a

trial of Dexamphetamine which had no effect on concentration. DOCI report.

Reaction:

Preferred Term Severity Report Description Treatment

Agitation Child was taking 25mg of Given 25mg of diazepam. Strattera when his Strattera stopped.

behaviour deteriorated on 01/09/08. He became extremely agitated, terrified and talked about wanting to

die.

Fear

Suicidal ideation

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 25 Milligram Daily Oral

Batch: **Started**: 11/08/2008 **Stopped**: 03/09/2008

PUTRAN02 Page 69 of 81



Cases Count: 76

Case Number: 248257

Gender: M

Data Entry Date: 04/02/2009

Weight (kg): 0

Hospitalisation: Required a visit to the doctor

Age: 13Y

Onset Date:

DOB:

Outcome: 04/12/2008

Causality: Causality probable

Recovered

Information:

Began Strattera 25mg for one week, increased to 40mg for one week, then increased to

65mg.

Reaction:

Preferred Term Mood swings

Severity

Report Description

Treatment

Ceased Strattera

By 2nd week on 40mg dose of Strattera parents

noticed patient was more moody, irritable, but patient noticed concentration had improved at school, by 4th

week-suicidal ideation (wanting to end it all, life not worth living), no

specific plans, physical and verbal aggression to family, school teachers and peers, roughly handling pets.

Crying excessively, angry, withdrawn, socially isolatory, impulsive, moody, stopped being affectionate to family.

Aggression

Anger

Crying

Impulsive behaviour

Irritability

Social avoidant behaviour

Suicidal ideation

Medicine details:

Strattera (Suspected)

Reason:

Daily

Capsule Batch:

Started: 28/10/2008

Stopped: 26/11/2008

Oral

PUTRAN02 Page 70 of 81

65 Milligram



Cases Count: 76

Case Number: 248387

Gender: M

Data Entry Date: 09/02/2009 **Weight (kg)**: 0

Hospitalisation: Required a specialist consultation Age:

Onset Date : DOB : 07/02/1994

Outcome: Causality: Causality possible

Not yet recovered

Information: DOCI report. Medical codition: substance abuse, low grade dysthymia. Patient was

suffering from low mood, probably since 2007. Concomitant medications included ethanol and cannabis sativa (self-administered by the patient. The reporting pediatrician stated that she did not know if the events were related to atomoxetine treatment as the patient had low grade dysthymia. The reporting pediatrician also stated that the patient already had depressed mood, so may had experienced suicidal thoughts even without

atomexetine.

Reaction:

Preferred Term Severity Report Description Treatment

Depressed mood Life threatening Patient experienced lower

mood swings that became worse and also was expressing suicidal

thoughts.

Atomoxetine was discontinued in response to the events. It was stated that the patient had been referred to a psychiatrist for the

management of depression.

0

Suicidal ideation Life threatening

Medicine details:

Alcohol (Suspected) Reason :

Oral

Batch: Started: Stopped:

Cannabis Preparation (Suspected) Reason :

Batch: Started: Stopped:

Strattera (Suspected) Reason: Behavior disorders of childhood

Capsule 80 Milligram Daily Oral

Batch: **Started**: 10/06/2008 **Stopped**: 29/10/2008

PUTRAN02 Page 71 of 81



Cases Count: 76

Case Number: 248437

Data Entry Date: 09/02/2009 **Weight (kg)**: 48.25

Hospitalisation: Required a visit to the doctor Age:

Onset Date: 15/11/2008 DOB: 22/02/1997

Outcome : Causality : Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Emergence of suicidal Strattera ceased immediately

ideation, emotional lability and somnolence when reached 40 mg daily dose.

reached 40 mg daily dose.

Affect lability

Somnolence

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

40 Milligram Daily

Batch: **Started**: 19/09/2008 **Stopped**: 27/11/2008

Melatonin (Other drug) Reason :

Milligram Daily

,

Batch: Started: Stopped:

Risperidone (Other drug) Reason :

Milligram Daily

Batch: Started: Stopped:

PUTRAN02 Page 72 of 81



Cases Count: 76

Case Number: 249446

Gender: F

Data Entry Date: 19/03/2009

Weight (kg): 0

Hospitalisation:

Age: 12Y

Onset Date :

DOB:

Outcome:

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term

Intentional self-injury

Severity

Report Description

Treatment

Ripped out her fingernails

and toenails.

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Batch:

Started:

Stopped:

PUTRAN02 Page 73 of 81



Cases Count: 76

Gender: F

Case Number: 249447

Data Entry Date: 19/03/2009 **Weight (kg)**: 0

Hospitalisation: Age: 9Y

Onset Date : DOB :

Outcome: Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Intentional self-injury Patient experienced

self-harming.

Medicine details:

Strattera (Suspected) Reason :

Batch: Started: Stopped:

PUTRAN02 Page 74 of 81



Hospitalisation:

Outcome:

Public Case Detail

Cases Count: 76

Case Number: 249950

Gender: M

Data Entry Date: 06/04/2009 **Weight (kg)**: 0

Age:

Onset Date: 15/07/2008

DOB: 23/11/1980

Causality: Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Repo

Report Description

Treatment

Suicidal ideation

Caused or prolonged

After three or four days of not taking atomoxetine, he

Diazepam and olanzapine.

inpatient hospitalisation

experienced extreme agiation and anxiey and an uncontollable senstation of coldness and shaking and withdrawal symptoms, the

patient was reported as being suicidal and espressed suicidal

ideation.

Agitation

Caused or prolonged

inpatient

hospitalisation

Anxiety

Caused or prolonged

inpatient

hospitalisation

Feeling cold

Caused or prolonged

inpatient

hospitalisation

Tremor

Caused or prolonged

inpatient

hospitalisation

Withdrawal syndrome

Caused or prolonged

inpatient

hospitalisation

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

80 Milligram

Daily

Oral

Batch:

Started :

Stopped:

PUTRAN02 Page 75 of 81



Cases Count: 76

Strattera withheld.

Case Number: 250025

Gender: M

Data Entry Date: 08/04/2009 **Weight (kg)**: 23

Hospitalisation : Age :

Onset Date : DOB : 21/07/2000

Outcome : Causality : Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Suicidal ideation Caused or prolonged inpatient

hospitalisation

Suicidal ideation, drawings of him hanging upside down from tree, in ocean (ADHD 2007), long history DV, recent escalation of behaviour problems, mum and school finding his behaviour difficulty to

manage, aggression, self harm.

Aggression Caused or prolonged

inpatient

hospitalisation

Intentional self-injury Caused or prolonged

inpatient hospitalisation

Medicine details:

Risperidone (Suspected) Reason :

Tablet 250 Milligram Daily Oral

Batch: Started: 25/11/2005 Stopped:

Strattera (Suspected) Reason :

Capsule 30 Milligram Daily Oral

Batch: Started: Stopped:

PUTRAN02 Page 76 of 81



Cases Count: 76

Case Number: 250615

Gender: M

Data Entry Date: 29/04/2009 **Weight (kg)**: 30

Hospitalisation: Admitted to hospital **Age**:

Onset Date: 03/04/2009 DOB: 24/10/2003

Outcome : Causality : Causality possible

Recovered

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Dystonia Caused or prolonged Mother report about son: Cogentin for dystonia .

inpatient Patient experienced hospitalisation seizures and dystonic

reaction.

Convulsion Caused or prolonged

inpatient hospitalisation

Medicine details:

Risperdal (Suspected) Reason :

1 Milligram Daily Oral

Batch: **Started**: 30/03/2009 **Stopped**: 03/04/2009

Strattera (Suspected) Reason :

Batch: Started: Stopped:

PUTRAN02 Page 77 of 81



Cases Count: 76

Case Number: 250791

Gender: M

Data Entry Date: 07/05/2009

Weight (kg): 32

Hospitalisation:

Age:

Onset Date: 20/04/2009

DOB: 27/03/1998

Outcome:

Causality: Causality possible

Not yet recovered

Information:

Reaction:

Preferred Term Severity **Report Description**

Treatment

Cessation of medication

Social avoidant behaviour

Withdrawn, increased lability, increased impulsivity, negative behaviours, oppositional

behaviours, emotional

disturbance

Abnormal behaviour

Affect lability

Capsule, soft

Impulsive behaviour

Medicine details:

Strattera (Suspected) Reason: Behavior disorders of childhood

> 40 Milligram Daily Oral

Batch: Started: 20/02/2009 **Stopped:** 07/05/2009

Laboratory Investigations:

Type Range Date Tested Result Details

Other data Child already having psychology

treatment for emotional/mood issues -

worsened on medication.

PUTRAN02 Page 78 of 81



Cases Count: 76

Case Number: 254404

Gender: M

Data Entry Date: 24/07/2009

Weight (kg): 0

Hospitalisation:

Age: 10Y

Onset Date :

DOB:

Outcome:

Causality: Causality possible

Recovered

Information:

Reaction:

Preferred Term

Severity

Report Description

Treatment

Strattera discontinued.

Hallucination, auditory

24 hours after the initial dose of Strattera therapy, patient displayed psychosis

for the first time and experienced "hearing voices in his head to kill his

sister".

Medicine details:

Strattera (Suspected)

Reason: Behavior disorders of childhood

Capsule

Oral

Batch:

Started:

Stopped:

PUTRAN02 Page 79 of 81



Cases Count: 76

Gender: M

Case Number: 254536

Data Entry Date: 26/07/2009 **Weight (kg)**: 0

Hospitalisation: Age:

Onset Date : DOB : 25/04/1997

Outcome : Causality : Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Sinus tachycardia

Experienced sinus
tachycardia, episodes of
flushing, exercise
intolerance, exhausted,
episodes of sweating,
lethargy, marked increase
in appetite and anorexia.

Decreased appetite

Exercise tolerance decreased

Fatigue

Flushing

Hyperhidrosis

Increased appetite

Lethargy

Medicine details :

Strattera (Suspected) Reason :

Capsule

Batch: Started: Stopped:

PUTRAN02 Page 80 of 81



Cases Count: 76

Case Number: 255654

Gender: M

Data Entry Date: 20/08/2009 **Weight (kg)**: 0

Hospitalisation: Age: 8Y

Onset Date : DOB :

Outcome : Causality : Causality possible

Unknown

Information:

Reaction:

Preferred Term Severity Report Description Treatment

Homicidal ideation

Child had lost appeitie, was homicidal, losing weight and lashing out/angry, patient had bruising.

Anger

Contusion

Decreased appetite
Weight decreased

Medicine details:

Strattera (Suspected) Reason :

Capsule 40 Milligram Daily Oral

Batch: Started: 18/06/2009 Stopped:

Selection Parameters : Date Range: 01/01/1960 To 31/08/2009 Medicine Status: General marketing Unclear causality excluded Medicine Names: Atomoxetine Hydrochloride, Strattera

PUTRAN02 Page 81 of 81