

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|---|--------------------------------------|------------------|------------|----------------|-----------|
| Case Count | | | 626 | 27 | 369 |
| Reaction Count | Blood and lymphatic system disorders | Anaemia | 2 | 0 | 1 |
| | | Thrombocytopenia | 9 | 0 | 4 |
| Polycythaemia | | 1 | 0 | 1 | |
| Leukocytosis | | 3 | 0 | 2 | |
| Lymphocytosis | | 1 | 0 | 0 | |
| Neutrophilia | | 2 | 0 | 0 | |
| Leukopenia | | 15 | 0 | 12 | |
| Lymphopenia | | 1 | 0 | 1 | |
| Agranulocytosis | | 1 | 0 | 0 | |
| Neutropenia | | 38 | 1 | 23 | |
| Blood and lymphatic system disorders | | | 73 | 1 | 44 |
| Cardiac disorders | Atrioventricular block first degree | 1 | 0 | 0 | |
| | Bundle branch block left | 1 | 0 | 1 | |
| | Arrhythmia | 1 | 0 | 1 | |
| | Bradycardia | 3 | 0 | 1 | |
| | Tachycardia | 27 | 0 | 13 | |
| | Atrial fibrillation | 2 | 0 | 0 | |
| | Sinus tachycardia | 3 | 0 | 1 | |
| | Cardiac arrest | 1 | 0 | 1 | |
| | Cardio-respiratory arrest | 1 | 1 | 0 | |
| | Torsade de pointes | 1 | 0 | 0 | |
| | Ventricular extrasystoles | 1 | 0 | 1 | |
| | Ventricular tachycardia | 2 | 0 | 2 | |
| | Palpitations | 8 | 0 | 4 | |
| | Myocardial infarction | 3 | 1 | 2 | |
| | Myocardial ischaemia | 1 | 1 | 0 | |
| | Cardiac failure | 1 | 0 | 1 | |
| | Cardiomyopathy | 6 | 0 | 3 | |
| | Ischaemic cardiomyopathy | 2 | 0 | 2 | |
| Diastolic dysfunction | 1 | 0 | 1 | | |
| Left ventricular dysfunction | 1 | 0 | 0 | | |
| Myocarditis | 6 | 1 | 1 | | |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code








 Case Group

 GM

 Quetiapine








Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|----------------|--|---|----------------|----------------|-----------|
| Reaction Count | Cardiac disorders | Cardiac disorders | 73 | 4 | 35 |
| | Congenital, familial and genetic disorders | Pulmonary artery atresia | 1 | 0 | 0 |
| | | Ventricular septal defect | 1 | 0 | 0 |
| | | Meningomyelocele | 1 | 0 | 0 |
| | | Spina bifida | 1 | 0 | 0 |
| | | Congenital, familial and genetic disorders | 4 | 0 | 0 |
| | Ear and labyrinth disorders | Deafness | 1 | 0 | 0 |
| | | Vertigo | 1 | 0 | 0 |
| | | Ear and labyrinth disorders | 2 | 0 | 0 |
| | Endocrine disorders | Hyperprolactinaemia | 2 | 0 | 2 |
| | | Endocrine disorders | 2 | 0 | 2 |
| | Eye disorders | Xerophthalmia | 1 | 0 | 1 |
| | | Eye pain | 1 | 0 | 1 |
| | | Periorbital oedema | 1 | 0 | 1 |
| | | Conjunctivitis | 1 | 0 | 1 |
| | | Ulcerative keratitis | 1 | 0 | 1 |
| | | Blepharospasm | 2 | 0 | 1 |
| | | Oculogyric crisis | 4 | 0 | 1 |
| | | Opsoclonus myoclonus | 1 | 0 | 1 |
| | | Mydriasis | 3 | 0 | 1 |
| | | Accommodation disorder | 1 | 0 | 0 |
| | | Hypermetropia | 1 | 0 | 1 |
| | | Vision blurred | 2 | 0 | 0 |
| | | Visual impairment | 4 | 0 | 3 |
| | | Eye disorders | 23 | 0 | 13 |
| | | Gastrointestinal disorders | Tooth disorder | 1 | 0 |
| | Tooth loss | | 1 | 0 | 0 |
| | Gastrointestinal haemorrhage | | 1 | 0 | 1 |
| | Melaena | | 1 | 0 | 0 |
| | Gastritis | | 1 | 0 | 0 |
| | Oesophagitis | | 1 | 0 | 0 |
| | Diarrhoea | | 9 | 0 | 5 |
| | Colonic pseudo-obstruction | | 1 | 0 | 1 |

-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole | | |
|----------------|----------------------------|--|-------------|----------------|------------|----------|-----------|
| Reaction Count | Gastrointestinal disorders | Constipation | 12 | 0 | 11 | | |
| | | Dyspepsia | 2 | 0 | 2 | | |
| | | Faecaloma | 2 | 0 | 1 | | |
| | | Abdominal distension | 3 | 0 | 2 | | |
| | | Abdominal pain | 3 | 0 | 3 | | |
| | | Dysphagia | 7 | 0 | 4 | | |
| | | Nausea | 14 | 0 | 9 | | |
| | | Vomiting | 11 | 0 | 7 | | |
| | | Intestinal obstruction | 2 | 0 | 1 | | |
| | | Intestinal stenosis | 1 | 0 | 1 | | |
| | | Gastric ulcer | 1 | 0 | 0 | | |
| | | Intestinal ulcer | 1 | 0 | 1 | | |
| | | Paraesthesia oral | 1 | 0 | 1 | | |
| | | Hypoaesthesia oral | 1 | 0 | 1 | | |
| | | Gingival swelling | 1 | 0 | 1 | | |
| | | Mouth ulceration | 2 | 0 | 2 | | |
| | | Stomatitis | 1 | 0 | 1 | | |
| | | Dry mouth | 10 | 0 | 7 | | |
| | | Salivary hypersecretion | 1 | 0 | 0 | | |
| | | Tongue disorder | 3 | 0 | 0 | | |
| | | Tongue ulceration | 1 | 0 | 1 | | |
| | | Swollen tongue | 1 | 0 | 0 | | |
| | | Tongue discolouration | 1 | 0 | 1 | | |
| | | Tongue oedema | 2 | 0 | 2 | | |
| | | Tongue spasm | 1 | 0 | 1 | | |
| | | Gastrointestinal disorders | | | 101 | 0 | 67 |
| | | General disorders and administration site conditions | Hypothermia | 3 | 0 | 1 | |
| | | | Pyrexia | 19 | 0 | 5 | |
| | Death | | 6 | 6 | 2 | | |
| | Sudden death | | 5 | 4 | 0 | | |
| | Asthenia | | 4 | 0 | 3 | | |
| | Fatigue | | 7 | 1 | 3 | | |
| | Malaise | | 5 | 1 | 2 | | |

-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|-----------------------|--|---|------------|----------------|-----------|
| Reaction Count | General disorders and administration site conditions | Abasia | 2 | 0 | 0 |
| | | Gait disturbance | 4 | 0 | 2 |
| | | Condition aggravated | 6 | 0 | 3 |
| | | Influenza like illness | 3 | 0 | 3 |
| | | Irritability | 3 | 0 | 2 |
| | | Face oedema | 1 | 0 | 1 |
| | | Generalised oedema | 2 | 0 | 1 |
| | | Gravitational oedema | 2 | 0 | 1 |
| | | Oedema | 6 | 0 | 4 |
| | | Oedema peripheral | 10 | 0 | 7 |
| | | Chest pain | 5 | 1 | 2 |
| | | Pain | 3 | 0 | 2 |
| | | Chest discomfort | 1 | 0 | 1 |
| | | Chills | 3 | 0 | 1 |
| | | Feeling abnormal | 2 | 0 | 2 |
| | | Thirst | 2 | 0 | 2 |
| | | Drug interaction | 13 | 0 | 1 |
| | | Drug ineffective | 13 | 1 | 11 |
| | | Therapeutic response unexpected | 1 | 0 | 1 |
| | | Drug withdrawal syndrome | 5 | 0 | 1 |
| | | Drug withdrawal syndrome neonatal | 9 | 0 | 3 |
| | | Product quality issue | 1 | 0 | 0 |
| | | Product substitution issue | 1 | 0 | 0 |
| | | General disorders and administration site conditions | | 147 | 14 |
| | Hepatobiliary disorders | Hyperbilirubinaemia | 1 | 0 | 1 |
| | | Jaundice | 5 | 0 | 4 |
| | | Hepatic function abnormal | 9 | 1 | 7 |
| | | Hepatic failure | 1 | 0 | 1 |
| | | Hepatic steatosis | 3 | 0 | 2 |
| Hepatitis | | 2 | 0 | 1 | |
| Hepatocellular injury | | 1 | 0 | 1 | |
| Hepatotoxicity | | 1 | 0 | 1 | |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code








 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|----------------|---|--|-----------------------------|----------------|------|
| Reaction Count | Hepatobiliary disorders | Hepatobiliary disorders | 23 | 1 | 18 |
| | Immune system disorders | Anaphylactic shock | 1 | 0 | 1 |
| | | Immune system disorders | 1 | 0 | 1 |
| | Infections and infestations | Candidiasis | 3 | 0 | 1 |
| | | Endocarditis | 1 | 0 | 1 |
| | | Infection | 1 | 0 | 0 |
| | | Pneumonia | 1 | 0 | 0 |
| | | Pneumonia primary atypical | 1 | 0 | 0 |
| | | Sepsis | 1 | 0 | 0 |
| | | Rhinitis | 1 | 0 | 1 |
| | | Sinusitis | 1 | 0 | 1 |
| | | Urinary tract infection | 2 | 0 | 1 |
| | | Influenza | 1 | 0 | 0 |
| | | Viral upper respiratory tract infection | 1 | 0 | 1 |
| | | Infections and infestations | 14 | 0 | 6 |
| | | Injury, poisoning and procedural complications | Accidental poisoning | 2 | 2 |
| | Toxicity to various agents | | 3 | 3 | 0 |
| | Drug exposure during pregnancy | | 26 | 1 | 15 |
| | Fall | | 5 | 0 | 2 |
| | Road traffic accident | | 1 | 0 | 0 |
| | Frostbite | | 1 | 0 | 1 |
| | Incorrect dose administered | | 1 | 0 | 0 |
| | Medication error | | 2 | 0 | 0 |
| | Drug exposure via breast milk | | 3 | 0 | 1 |
| | Accidental overdose | | 4 | 1 | 1 |
| | Intentional overdose | | 8 | 1 | 4 |
| | Multiple drug overdose | | 1 | 0 | 0 |
| | Overdose | | 8 | 1 | 3 |
| | Injury, poisoning and procedural complications | | 65 | 9 | 27 |
| | Investigations | | Ejection fraction decreased | 2 | 0 |
| | | Cardiovascular function test abnormal | 1 | 0 | 0 |
| | | Electrocardiogram QT prolonged | 15 | 0 | 9 |
| | | Electrocardiogram ST segment elevation | 1 | 0 | 1 |

-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine

Medicine summary - Antipsychotics- quetiapine

| Reaction Count | Investigations | Case Group | Death Outcomes | Sole |
|----------------|---|------------|----------------|------|
| | Electrocardiogram abnormal | 6 | 0 | 3 |
| | Heart rate decreased | 1 | 0 | 1 |
| | Heart rate increased | 2 | 0 | 1 |
| | Heart rate irregular | 3 | 0 | 2 |
| | Blood prolactin increased | 4 | 0 | 2 |
| | Blood thyroid stimulating hormone increased | 1 | 0 | 1 |
| | Blood creatine phosphokinase increased | 22 | 0 | 8 |
| | Cardiac enzymes increased | 1 | 0 | 1 |
| | Troponin I increased | 1 | 0 | 0 |
| | Troponin increased | 1 | 0 | 0 |
| | International normalised ratio decreased | 1 | 0 | 0 |
| | International normalised ratio increased | 1 | 0 | 1 |
| | Prothrombin level decreased | 1 | 1 | 0 |
| | Prothrombin level increased | 1 | 0 | 0 |
| | Red blood cell sedimentation rate increased | 1 | 0 | 0 |
| | Lymphocyte count increased | 1 | 0 | 1 |
| | Neutrophil count decreased | 1 | 0 | 1 |
| | Neutrophil count increased | 3 | 0 | 0 |
| | White blood cell count decreased | 5 | 0 | 4 |
| | White blood cell count increased | 5 | 0 | 2 |
| | Ammonia increased | 1 | 0 | 0 |
| | Hepatic enzyme increased | 2 | 0 | 0 |
| | Liver function test abnormal | 3 | 0 | 1 |
| | Antinuclear antibody positive | 1 | 0 | 1 |
| | Blood cholesterol increased | 5 | 0 | 3 |
| | Blood triglycerides increased | 4 | 0 | 3 |
| | Blood glucose decreased | 1 | 0 | 1 |
| | Blood glucose fluctuation | 1 | 0 | 1 |
| | Blood glucose increased | 2 | 0 | 1 |
| | Coma scale abnormal | 1 | 0 | 1 |
| | Corneal reflex decreased | 1 | 0 | 0 |
| | Body temperature increased | 1 | 0 | 1 |
| | Weight decreased | 6 | 1 | 3 |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code








 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|--------------------------------------|----------------|---|------------|----------------|-----------|
| Reaction Count | Investigations | Weight increased | 26 | 0 | 20 |
| | | C-reactive protein increased | 2 | 0 | 1 |
| | | Blood chromogranin A increased | 1 | 0 | 1 |
| | | Protein albumin ratio | 1 | 0 | 1 |
| | | Blood creatinine increased | 2 | 0 | 1 |
| | | Glomerular filtration rate decreased | 2 | 0 | 1 |
| | | Urine analysis abnormal | 1 | 0 | 1 |
| | | Urine output decreased | 1 | 0 | 1 |
| | | Drug level increased | 4 | 0 | 0 |
| | | Chemotherapeutic drug level above therapeutic | 1 | 0 | 0 |
| | | Serum ferritin increased | 1 | 0 | 1 |
| | | Investigations | 152 | 2 | 83 |
| | | Metabolism and nutrition disorders | Ketosis | 1 | 0 |
| Acidosis | 2 | | 0 | 0 | |
| Decreased appetite | 2 | | 0 | 1 | |
| Hypophagia | 1 | | 0 | 0 | |
| Increased appetite | 2 | | 0 | 2 | |
| Feeding disorder neonatal | 2 | | 0 | 2 | |
| Weight loss poor | 1 | | 0 | 1 | |
| Hypomagnesaemia | 2 | | 0 | 1 | |
| Diabetic ketoacidosis | 2 | | 0 | 1 | |
| Hyperosmolar state | 1 | | 0 | 1 | |
| Polydipsia | 2 | | 0 | 2 | |
| Hyperkalaemia | 2 | | 0 | 0 | |
| Hypokalaemia | 4 | | 0 | 3 | |
| Hypernatraemia | 1 | | 0 | 0 | |
| Hyponatraemia | 4 | | 0 | 3 | |
| Dehydration | 2 | | 0 | 2 | |
| Fluid retention | 2 | | 0 | 1 | |
| Diabetes mellitus | 9 | | 0 | 5 | |
| Diabetes mellitus inadequate control | 1 | | 0 | 1 | |
| Gestational diabetes | 3 | | 0 | 3 | |
| Type 1 diabetes mellitus | 1 | 0 | 1 | | |

-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|----------------|---|--|------------|----------------|-----------|
| Reaction Count | Metabolism and nutrition disorders | Hyperglycaemia | 10 | 0 | 8 |
| | | Insulin resistance | 2 | 0 | 2 |
| | | Hypercholesterolaemia | 2 | 0 | 2 |
| | | Metabolism and nutrition disorders | 61 | 0 | 43 |
| | Musculoskeletal and connective tissue disorders | Jaw disorder | 1 | 0 | 1 |
| | | Bone loss | 1 | 0 | 0 |
| | | Arthritis | 1 | 0 | 1 |
| | | Arthropathy | 1 | 0 | 1 |
| | | Chondromalacia | 1 | 0 | 1 |
| | | Arthralgia | 2 | 0 | 2 |
| | | Joint stiffness | 1 | 0 | 1 |
| | | Joint swelling | 1 | 0 | 1 |
| | | Myalgia | 6 | 0 | 5 |
| | | Muscle spasms | 4 | 0 | 2 |
| | | Muscle twitching | 3 | 0 | 1 |
| | | Muscle rigidity | 6 | 0 | 1 |
| | | Nuchal rigidity | 1 | 0 | 1 |
| | | Torticollis | 1 | 0 | 0 |
| | | Trismus | 3 | 0 | 1 |
| | | Muscular weakness | 1 | 0 | 1 |
| | | Rhabdomyolysis | 2 | 0 | 0 |
| | | Mobility decreased | 5 | 0 | 0 |
| | | Musculoskeletal stiffness | 3 | 0 | 3 |
| | | Posture abnormal | 1 | 0 | 1 |
| | | Neck mass | 1 | 0 | 1 |
| | | Back pain | 1 | 0 | 1 |
| | | Pain in extremity | 2 | 0 | 2 |
| | Musculoskeletal and connective tissue disorders | 49 | 0 | 28 | |
| | Neoplasms benign, malignant and unspecified (incl cysts and polyps) | Breast cancer female | 1 | 0 | 1 |
| | | Acute lymphocytic leukaemia | 1 | 0 | 0 |
| | | Neoplasms benign, malignant and unspecified (incl cysts and polyps) | 2 | 0 | 1 |
| | Nervous system disorders | Cerebral haemorrhage | 1 | 1 | 0 |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| Reaction Count | | | Case Group | Death Outcomes | Sole |
|----------------|--------------------------|---------------------------|------------|----------------|------|
| | Nervous system disorders | Cerebrovascular disorder | 2 | 0 | 2 |
| | | Tongue paralysis | 1 | 0 | 0 |
| | | Headache | 10 | 2 | 6 |
| | | Tension headache | 1 | 0 | 0 |
| | | Migraine | 1 | 0 | 0 |
| | | Hydrocephalus | 1 | 0 | 1 |
| | | Dementia | 2 | 0 | 1 |
| | | Amnesia | 9 | 0 | 5 |
| | | Memory impairment | 1 | 0 | 0 |
| | | Cognitive disorder | 1 | 0 | 0 |
| | | Disturbance in attention | 3 | 0 | 2 |
| | | Mental impairment | 1 | 0 | 0 |
| | | Choreoathetosis | 1 | 0 | 1 |
| | | Akathisia | 10 | 1 | 8 |
| | | Dyskinesia | 18 | 0 | 11 |
| | | Extrapyramidal disorder | 4 | 0 | 4 |
| | | Hyperkinesia | 4 | 0 | 4 |
| | | Movement disorder | 2 | 0 | 0 |
| | | Psychomotor hyperactivity | 1 | 0 | 1 |
| | | Tardive dyskinesia | 18 | 0 | 14 |
| | | Dystonia | 16 | 0 | 11 |
| | | Spasmodic dysphonia | 1 | 0 | 0 |
| | | Paralysis | 1 | 0 | 1 |
| | | Cogwheel rigidity | 1 | 0 | 0 |
| | | Parkinsonism | 4 | 0 | 1 |
| | | Asterixis | 1 | 0 | 1 |
| | | Tremor | 15 | 0 | 6 |
| | | Hyperreflexia | 2 | 0 | 0 |
| | | Ataxia | 2 | 0 | 1 |
| | | Coordination abnormal | 3 | 0 | 1 |
| | | Nystagmus | 2 | 0 | 1 |
| | | Coma | 2 | 1 | 0 |
| | Aphasia | 4 | 0 | 3 | |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| Reaction Count | | | Case Group | Death Outcomes | Sole |
|----------------|--------------------------|------------------------------------|------------|----------------|------|
| | Nervous system disorders | Altered state of consciousness | 1 | 0 | 0 |
| | | Consciousness fluctuating | 1 | 0 | 0 |
| | | Depressed level of consciousness | 5 | 0 | 2 |
| | | Lethargy | 5 | 1 | 3 |
| | | Loss of consciousness | 9 | 0 | 4 |
| | | Sedation | 6 | 1 | 3 |
| | | Somnolence | 21 | 2 | 11 |
| | | Syncope | 6 | 0 | 4 |
| | | Clonus | 3 | 0 | 0 |
| | | Dizziness | 20 | 0 | 13 |
| | | Drooling | 1 | 0 | 1 |
| | | Myoclonus | 3 | 0 | 2 |
| | | Presyncope | 1 | 0 | 0 |
| | | Tongue biting | 1 | 0 | 0 |
| | | Unresponsive to stimuli | 1 | 0 | 0 |
| | | Paraesthesia | 5 | 0 | 5 |
| | | Aura | 1 | 0 | 0 |
| | | Dysgeusia | 1 | 0 | 1 |
| | | Hypoaesthesia | 1 | 0 | 1 |
| | | Restless legs syndrome | 1 | 0 | 1 |
| | | Dysarthria | 8 | 0 | 4 |
| | | Speech disorder | 4 | 0 | 1 |
| | | Visual field defect | 1 | 0 | 1 |
| | | Anticholinergic syndrome | 1 | 0 | 1 |
| | | Autonomic nervous system imbalance | 1 | 0 | 0 |
| | | Hypertonia | 7 | 0 | 4 |
| | | Hypotonia | 1 | 0 | 1 |
| | | Neuroleptic malignant syndrome | 33 | 0 | 11 |
| | | Serotonin syndrome | 7 | 2 | 1 |
| | | Mononeuropathy | 1 | 0 | 0 |
| | | Nerve compression | 1 | 0 | 0 |
| | | Neuropathy peripheral | 1 | 0 | 0 |
| | Brachial plexopathy | 1 | 0 | 0 | |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole |
|----------------|--|---|------------|----------------|------------|
| Reaction Count | Nervous system disorders | Petit mal epilepsy | 1 | 0 | 1 |
| | | Grand mal convulsion | 6 | 0 | 2 |
| | | Convulsion | 20 | 2 | 7 |
| | | Epilepsy | 1 | 0 | 1 |
| | | Hypersomnia | 2 | 0 | 2 |
| | | Nervous system disorders | 336 | 13 | 174 |
| | Pregnancy, puerperium and perinatal conditions | Abortion spontaneous | 5 | 0 | 3 |
| | | Intra-uterine death | 1 | 1 | 0 |
| | | Stillbirth | 1 | 1 | 0 |
| | | Foetal distress syndrome | 1 | 0 | 1 |
| | | Premature labour | 1 | 0 | 0 |
| | | Hyperemesis gravidarum | 1 | 0 | 0 |
| | | Premature baby | 4 | 0 | 0 |
| | | Jaundice neonatal | 1 | 0 | 0 |
| | | Placenta praevia | 1 | 0 | 1 |
| | | Postpartum haemorrhage | 1 | 0 | 1 |
| | | Pregnancy, puerperium and perinatal conditions | 17 | 2 | 6 |
| | | Psychiatric disorders | Agitation | 15 | 0 |
| | Anxiety | | 10 | 0 | 6 |
| | Nervousness | | 1 | 0 | 0 |
| | Stress | | 1 | 1 | 0 |
| | Fear | | 2 | 0 | 1 |
| | Panic attack | | 2 | 0 | 2 |
| | Panic disorder | | 1 | 0 | 0 |
| | Neurosis | | 2 | 0 | 2 |
| | Compulsions | | 1 | 0 | 1 |
| | Obsessive-compulsive disorder | | 2 | 0 | 1 |
| | Catatonia | | 1 | 0 | 1 |
| | Restlessness | | 3 | 0 | 1 |
| | Bruxism | | 1 | 0 | 0 |
| | Stereotypy | | 1 | 0 | 1 |
| | Tic | | 1 | 0 | 0 |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| Reaction Count | Psychiatric disorders | | Case Group | Death Outcomes | Sole |
|----------------|-----------------------|-------------------------|------------|----------------|------|
| | | Mutism | 1 | 0 | 1 |
| | | Dysphemia | 2 | 0 | 1 |
| | | Poverty of speech | 1 | 0 | 1 |
| | | Confusional state | 21 | 1 | 8 |
| | | Disorientation | 1 | 0 | 0 |
| | | Delirium | 9 | 0 | 4 |
| | | Depression | 7 | 1 | 2 |
| | | Postpartum depression | 1 | 0 | 1 |
| | | Feeling of despair | 1 | 0 | 0 |
| | | Depersonalisation | 2 | 0 | 1 |
| | | Dissociation | 1 | 0 | 0 |
| | | Dissociative disorder | 1 | 0 | 1 |
| | | Delusion | 5 | 0 | 4 |
| | | Deja vu | 1 | 0 | 0 |
| | | Hallucination | 8 | 0 | 5 |
| | | Hallucination, auditory | 3 | 0 | 1 |
| | | Thinking abnormal | 2 | 0 | 1 |
| | | Mania | 4 | 0 | 1 |
| | | Affect lability | 2 | 0 | 1 |
| | | Anger | 2 | 0 | 0 |
| | | Emotional disorder | 1 | 0 | 0 |
| | | Mood swings | 1 | 0 | 0 |
| | | Aggression | 9 | 1 | 4 |
| | | Homicidal ideation | 4 | 0 | 3 |
| | | Paranoia | 4 | 1 | 2 |
| | | Personality change | 1 | 0 | 1 |
| | | Self esteem decreased | 1 | 0 | 0 |
| | | Abnormal behaviour | 5 | 0 | 2 |
| | | Mental disorder | 1 | 0 | 0 |
| | | Mental status changes | 2 | 0 | 2 |
| | | Dependence | 1 | 0 | 0 |
| | | Drug abuse | 1 | 0 | 1 |
| | | Drug dependence | 4 | 0 | 3 |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine

Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole | | |
|--|-----------------------|------------------------------|---------------------|----------------|------------|----------|------------|
| Reaction Count | Psychiatric disorders | Intentional drug misuse | 1 | 0 | 1 | | |
| | | Withdrawal syndrome | 8 | 0 | 5 | | |
| | | Psychotic disorder | 13 | 0 | 7 | | |
| | | Schizophreniform disorder | 1 | 0 | 0 | | |
| | | Schizophrenia | 3 | 0 | 2 | | |
| | | Insomnia | 7 | 0 | 3 | | |
| | | Abnormal dreams | 1 | 0 | 0 | | |
| | | Abnormal sleep-related event | 4 | 0 | 2 | | |
| | | Nightmare | 1 | 0 | 1 | | |
| | | Sleep terror | 1 | 0 | 0 | | |
| | | Somnambulism | 5 | 0 | 2 | | |
| | | Sleep disorder | 1 | 0 | 0 | | |
| | | Completed suicide | 4 | 4 | 2 | | |
| | | Self injurious behaviour | 2 | 0 | 1 | | |
| | | Self-injurious ideation | 1 | 0 | 1 | | |
| | | Suicidal ideation | 16 | 0 | 8 | | |
| | | Suicide attempt | 8 | 0 | 3 | | |
| | | Psychiatric disorders | | | 231 | 9 | 113 |
| | | Renal and urinary disorders | Anuria | 1 | 0 | 0 | |
| | | | Renal failure acute | 3 | 0 | 0 | |
| Renal impairment | 3 | | 0 | 0 | | | |
| Azotaemia | 1 | | 0 | 0 | | | |
| Dysuria | 2 | | 0 | 2 | | | |
| Enuresis | 1 | | 0 | 1 | | | |
| Incontinence | 1 | | 0 | 1 | | | |
| Urinary retention | 14 | | 0 | 10 | | | |
| Urine flow decreased | 1 | | 0 | 0 | | | |
| Glycosuria | 1 | | 0 | 1 | | | |
| Ketonuria | 2 | | 0 | 2 | | | |
| Polyuria | 3 | | 0 | 2 | | | |
| Renal and urinary disorders | | | 33 | 0 | 19 | | |
| Reproductive system and breast disorders | Breast mass | | 1 | 0 | 1 | | |
| | Gynaecomastia | 1 | 0 | 0 | | | |

 Outcome Description

 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code








 Case Group

 GM

 Quetiapine








Medicine summary - Antipsychotics- quetiapine

| | | | Case Group | Death Outcomes | Sole | |
|--------------------------|---|---|------------|----------------|-----------|----------|
| Reaction Count | Reproductive system and breast disorders | Breast tenderness | 1 | 0 | 1 | |
| | | Galactorrhoea | 3 | 0 | 1 | |
| | | Cervix disorder | 1 | 0 | 1 | |
| | | Menstruation irregular | 1 | 0 | 1 | |
| | | Amenorrhoea | 2 | 0 | 0 | |
| | | Genital pain | 1 | 0 | 0 | |
| | | Priapism | 5 | 0 | 4 | |
| | | Dyspareunia | 1 | 0 | 1 | |
| | | Infertility female | 1 | 0 | 1 | |
| | | Testicular retraction | 1 | 0 | 0 | |
| | | Uterine cyst | 1 | 0 | 1 | |
| | | Vaginal ulceration | 1 | 0 | 1 | |
| | | Reproductive system and breast disorders | | | 21 | 0 |
| | Respiratory, thoracic and mediastinal disorders | Asthma | 1 | 0 | 0 | |
| | | Wheezing | 1 | 0 | 1 | |
| | | Pneumonia aspiration | 1 | 0 | 0 | |
| | | Infantile apnoeic attack | 1 | 0 | 0 | |
| | | Neonatal respiratory distress syndrome | 4 | 0 | 1 | |
| | | Neonatal respiratory failure | 1 | 0 | 0 | |
| | | Cheyne-Stokes respiration | 2 | 1 | 1 | |
| | | Dyspnoea | 11 | 0 | 6 | |
| | | Hypopnoea | 2 | 0 | 1 | |
| | | Respiratory depression | 3 | 3 | 0 | |
| | | Respiratory distress | 2 | 0 | 2 | |
| | | Sleep apnoea syndrome | 1 | 0 | 0 | |
| Tachypnoea | | 1 | 0 | 0 | | |
| Cough | | 1 | 0 | 0 | | |
| Pleuritic pain | | 1 | 0 | 0 | | |
| Respiratory failure | | 1 | 1 | 1 | | |
| Oropharyngeal blistering | | 1 | 0 | 1 | | |
| Oropharyngeal pain | 1 | 0 | 0 | | | |
| Sneezing | 1 | 0 | 0 | | | |
| Throat tightness | 1 | 0 | 1 | | | |

-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine


Medicine summary - Antipsychotics- quetiapine


| | | | Case Group | Death Outcomes | Sole | | |
|----------------|---|--|---|-----------------------------|-----------|-----------|----------|
| Reaction Count | Respiratory, thoracic and mediastinal disorders | Nasal congestion | 2 | 0 | 1 | | |
| | | Respiratory, thoracic and mediastinal disorders | 40 | 5 | 16 | | |
| | Skin and subcutaneous tissue disorders | Angioedema | 1 | 0 | 1 | | |
| | | Urticaria | 5 | 0 | 4 | | |
| | | Dermatitis bullous | 1 | 1 | 0 | | |
| | | Erythema multiforme | 1 | 0 | 0 | | |
| | | Stevens-Johnson syndrome | 1 | 0 | 0 | | |
| | | Toxic epidermal necrolysis | 1 | 0 | 0 | | |
| | | Skin discolouration | 2 | 0 | 1 | | |
| | | Skin lesion | 1 | 0 | 1 | | |
| | | Erythema | 5 | 0 | 2 | | |
| | | Rash erythematous | 4 | 0 | 1 | | |
| | | Dermatitis exfoliative | 1 | 0 | 0 | | |
| | | Skin exfoliation | 4 | 0 | 2 | | |
| | | Photosensitivity reaction | 2 | 0 | 2 | | |
| | | Pruritus | 5 | 0 | 4 | | |
| | | Nail psoriasis | 1 | 0 | 1 | | |
| | | Psoriasis | 3 | 0 | 2 | | |
| | | Rash | 7 | 0 | 6 | | |
| | | Rash macular | 1 | 0 | 0 | | |
| | | Rash maculo-papular | 3 | 0 | 3 | | |
| | | Alopecia | 2 | 0 | 2 | | |
| | | Hyperhidrosis | 13 | 0 | 3 | | |
| | | Night sweats | 1 | 0 | 0 | | |
| | | Nail discolouration | 1 | 0 | 0 | | |
| | | Nail disorder | 1 | 0 | 0 | | |
| | | Purpura | 1 | 1 | 0 | | |
| | | Haemorrhage subcutaneous | 1 | 0 | 0 | | |
| | | | Skin and subcutaneous tissue disorders | 69 | 2 | 35 | |
| | | Social circumstances | | Loss of employment | 1 | 0 | 0 |
| | | | | Physical assault | 1 | 0 | 0 |
| | | | | Treatment noncompliance | 1 | 0 | 0 |
| | | | | Social circumstances | 3 | 0 | 0 |


-  Outcome Description
-  (Causality possible,Causality probable,Causality certain)
-  Suspect Type
-  Suspect Code
-  Case Group
-  GM
-  Quetiapine

Medicine summary - Antipsychotics- quetiapine


| | | | Case Group | Death Outcomes | Sole | | |
|----------------|---------------------------------|--|------------|----------------|-------------|-----------|------------|
| Reaction Count | Surgical and medical procedures | Off label use | 3 | 0 | 2 | | |
| | | Therapy regimen changed | 8 | 0 | 5 | | |
| | | Self-medication | 1 | 0 | 0 | | |
| | | Surgical and medical procedures | 12 | 0 | 7 | | |
| | Vascular disorders | Peripheral ischaemia | 1 | 0 | 0 | | |
| | | Poor peripheral circulation | 1 | 0 | 0 | | |
| | | Blood pressure fluctuation | 1 | 0 | 1 | | |
| | | Circulatory collapse | 8 | 0 | 2 | | |
| | | Shock | 1 | 0 | 0 | | |
| | | Hypotension | 20 | 0 | 10 | | |
| | | Orthostatic hypotension | 7 | 0 | 5 | | |
| | | Deep vein thrombosis | 1 | 0 | 0 | | |
| | | Flushing | 4 | 0 | 1 | | |
| | | Pallor | 1 | 0 | 1 | | |
| | | Subgaleal haematoma | 1 | 0 | 1 | | |
| | | Hypertension | 5 | 0 | 2 | | |
| | | Vascular disorders | 51 | 0 | 23 | | |
| | | Reaction | | | 1605 | 62 | 841 |


 Rows are suppressed based on zeros and empty cells for Case Group

 Outcome Description


 (Causality possible,Causality probable,Causality certain)

 Suspect Type

 Suspect Code

 Case Group

 GM

 Quetiapine