

Public Case Detail

Cases Count: 49

Case Number : 242267

Data Entry Date : 25/06/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 28/05/2008

Age : 25Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Suicidal thoughts.	Ceased Cymbalta

Medicine details :			
Cymbalta (Suspected)	Reason : Depression		
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 23/05/2008	Stopped : 29/05/2008	

Public Case Detail

Cases Count: 49

Case Number : 243132

Data Entry Date : 22/07/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/11/1986

Outcome :

Causality : Causality possible

Not yet recovered

Information: Patient sensitive to many pain relievers.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea		Nausea, diarrhoea and blotchy rash reported.	
Diarrhoea			
Rash macular			

Medicine details :

Duloxetine hydrochloride (Suspected)		Reason : Pain	
Capsule	1 Dose Unspec	Daily	Oral
Batch :	Started : 24/06/2008	Stopped : 24/06/2008	
Pregabalin (Other drug)		Reason : Pain	
Capsule	1 Dose Unspec	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 243248

Data Entry Date : 28/07/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 57Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Blood pressure increased		On 17 June 2008, after starting duloxetine therapy, the patient's blood pressure went up to 180/125. The event of increased blood pressure was considered serious other by the company physician. On an unknown date in June 2008, for the first few days of duloxetine therapy, the patient experienced nausea which then subsided. On an unknown date in June 2008, nine days after starting duloxetine therapy, the patient experienced headache.	Duloxetine was decreased to 30 mg daily.
Headache			
Nausea			

Medicine details :

Duloxetine hydrochloride (Suspected)	Reason : Depression
Capsule	60 Milligram Daily Oral
Batch :	Started : 17/06/2008 Stopped :
Pregabalin (Other drug)	Reason :
Batch :	Started : Stopped :
QUETIAPINE (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 243526

Data Entry Date : 05/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 23/07/2008

Age :

DOB : 04/05/1956

Outcome : 24/07/2008

Causality : Causality probable

Recovered

Information: Previous similar reaction to Luvox.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Palpitations		Palpitations, dilated pupils, trouble swallowing, lethargy, difficult feeling.f	
Dysphagia			
Lethargy			
Mydriasis			

Medicine details :

Cymbalta (Suspected)		Reason : Depression	
Tablet	60 Milligram	1 time	Oral
Batch :	Started : 23/07/2008	Stopped : 23/07/2008	
NEXIUM (Other drug)		Reason : Other diseases of esophagus	
Tablet	40 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Case Number : 243660

Data Entry Date : 11/08/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 84.8

Onset Date : 13/07/2008

Age :

DOB : 02/06/1950

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Reflux oesophagitis		Within 2 days of taking Cymbalta had severe reflux, severe epigastric pain and flatulence. On day 10 had nausea, day 12 woke with headache. Stopped taking Cymbalta. Day 13 extreme attacks of rage and severe headache, all previous symptoms still present. Symptoms starting to settle by has self-harmed due to rage, significant suicidal ideation.	Ceased Cymbalta, Lexotan.
Abdominal pain upper			
Anger			
Flatulence			
Headache			
Intentional self-injury			
Nausea			
Suicidal ideation			

Medicine details :

Cymbalta (Suspected)	Reason : Depression
Capsule	30 Milligram Daily Oral
Batch :	Started : 11/07/2008 Stopped : 22/07/2008
BACLOFEN (Other drug)	Reason :
	30 Milligram Daily Oral
Batch :	Started : Stopped :
FENAC (Other drug)	Reason :
	100 Milligram Daily Oral
Batch :	Started : Stopped :
IMURAN (Other drug)	Reason :
	50 Milligram Daily Oral
Batch :	Started : Stopped :

Medicine details :

MESASAL (Other drug)

Reason :

2.2 Gram Daily Oral

Batch :

Started :

Stopped :

NEXIUM (Other drug)

Reason :

40 Milligram Daily Oral

Batch :

Started :

Stopped :

PANADEINE FORTE (Other drug)

Reason :

1 Dose Unspec As necessary

Batch :

Started :

Stopped :

PANAMAX (Other drug)

Reason :

1 Gram As necessary

Batch :

Started :

Stopped :

PREDNISOLONE (Other drug)

Reason :

5 Milligram Daily Oral

Batch :

Started :

Stopped :

PREMARIN (Other drug)

Reason :

925 Milligram Daily Oral

Batch :

Started :

Stopped :

TEMAZE (Other drug)

Reason :

10 Milligram Daily Oral

Batch :

Started :

Stopped :

THYROXINE SODIUM (Other drug)

Reason :

50 Microgram Daily Oral

Batch :

Started :

Stopped :

VALIUM (Other drug)

Reason :

5 Milligram Daily Oral

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 49

Case Number : 243796

Data Entry Date : 13/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 80

Onset Date : 04/07/2008

Age :

DOB : 10/08/1961

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urine flow decreased		Patient complained of passing small amount of urine only seems to occur during middle of day.	Nil

Medicine details :			
Duloxetine hydrochloride (Suspected)		Reason : Depression	
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 02/07/2008	Stopped :	
QUETIAPINE (Suspected)		Reason :	
Tablet	900 Milligram	Daily	Oral
Batch :	Started : 27/06/2008	Stopped :	
LITHIUM CARBONATE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
SEREVENT ACCUHALER (Other drug)		Reason :	
Batch :	Started :	Stopped :	
THIAMINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
Vitamins and Minerals Combination (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 243896

Data Entry Date : 18/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 23/07/2008

Age : 58Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: The patient medical history included: depression, anxiety, irritability and suicidal ideation.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Gastrointestinal problems like diarrhoea and nausea, headache, increase in suicidality and rage.	Diazepam
Aggression			
Diarrhoea			
Headache			
Nausea			

Medicine details :

Cymbalta (Suspected)	Reason : Otr mus rheum, fibrosit&myalgia		
Capsule	30 Milligram	Daily	Oral
Batch :	Started : 12/07/2008	Stopped : 22/07/2008	

Public Case Detail

Cases Count: 49

Case Number : 243897

Data Entry Date : 18/08/2008

Gender : F

Hospitalisation : Treated in Accident/Emergency Depar

Weight (kg) : 0

Onset Date : 09/07/2008

Age : 26Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome		Serotonin syndrome, severe nausea, dizziness, drowsiness, blurred vision, constipation, tingling in hands and feet, sore throat felt weak	
Asthenia			
Constipation			
Dizziness			
Nausea			
Oropharyngeal pain			
Paraesthesia			
Somnolence			
Vision blurred			

Medicine details :

Cymbalta (Suspected)	Reason : Otr mus rheum, fibrosit&myalgia		
Capsule	30 Milligram	Daily	Oral
Batch :	Started : 09/07/2008	Stopped :	



Public Case Detail

Cases Count: 49

Case Number : 244006

Data Entry Date : 21/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Delirium		Delirious and sweating.	
Hyperhidrosis			

Medicine details :			
AMITRIPTYLINE HYDROCHLORIDE (Suspected)		Reason : Depression	
Batch :	Started :	Stopped :	0
Cymbalta (Suspected)		Reason : Depression	
Capsule	60 Milligram	1 time	Oral
Batch :	Started :	Stopped :	
LOVAN (Suspected)		Reason : Depression	
Batch :	Started :	Stopped :	



Public Case Detail

Cases Count: 49

Case Number : 244236

Data Entry Date : 28/08/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : F

Weight (kg) : 0

Age : 99u

DOB :

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Constipation		Experiencing constipation problems	

Medicine details :

Cymbalta (Suspected)		Reason :	
		60 Milligram	
Batch :	Started :	Stopped :	0



Public Case Detail

Cases Count: 49

Case Number : 244346

Data Entry Date : 03/09/2008

Hospitalisation :

Onset Date : 15/07/2008

Outcome :
Unknown

Gender : M

Weight (kg) : 0

Age : 58Y

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Transient ischaemic attack		Transient ischaemic attack	

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
Capsule	60 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 49

Case Number : 244666

Data Entry Date : 16/09/2008

Gender : F

Hospitalisation :

Weight (kg) : 120

Onset Date : 29/07/2008

Age :

DOB : 01/07/1951

Outcome : 30/07/2008

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Swollen tongue	Life threatening	Swollen tongue 2-3 hours after ingestion lasting 15 hours.	

Medicine details :			
Cymbalta (Suspected)	Reason :		
Capsule	60 Milligram	1 time	Oral
Batch :	Started : 29/07/2008	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 244977

Data Entry Date : 30/09/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 85

Onset Date : 14/08/2008

Age :

DOB : 10/03/1956

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Diarrhoea		Diarrhoea, faintness, dizziness, vague feeling.	
Disturbance in attention			
Dizziness			

Medicine details :			
Cymbalta (Suspected)		Reason :	
	60 Milligram	1 time	
Batch :	Started : 14/08/2008	Stopped :	14/08/2008
DUCENE (Other drug)		Reason :	
	5 Milligram	Daily	
Batch :	Started :	Stopped :	
MICARDIS (Other drug)		Reason :	
	40 Milligram	Daily	
Batch :	Started :	Stopped :	
NEXIUM (Other drug)		Reason :	
	20 Milligram	Daily	
Batch :	Started :	Stopped :	
PANAMAX (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 245096

Data Entry Date : 02/10/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 29/08/2008

Age :

Outcome : 02/09/2008

DOB : 12/09/1948

Recovered

Causality : Causality probable

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pruritus		Felt itchy all over, and had a feeling of "pins and needles" down the side of her face.	Drug ceased
Paraesthesia			

Medicine details :

Cymbalta (Suspected)	Reason : Otr mus rheum,fibrosit&myalgia
Capsule	60 Milligram Daily Oral
Batch :	Started : 26/08/2008 Stopped : 29/08/2008 0
INDERAL (Other drug)	Reason :
	40 Milligram Daily
Batch :	Started : Stopped :
MAREVAN (Other drug)	Reason :
	3 Milligram Daily Oral
Batch :	Started : Stopped :
MURELAX (Other drug)	Reason :
	30 Milligram Daily Oral
Batch :	Started : Stopped :
TRAMAL SR (Other drug)	Reason :
	200 Milligram Daily Oral
Batch :	Started : Stopped :
VALIUM (Other drug)	Reason :
	15 Milligram Daily
Batch :	Started : 29/08/2008 Stopped :

Public Case Detail

Cases Count: 49

Case Number : 245100

Data Entry Date : 02/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 02/09/2008

Age : 45Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Delirium	Caused or prolonged inpatient hospitalisation	Delirium, memory loss 24 hours, confusion.	
Amnesia	Caused or prolonged inpatient hospitalisation		
Confusional state	Caused or prolonged inpatient hospitalisation		

Medicine details :

Duloxetine hydrochloride (Interaction)		Reason :	
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 15/03/2008	Stopped :	
TRAMADOL HYDROCHLORIDE (Interaction)		Reason : Migraine	
Injection	1 Dose Unspec	1 time	Intravenous
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 245121

Data Entry Date : 03/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 57

Onset Date : 02/09/2008

Age :

Outcome : 06/09/2008

DOB : 11/11/1976

Recovered

Causality : Causality probable

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Abdominal pain upper		Stomach pain, nausea, dry retching, headache, dizzy, fainting, "groggy" on the first day, the second day arms, legs and body felt "heavy", prickly skin, "sand paper" skin, swollen lips and tongue, raised dry skin. 4 days of feeling "unwell".	Ceased cymbalta
Dizziness			
Dry skin			
Lip swelling			
Nausea			
Paraesthesia			
Retching			
Swollen tongue			
Syncope			

Medicine details :

Cymbalta (Suspected)	Reason :
Capsule	60 Milligram 1 time Oral
Batch :	Started : 02/09/2008 Stopped : 02/09/2008

Public Case Detail

Cases Count: 49

Case Number : 245178

Data Entry Date : 07/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 28/07/2008

Age : 25Y

DOB :

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Somnolence		Felt drowsy, went to sleep and when she woke "everything was hurting", severe joint pain, aching all over - shoulders, back, arms and legs. She also had "lockjaw" and was grinding her teeth - for several hours without abating.	Oxazepam
Arthralgia			
Bruxism			
Myalgia			
Trismus			

Medicine details :

Cymbalta (Interaction)	Reason : Depression		
Capsule	60 Milligram	1 time	Oral
Batch :	Started : 28/07/2008	Stopped : 28/07/2008	0
PROZAC (Interaction)	Reason : Depression		
	20 Milligram	Daily	
Batch :	Started :	Stopped : 24/07/2008	

Public Case Detail

Cases Count: 49

Case Number : 245186

Data Entry Date : 07/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 16Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Palpitations	Caused or prolonged inpatient hospitalisation	Patient experienced palpitations and vomiting.	
Dizziness	Caused or prolonged inpatient hospitalisation		
Hallucination	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
Capsule	60 Milligram	1 time	Oral
Batch :	Started : 06/08/2008	Stopped : 06/08/2008	0
MICROGYNON 50 (Other drug)		Reason :	
Batch :	Started : 27/07/2008	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Calcium	2.20 - 2.60	07/08/2008	2.30	

Public Case Detail

Cases Count: 49

Case Number : 245258

Data Entry Date : 08/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Chest pain		Two to three weeks after beginning treatment, the patient experienced chest pain and tachycardia.	
Tachycardia			

Medicine details :			
Cymbalta (Suspected)		Reason :	
Batch :	Started :	Stopped :	

Case Number : 245315

Data Entry Date : 10/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 65

Onset Date : 29/05/2008

Age :

DOB : 27/08/1940

Outcome :

Causality : Causality possible

Recovered with sequelae

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hypertension	Incapacity/disability	Patient had a prior history of hypertension for several years. Recent hospital admission dates 15/04/08 to 29/04/08. Cymbalta was commenced by psychiatrist on 23/05/08 for management of resistant depression. Upon introduction of Cymbalta the patient's blood pressure was further elevated.	The Atacand dose was increased to 32mg daily on the 03/06/08. The patient was initiated on prazosin 2mg 10/06/08 for one dose only (profound hypotension- not continued). The patient was commenced on Zandip 10mg daily, and the dose was increased to 20mg daily before 27/06/08. The patient remains on Cymbalta

Medicine details :

Cymbalta (Suspected)	Reason : Depression		
Tablet	60 Milligram	Daily	Oral
Batch :	Started : 23/05/2008	Stopped :	
ASPIRIN (Other drug)	Reason :		
Tablet	100 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
ATACAND (Other drug)	Reason :		
Tablet	16 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
CHLORVESCANT (Other drug)	Reason :		
Tablet	1 Dose Unspec	2 times	Oral
Batch :	Started : 19/04/2008	Stopped :	
DIAZEPAM (Other drug)	Reason :		
Tablet	1 Milligram	2 times	Oral
Batch :	Started :	Stopped :	
LIPEX (Other drug)	Reason :		
Tablet	40 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
NICORETTE PATCH (Other drug)	Reason :		
Patch, dermal	10 Milligram	Daily	Transdermal
Batch :	Started : 16/04/2008	Stopped :	

Medicine details :

OSTELIN 1000 (Other drug)

Reason :

Capsule 25 Microgram Daily Oral

Batch : Started : 29/04/2008 Stopped :

PARACETAMOL (Other drug)

Reason :

Tablet 1 Gram As necessary Oral

Batch : Started : Stopped :

PREDNISOLONE (Other drug)

Reason :

Tablet 4 Milligram Daily Oral

Batch : Started : Stopped :

Seretide 250/50 Accuhaler (Other drug)

Reason :

Inhalation 2 Dose Unspec 2 times Inhalation

Batch : Started : Stopped :

SPIRIVA (Other drug)

Reason :

Inhalation 18 Microgram Daily Inhalation

Batch : Started : Stopped :

TRITACE (Other drug)

Reason :

Capsule 10 Milligram Daily Oral

Batch : Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 245388

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 60

Onset Date : 01/09/2008

Age :

DOB : 20/01/1966

Outcome :

Causality : Causality possible

Not yet recovered

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Urinary hesitation		Urine hesitancy and poor sleep for 2 weeks.	Ceased Cymbalta, back to previous SSRI.
Insomnia			

Medicine details :

Cymbalta (Suspected)	Reason : Depression
Tablet	60 Milligram Daily Oral
Batch :	Started : 16/08/2008 Stopped : 15/09/2008

Public Case Detail

Cases Count: 49

Case Number : 245421

Data Entry Date : 14/10/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Delirium	Caused or prolonged inpatient hospitalisation	Patient experienced migraine and was prescribed tramadol hcl, the patient ended up delirious and completley off the planet, she did not know her children, who she was and where she was.	
Migraine	Caused or prolonged inpatient hospitalisation		

Medicine details :

Cymbalta (Interaction)		Reason : Depression	
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 15/07/2008	Stopped :	0
TRAMADOL HYDROCHLORIDE (Interaction)		Reason : Migraine	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 245464

Data Entry Date : 15/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tremor	Caused or prolonged inpatient hospitalisation	One week after beginning treatment, the patient started feeling shaky, could walk property could not talk and was feeling dopey.	Ceased Duloxetine.
Aphasia	Caused or prolonged inpatient hospitalisation		
Feeling abnormal	Caused or prolonged inpatient hospitalisation		
Gait disturbance	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Cymbalta (Suspected)	Reason :		
Capsule	60 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 245561

Data Entry Date : 17/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 60

Onset Date : 08/10/2008

Age :

DOB : 09/08/1968

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Anxiety	Caused or prolonged inpatient hospitalisation	anxiety, stiff neck, painful neck, paraesthesiae down both arms, fear of death, generalised hyperreflexia, insomnia	diazepam 2.5 mg orally 8 hourly
Fear of death	Caused or prolonged inpatient hospitalisation		
Hyperreflexia	Caused or prolonged inpatient hospitalisation		
Insomnia	Caused or prolonged inpatient hospitalisation		
Musculoskeletal stiffness	Caused or prolonged inpatient hospitalisation		
Neck pain	Caused or prolonged inpatient hospitalisation		
Paraesthesia	Caused or prolonged inpatient hospitalisation		
Serotonin syndrome	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Cymbalta (Suspected)	Reason : Pain		
Capsule	30 Milligram	1 time	Oral
Batch :	Started : 08/10/2008	Stopped : 08/10/2008	0
CELEBREX (Other drug)	Reason :		
Batch :	Started :	Stopped :	
PANADEINE (Other drug)	Reason :		
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Magnetic Resonance Imaging				MRI was performed with negative results.

Public Case Detail

Cases Count: 49

Case Number : 246073

Data Entry Date : 07/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term
Urinary retention

Severity
Caused or prolonged inpatient hospitalisation

Report Description
One week after beginning duloxetine, the patient experienced urinary retention and swelling (oedema) in his legs, trunk and hands.

Treatment
Treated with indwelling catheter.

Oedema

Medicine details :

Cymbalta (Suspected)

Reason : Depression

Capsule

60 Milligram

Daily

Oral

Batch : A358908 exp:12/09

Started : 18/08/2008

Stopped : 17/09/2008

0

Lyrica (Other drug)

Reason :

Batch :

Started :

Stopped :

Norspan Nos (Other drug)

Reason :

Drug delivery system, transder

Transdermal

Batch :

Started :

Stopped :

SEROQUEL (Other drug)

Reason :

Batch :

Started :

Stopped :

VALIUM (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246092

Data Entry Date : 10/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 16/09/2008

Age :

DOB : 04/08/1930

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Mania		Patient experienced manic symptoms and his creatinine clearance level was 32.	Duloxetine dose was decreased to 30mg on 16/09/2008.
Creatinine renal clearance decreased			

Medicine details :			
Cymbalta (Suspected)	Reason :		
Capsule	60 Milligram Daily	Oral	
Batch :	Started : 02/09/2008	Stopped : 15/09/2008	0
ZYPREXA (Suspected)	Reason :		
	2.5 Milligram		
Batch :	Started :	Stopped :	Contin
Bicor (Other drug)	Reason :		
Batch :	Started :	Stopped :	
CLOPIDOGREL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
EPILIM (Other drug)	Reason :		
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Creatinine clearance				Prior to taking Duloxetine creatinine clearance levels:32

Public Case Detail

Cases Count: 49

Case Number : 246094

Data Entry Date : 10/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dizziness	Caused or prolonged inpatient hospitalisation	Patient experienced severe dizziness and nausea.	
Nausea	Caused or prolonged inpatient hospitalisation		

Medicine details :			
Cymbalta (Suspected)		Reason :	
Batch :	Started :	Stopped :	
Escitalopram (Other drug)		Reason :	
Batch :	Started :	Stopped :	
VENLAFAXINE HYDROCHLORIDE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 246138

Data Entry Date : 11/11/2008
Hospitalisation : Admitted to hospital
Onset Date : 01/08/2008
Outcome :
 Not yet recovered

Gender : M
Weight (kg) : 0
Age : 19Y
DOB :
Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Suicidal ideation		Increasing thoughts of self harm. Want's to kill himself before he hurts anybody.	Medication ceased on 11/9/08. Patient referred by CATT team (11/9/08)
Aggression		Increasing thoughts of wanting to kill/harm other people. Headaches, aggression, twitching.	
Headache			
Homicidal ideation			

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
	60 Milligram	Daily	
Batch :	Started : 01/08/2008	Stopped : 12/09/2008	



Public Case Detail

Cases Count: 49

Case Number : 246145

Data Entry Date : 11/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 55Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hypotension		Two hours after taking duloxetine, the patient experienced severe postural hypotension and fainting which lasted for approximately three hours.	Duloxetine was discontinued.
Presyncope			

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
	30 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
<hr/>			
DIAZEPAM (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 246173

Data Entry Date : 12/11/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : F

Weight (kg) : 0

Age : 99U

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Abortion spontaneous		The patient took duloxetine hydrochloride (Cymbalta) for an unknown indication. The patient became pregnant. The exposure period was during trimester one. When the patient was diagnosed as pregnant, duloxetine was discontinued. On an unknown date after discontinuation of duloxetine, the patient lost the pregnancy (miscarriage).	
Drug exposure during pregnancy			

Medicine details :			
Cymbalta (Suspected)		Reason :	
		60 Milligram	Daily
Batch :	Started :	Stopped :	

Case Number : 246188

Data Entry Date : 12/11/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 86

Onset Date : 06/10/2008

Age : 60Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: Seafood allergy, nil known drug allergies.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Vertigo	Caused or prolonged inpatient hospitalisation	Vertigo, vomiting - continuous, and abdominal pain, nausea, diarrhoea - possible GI bleeding (dark motion), felt unwell.	
Abdominal pain	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Faeces discoloured	Caused or prolonged inpatient hospitalisation		
Malaise	Caused or prolonged inpatient hospitalisation		
Nausea	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine details :

Duloxetine hydrochloride (Suspected)

Reason : Depression

60 Milligram Daily

Batch :

Started : 06/10/2008

Stopped : 06/10/2008

LIPITOR (Other drug)

Reason : Othr&unspec metabolic diseases

10 Milligram Daily

Batch :

Started :

Stopped :

Micardis Plus (Other drug)

Reason : Essential benign hypertension

1 Dose Unspec Daily

Batch :

Started :

Stopped : 09/10/2008

NORVASC (Other drug)

Reason : Essential benign hypertension

2.5 Milligram Daily

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246272

Data Entry Date : 14/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 10/09/2008

Age : 90Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hyponatraemia	Caused or prolonged inpatient hospitalisation	Hyponatremia	IV rehydration with normal saline.

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
Capsule	30 Milligram	Daily	Oral
Batch :	Started : 01/09/2008		Stopped : 10/09/2008
LACTULOSE (Other drug)		Reason :	
Batch :	Started :		Stopped :
METAMUCIL (Other drug)		Reason :	
Batch :	Started :		Stopped :
MIRTAZAPINE (Other drug)		Reason :	
Batch :	Started :		Stopped :
OSTELIN 1000 (Other drug)		Reason :	
Batch :	Started :		Stopped :
OXAZEPAM (Other drug)		Reason :	
Batch :	Started :		Stopped :

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Sodium				114, 115. 55.
Serum osmolality				243
Urine osmolality				394

Case Number : 246295

Data Entry Date : 17/11/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 03/10/2008

Age :

Outcome : 06/10/2008

DOB : 04/11/1945

Recovered

Causality : Causality probable

Information: Reactions to Efexor XR - nightmares, Keflex - rash and Doloxene - facial swelling. DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Palpitations		Patient commenced Cymbalta and felt heart palpitation that day, continued for the next 3 days on Cymbalta with continued palpitations.	Cymbalta ceased.

Medicine details :

Cymbalta (Suspected)	Reason : Depression
30 Milligram Daily	
Batch :	Started : 03/10/2008 Stopped : 06/10/2008
CARTIA (Other drug)	Reason :
1 Dose Unspec	
Batch :	Started : Stopped :
Crestor (Other drug)	Reason :
10 Milligram	
Batch :	Started : Stopped :
FERRO-GRADUMET (Other drug)	Reason :
1 Dose Unspec	
Batch :	Started : Stopped :
OROXINE (Other drug)	Reason : Myxedema
150 Milligram Daily	
Batch :	Started : Stopped :
PANADEINE FORTE (Other drug)	Reason :
4 Dose Unspec	
Batch :	Started : Stopped :
QUININE (Other drug)	Reason : Pain in limb
300 Milligram Daily	
Batch :	Started : Stopped :
TAMOXIFEN CITRATE (Other drug)	Reason :
20 Milligram	
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246530

Data Entry Date : 25/11/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Unknown

Gender : F
Weight (kg) : 0
Age : 99u
DOB :
Causality : Causality possible

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dehydration	Caused or prolonged inpatient hospitalisation	Patient experienced dehydration and hepatic function abnormal.	
Hepatic function abnormal	Caused or prolonged inpatient hospitalisation		

Medicine details :

Cymbalta (Suspected)		Reason :	
Capsule	60 Milligram	1 time	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 246531

Data Entry Date : 25/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/08/2008

Age :

DOB : 02/07/1975

Outcome :

Causality : Causality possible

Recovered

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Anorgasmia		Patient experienced anorgasmia, nausea and weight gain.	Cymbalta discontinued.
Nausea			
Weight increased			

Medicine details :

Cymbalta (Suspected)	Reason : Depression
Capsule	30 Milligram Daily Oral
Batch : A358906 exp 12/09	Started : 01/08/2008 Stopped : 22/08/2008 0

Public Case Detail

Cases Count: 49

Case Number : 246533

Data Entry Date : 25/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia		Patient experienced hyponatraemia and went into delirium.	Duloxetine discontinued.
Delirium			

Medicine details :

Cymbalta (Suspected)	Reason :	
Capsule	60 Milligram	Oral
Batch :	Started :	Stopped :

Case Number : 246648

Data Entry Date : 26/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 26/11/2008

Age :

DOB : 14/04/1951

Outcome : 26/11/2008

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Swollen tongue	Caused or prolonged inpatient hospitalisation	She developed tongue swelling/enlargement, tightness in the jaw and neck at about 0900.	hydrocortisone, phenergan, considered cogentin but symptoms resolved
Muscle tightness	Caused or prolonged inpatient hospitalisation		

Medicine details :

Abilify (Suspected)		Reason :	
Tablet	2 Milligram	1 time	Oral
Batch :	Started :	Stopped :	
Cymbalta (Suspected)		Reason :	
Tablet	60 Milligram	1 time	Oral
Batch :	Started :	Stopped :	0
PROCHLORPERAZINE MALEATE (Suspected)		Reason :	
Injection	12.5 Milligram	3 times	Intravenous
Batch :	Started : 25/11/2008	Stopped : 26/11/2008	

Case Number : 246690

Data Entry Date : 28/11/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: May have a history of mental illness.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyperhidrosis		Feeling as though half of her head was numb and not under voluntary control, feeling of heaviness on the chest, excessive sweating, thought she was having a heart attack, feeling of wanting to harm others.	Withdrawal of duloxetine
Chest discomfort			
Paraesthesia			
Violence-related symptom			

Medicine details :

Cymbalta (Suspected)	Reason : Depression
Tablet	60 Milligram Daily Oral
Batch :	Started : Stopped :
CEPHALEXIN (Other drug)	Reason :
	500 Milligram Daily
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246695

Data Entry Date : 28/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/10/2008

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Sexual abuse		Patient raped someone.	

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
Batch :	Started : 23/07/2008	Stopped :	

Case Number : 246743

Data Entry Date : 02/12/2008

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 90

Onset Date : 16/10/2008

Age :

Outcome : 06/11/2008

DOB : 15/09/1954

Recovered

Causality : Causality probable

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tremor		Tremors, skin prickling and stinging, sweating, headache, feeling cold, abdominal churning.	Phenergan, Panadol Osteo
Abdominal discomfort			
Feeling cold			
Headache			
Hyperhidrosis			
Paraesthesia			

Medicine details :

Cymbalta (Suspected)	Reason : Depression
120 Milligram Daily	
Batch :	Started : 30/09/2008 Stopped :
TRAMAL (Suspected)	Reason :
400 Milligram Daily	
Batch :	Started : Stopped :
ENDONE (Other drug)	Reason :
15 Milligram Monthly	
Batch :	Started : Stopped :
GABAPENTIN (Other drug)	Reason :
900 Milligram Daily	Oral
Batch :	Started : Stopped :
NEXIUM (Other drug)	Reason :
80 Milligram Daily	
Batch :	Started : Stopped :
VALIUM (Other drug)	Reason :
15 Milligram Monthly	
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246745

Data Entry Date : 02/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 27/10/2008

Age :

DOB : 11/04/1969

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Anger		Anger	

Medicine details :			
Cymbalta (Suspected)		Reason : Depression	
	60 Milligram	Daily	
Batch :	Started : 10/10/2008	Stopped : 29/10/2008	

Public Case Detail

Cases Count: 49

Case Number : 246791

Data Entry Date : 03/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Intentional self-injury		After switching to duloxetine the patient slit her wrists.	

Medicine details :			
Cymbalta (Suspected)		Reason :	
Batch :	Started :	Stopped :	
EFEXOR (Other drug)		Reason :	
Batch :	Started :	Stopped :	



Public Case Detail

Cases Count: 49

Case Number : 246792

Data Entry Date : 03/12/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : M

Weight (kg) : 0

Age : 38Y

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Serotonin syndrome		Patient experienced serotonergic syndrome.	Cymbalta ceased

Medicine details :			
Cymbalta (Suspected)		Reason :	
Capsule	60 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
Benzodiazepine NOS (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 246793

Data Entry Date : 03/12/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 88

Onset Date : 30/08/2008

Age : 27Y

Outcome :

DOB :

Recovered

Causality : Causality certain

Information: Cert (Rechall)

Reaction :

Preferred Term	Severity	Report Description	Treatment
Mouth ulceration		Severe mouth ulcers.	Cymbalta ceased

Medicine details :

Cymbalta (Suspected)	Reason : Depression	
Batch :	Started : 26/08/2008	Stopped : 19/09/2008
LEVLEN ED (Other drug)	Reason :	
Batch :	Started :	Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246795

Data Entry Date : 03/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 102

Onset Date :

Age :

DOB : 16/09/1965

Outcome :

Causality : Causality possible

Not yet recovered

Information: Patient History: 2005 - Hypertension

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hypertension		Hypertension	

Medicine details :

Cymbalta (Suspected) Reason : Depression
 Capsule 120 Milligram Daily Oral
 Batch : Started : Stopped :

Axit (Other drug) Reason :
 7.5 Milligram Daily Oral
 Batch : Started : Stopped :

COVERSYL (Other drug) Reason :
 5 Milligram Daily Oral
 Batch : Started : Stopped :

DIANE-35 ED (Other drug) Reason :
 1 Dose Unspec Daily Oral
 Batch : Started : Stopped :

Nasalate (Other drug) Reason :
 Cream Daily Transdermal
 Batch : Started : Stopped :

OROXINE (Other drug) Reason :
 Oral
 Batch : Started : Stopped :

PANADEINE FORTE (Other drug) Reason :
 As necessary Oral
 Batch : Started : Stopped :

PEPPERMINT OIL (Other drug) Reason :
 Batch : Started : Stopped :

SIMETHICONE (Other drug) Reason :
 100 Milligram Daily Oral
 Batch : Started : Stopped :

Public Case Detail

Cases Count: 49

Case Number : 246865

Data Entry Date : 08/12/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 82

Onset Date : 08/10/2008

Age :

DOB : 18/09/1948

Outcome :

Causality : Causality possible

Unknown

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea	Caused or prolonged inpatient hospitalisation	Patient took one dose of Cymbalta and developed severe nausea, vomiting, bloody diarrhoea and was extremely dizzy lasting for 3 weeks.	Cymbalta ceased.
Diarrhoea haemorrhagic	Caused or prolonged inpatient hospitalisation		
Dizziness	Caused or prolonged inpatient hospitalisation		
Vomiting	Caused or prolonged inpatient hospitalisation		

Medicine details :

Cymbalta (Suspected)	Reason : Depression
	30 Milligram 1 time
Batch :	Started : 08/10/2008 Stopped : 08/10/2008

Public Case Detail

Cases Count: 49

Case Number : 247679

Data Entry Date : 13/01/2009

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 19/12/2009

Age : 51Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: DOCI report.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Nausea		Patient experienced nausea and vomiting and paralysis in legs. Spoke to Dr Douglas: paralysis not accurate. Patient complained of decreased sensation in legs.	Cymbalta ceased.
Hypoaesthesia			
Therapeutic product ineffective for unapproved indication			
Vomiting			

Medicine details :

Cymbalta (Suspected)		Reason : Pain	
Capsule	30 Milligram	Daily	Oral
Batch :	Started : 19/12/2008	Stopped : 20/12/2008	
AVAPRO (Other drug)		Reason :	
Tablet	150 Milligram	Daily	Oral
Batch :	Started : 05/12/2007	Stopped : 0	
Lyrica (Other drug)		Reason :	
Capsule	300 Milligram		Oral
Batch :	Started : 01/03/2007	Stopped :	

Case Number : 247698

Data Entry Date : 14/01/2009

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 14/01/2009

Age :

DOB : 19/04/1952

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyponatraemia	Caused or prolonged inpatient hospitalisation	Hyponatraemia -presented with migraine which may be partly due to low sodium detected (sodium level 120)	reduced/ceased cymbalta
Migraine	Caused or prolonged inpatient hospitalisation		

Medicine details :

Cymbalta (Suspected)		Reason :	
Tablet	60 Milligram	1 time	Oral
Batch :	Started : 15/08/2008	Stopped :	0
LIPITOR (Other drug)		Reason :	
Tablet	40 Milligram	1 time	Oral
Batch :	Started :	Stopped :	
MERSYNDOL FORTE (Other drug)		Reason :	
Tablet		As necessary	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 49

Case Number : 247760

Data Entry Date : 19/01/2009
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : F
Weight (kg) : 0
Age : 99U
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dystonia	Caused or prolonged inpatient hospitalisation	Patient experienced dystonia.	Duloxetine was discontinued

Medicine details :			
Cymbalta (Suspected)		Reason :	
	60 Milligram	Daily	
Batch :	Started :	Stopped :	

Selection Parameters : Date Range: 01/08/2007 To 31/01/2009 Unclear causality excluded GM medicines Only Medicine Names: Duloxetine hydrochloride, Cymbalta