

Public Case Detail

Cases Count: 87

Case Number : 231470

Data Entry Date : 02/08/2007

Gender : F

Hospitalisation :

Weight (kg) : 60.2

Onset Date : 20/06/2007

Age :

DOB : 01/02/1927

Outcome :

Causality : Causality possible

Not yet recovered

Information: Adverse reaction to haloperidol and metoclopramide.
On 25mg bd at time of admission 2/5/07, dosage incrementally increased in effect to manage aggression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Patient experienced limb oedema involving hands and feet after medication dosage increased.	Observation.
Therapy regimen changed			

Medicine details :

QUETIAPINE (Suspected)	Reason : Otr spec symp psychopathol nec
Tablet	200 Milligram Daily Oral
Batch :	Started : 20/06/2007 Stopped : 0
OMEPRAZOLE (Other drug)	Reason :
Batch :	Started : Stopped :
SINEMET (Other drug)	Reason :
Batch :	Started : Stopped :
SODIUM VALPROATE (Other drug)	Reason :
Batch :	Started : Stopped :
SORBITOL (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 87

Case Number : 232545

Data Entry Date : 27/08/2007

Gender : M

Hospitalisation : Required a specialist consultation

Weight (kg) : 0

Onset Date : 22/05/2007

Age : 32Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Priapism		Priapism lasting 9+ hours.	Surgically reduce priopism. Requiring surgical intervention.

Medicine details :			
QUETIAPINE (Suspected)		Reason : Unspecified schizophrenia	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	Stopped : 22/05/2007	

Public Case Detail

Cases Count: 87

Case Number : 232642

Data Entry Date : 28/08/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 18/07/2007

Age :

DOB : 30/01/1977

Outcome : 18/07/2007

Causality : Causality possible

Unrelated death

Information: History of obesity.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Sudden death	Death	Patient died a sudden death.	

Medicine details :

CLOZARIL (Suspected)		Reason : Unspecified schizophrenia	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 17/07/2007	Stopped : 18/07/2007	
SEROQUEL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 233391

Data Entry Date : 14/09/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date : 02/09/2007

Age :

DOB : 29/08/1976

Outcome :

Causality : Causality possible

Recovered

Information: 1st time use of quetiapine.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Oculogyric crisis		Oculogyric crisis - patient's eyes appeared to roll back in head. Patient also walking very hunched over at this time; unaware of this when questioned later.	Benztropine
Posture abnormal			

Medicine details :

SEROQUEL (Suspected)		Reason : Otr spec symp psychopathol nec	
Tablet	25 Milligram	As necessary	Oral
Batch :	Started : 31/08/2007	Stopped :	0
LUVOX (Other drug)		Reason : Depression	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : L TERM	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 233558

Data Entry Date : 19/09/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 80

Onset Date : 20/08/2007

Age :

DOB : 23/02/1968

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Oedema peripheral		Patient developed oedema of the feet and ankles causing pain on walking and unable to wear her own shoes.	

Medicine details :			
QUETIAPINE (Suspected)	Reason : Unspecifid affective psychosis		
Tablet	600 Milligram	Daily	Oral
Batch :	Started : 15/04/2005	L TERM	Stopped : 05/09/2007

Public Case Detail

Cases Count: 87

Case Number : 233657

Data Entry Date : 20/09/2007
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Unknown

Gender : F
Weight (kg) : 0
Age :
DOB : 19/07/1976
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tachycardia		- Tachycardia - Low Magnesium - Low Potassium - Prolonged QT interval	
Electrocardiogram QT prolonged			
Hypokalaemia			
Hypomagnesaemia			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 233659

Data Entry Date : 20/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: The patient is a smoker, has transient ischaemic attack and high blood pressure.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Ischaemic cardiomyopathy			

Medicine details :

SEROQUEL (Suspected)	Reason :		
	400 Milligram	Daily	Oral
Batch :	Started : 15/01/2007	Stopped :	
HALOPERIDOL (Other drug)	Reason :		
Batch :	Started :	L TERM	Stopped :

Case Number : 233683

Data Entry Date : 21/09/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 06/05/1981

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Blood creatine phosphokinase increased	Caused or prolonged inpatient hospitalisation	Creatine kinase high, ecg abnormal, Tachycardia, White blood cell count increased and neutrophils increased.	
Electrocardiogram abnormal	Caused or prolonged inpatient hospitalisation		
Neutrophil count increased	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		
White blood cell count increased	Caused or prolonged inpatient hospitalisation		

Medicine details :

AMISULPRIDE (Suspected)	Reason :
Batch :	Started : 21/12/2005 Stopped :
PIMOZIDE (Suspected)	Reason :
Batch :	Started : Stopped :
QUETIAPINE (Suspected)	Reason :
Batch :	Started : Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Creatine phosphokinase				28 Mar 2006 - CK ranged from 621 - 728 (ref 0 - 270)
Electrocardiography				ECG on 5 May 2006 showed increased sinus rate of approximately 115 bpm. Pulse varied from 87 - 122 bpm.
White blood cells				WBC ranged from 11.5 - 17.7 x 10 ⁹ /L (ref 4.0 - 11.0)

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Neutrophils				Neutrophils were $13.00 \times 10^9/L$ (ref 1.8 - 7.5)

Public Case Detail

Cases Count: 87

Case Number : 233711

Data Entry Date : 21/09/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 24Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urinary retention		- Urinary bladder retention	

Medicine details :			
SEROQUEL (Suspected)			
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	Stopped :	15/10/2007 0
LITHIUM CARBONATE (Other drug)			
	250 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
SERTRALINE HYDROCHLORIDE (Other drug)			
	150 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 233995

Data Entry Date : 04/10/2007

Hospitalisation :

Onset Date : 24/08/2007

Outcome : 11/09/2007

Recovered

Gender : F

Weight (kg) : 0

Age :

DOB : 25/04/1920

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Orthostatic hypotension	Incapacity/disability		

Medicine details :			
AVAPRO (Suspected)		Reason : Essential benign hypertension	
	150 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped : 28/08/2007
SEROQUEL (Suspected)		Reason : Unspecified psychosis	
	125 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :

Case Number : 234625

Data Entry Date : 22/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 16Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Intentional overdose	Life threatening	Patient admitted to Mental health facility after reaction to Zoloft. Intentionally overdosed on Fluoxetine and Quetiapine.	In care.
Self injurious behaviour	Life threatening	cutting herself , throwing herself against the walls while an inpatient	
Aggression	Life threatening	patient developed severe levels of aggression and violence	
Diarrhoea	Life threatening		
Headache	Life threatening		
Hyperhidrosis	Life threatening		
Nausea	Life threatening		
Suicide attempt	Life threatening		

Medicine details :

FLUOXETINE HYDROCHLORIDE (Suspected)		Reason :
		1 Dose Unspec Daily
Batch :	Started :	Stopped :
QUETIAPINE (Suspected)		Reason :
		1 Dose Unspec Daily
Batch :	Started :	Stopped :

Public Case Detail

Cases Count: 87

Case Number : 234719

Data Entry Date : 23/10/2007

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 15/08/2007

Age : 55Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neutropenia		Neutropenia.	Seroquel being reduced.

Medicine details :			
PROZAC (Suspected)		Reason : Depression	
Tablet	40 Milligram	Daily	Oral
Batch :	Started : 15/08/2006	Stopped :	
SEROQUEL (Suspected)		Reason : Depression	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 15/08/2006	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 234838

Data Entry Date : 26/10/2007

Gender : F

Hospitalisation : Required a specialist consultation

Weight (kg) : 0

Onset Date : 01/04/2007

Age : 55Y

Outcome : 30/10/2007

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Incapacity/disability	- Dyskinesia tardive: getting progressively worse, especially lip-smacking	none

Medicine details :			
OLANZAPINE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
SEROQUEL (Suspected)		Reason :	
Tablet	1.3 Gram	Oral	
Batch :	Started : 01/10/2006	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 234932

Data Entry Date : 01/11/2007
Hospitalisation : Admitted to hospital
Onset Date : 01/08/2007
Outcome : 01/10/2007
 Not yet recovered

Gender : M
Weight (kg) : 0
Age : 49Y
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Agitation	Caused or prolonged inpatient hospitalisation	- Agitation - Catatonia - Jaw locked - Funny movements	Seroquel stopped; diazepam started; fluvoxamine started; weekly ECT
Catatonia	Caused or prolonged inpatient hospitalisation		
Trismus	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet	Milligram	Daily	Oral
Batch :	Started : 01/08/2007	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 235177

Data Entry Date : 12/11/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 25/02/2004

Age : 32Y

Outcome :

DOB :

Death

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Completed suicide			
Weight decreased			

Medicine details :			
SEROQUEL (Suspected)		Reason : Unspecified schizophrenia	
Batch :	Started :	L TERM	Stopped : 0
DIAZEPAM (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Case Number : 235284

Data Entry Date : 14/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 80

Onset Date :

Age :

DOB : 13/12/1968

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term

Vomiting

Severity

Caused or prolonged inpatient hospitalisation

Report Description

Baby born 20/9/07. Fully breastfed. Mother took Quetiapine nocte. Baby projectile vomiting, admitted to hospital. Mother ceased drug - marked decrease in babies vomiting. Drug had been taken during late pregnancy.

Treatment

Ceased Quetiapine.

Drug exposure via breast milk

Caused or prolonged inpatient hospitalisation

Medicine details :

QUETIAPINE (Suspected)

Reason : Unspecified psychosis

Tablet 300 Milligram Daily Oral

Batch : Started : 24/07/2007 Stopped : 29/10/2007

Escitalopram (Other drug)

Reason : Depression

Tablet 20 Milligram Daily Oral

Batch : Started : 15/03/2007 Stopped :

Public Case Detail

Cases Count: 87

Case Number : 235338

Data Entry Date : 15/11/2007
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Unknown

Gender : F
Weight (kg) : 0
Age : 62Y
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	described as severe, requiring admission to ICU	

Medicine details :			
MIRTAZAPINE (Suspected)		Reason :	
Batch :	Started :	Stopped :	Oral
SEROQUEL (Suspected)		Reason : Depression	
Batch :	Started :	L TERM	Stopped : Oral

Public Case Detail

Cases Count: 87

Case Number : 235646

Data Entry Date : 26/11/2007

Gender : F

Hospitalisation :

Weight (kg) : 64

Onset Date : 01/10/2007

Age :

DOB : 28/08/1972

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tachycardia		Patient experienced the development of bursts of tachycardia with ventricular ectopics.	Reduced dosage to 100mg Seroquel
Ventricular extrasystoles			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 01/09/2007	Stopped : 21/10/2007	
EFEXOR-XR (Other drug)		Reason :	
	375 Milligram		
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
Other data				QTc 0.22

Public Case Detail

Cases Count: 87

Case Number : 235733

Data Entry Date : 28/11/2007

Gender : M

Hospitalisation : Required a visit to the doctor

Weight (kg) : 100

Onset Date :

Age :

DOB : 12/06/1968

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		Oral facial tardive dyskinesia.	

Medicine details :			
QUETIAPINE (Suspected)		Reason : Unspecified psychosis	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 235749

Data Entry Date : 28/11/2007

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Recovered

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tachycardia			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Batch :	Started :	Stopped :	0
HALOPERIDOL (Other drug)		Reason :	
Batch :	Started :	Stopped :	
TRIFLUOPERAZINE HYDROCHLORIDE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 236227

Data Entry Date : 12/12/2007

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 0

Onset Date :

Age :

DOB : 24/10/1949

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient noted to be neutropenic on admission to hospital.	Seorquel ceased.

Medicine details :			
SEROQUEL (Suspected)	Reason :		
Tablet	200 Milligram	Daily	Oral
Batch :	Started :	Stopped : 15/11/2007	
COLOXYL WITH SENNA (Other drug)	Reason :		
Batch :	Started :	Stopped :	
DIAZEPAM (Other drug)	Reason :		
Batch :	Started :	Stopped :	
GEMFIBROZIL (Other drug)	Reason :		
Batch :	Started :	Stopped :	
MAGNESIUM NOS (Other drug)	Reason :		
Batch :	Started :	Stopped :	
METOPROLOL TARTRATE (Other drug)	Reason :		
Batch :	Started :	Stopped :	
RANITIDINE (Other drug)	Reason :		
Batch :	Started :	Stopped :	
SODIUM VALPROATE (Other drug)	Reason :		
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Neutrophils				Neutrophils=1.48, dropping to 0.85). Seroquel ceased and neutrophils recovered to 3.35, 3 days later.

Public Case Detail

Cases Count: 87

Case Number : 236906

Data Entry Date : 11/01/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 01/10/2007

Age : 60Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Fluid retention		Patient was changed from Efexor to Seroquel and Valpro by psychiatrist. Over the next 10 weeks developed significant weight gain - weight increased from 78 to 101kg. Fluid has built up from knees to toes, as well as fat deposition around abdomen. Weight gain has been disabling as patient already paraplegic and it affects her ability to move around. Already as a paraplegic aware of weight gain as a potential problem so very fastidious about types and amount of food she eats.	Lasix
Weight increased			

Medicine details :

SEROQUEL (Suspected)	Reason : Unspecifid affective psychosis
Tablet	25 Milligram Daily Oral
Batch :	Started : S TERM Stopped : 0
VALPRO (Suspected)	Reason : Unspecifid affective psychosis
Tablet	1000 Milligram Daily Oral
Batch :	Started : S TERM Stopped :
ACIMAX (Other drug)	Reason :
Batch :	Started : Stopped :
COVERSYL (Other drug)	Reason :
Batch :	Started : Stopped :
LIPITOR (Other drug)	Reason :
Batch :	Started : Stopped :

Medicine details :

NEURONTIN (Other drug)

Reason :

Batch :

Started :

Stopped :

PANAFKORT (Other drug)

Reason :

Batch :

Started :

Stopped :

ROCALTRON (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 237097

Data Entry Date : 18/01/2008
Hospitalisation : Admitted to hospital
Onset Date : 25/12/2007
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 01/03/1979
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urticaria	Caused or prolonged inpatient hospitalisation	Patient experienced mild anaphylaxis, urticarial rash and angioedema of mouth with mild wheeze.	
Angioedema	Caused or prolonged inpatient hospitalisation		
Wheezing	Caused or prolonged inpatient hospitalisation		

Medicine details :			
QUETIAPINE (Suspected)		Reason : Unspecified psychosis	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 19/12/2007	Stopped : 26/12/2007	

Public Case Detail

Cases Count: 87

Case Number : 237287

Data Entry Date : 24/01/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : M

Weight (kg) : 70

Age : 26Y

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Muscle rigidity		Dystonia, truncal rigidity, tension headache	
Dystonia			
Tension headache			

Medicine details :			
QUETIAPINE (Suspected)		Reason :	
Batch :	Started :		Stopped : Oral
ZOLOFT (Suspected)		Reason : Depression	
Batch :	Started :	300 Milligram Daily	Stopped : Oral

Case Number : 237292

Data Entry Date : 24/01/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 40Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Gastrointestinal haemorrhage	Caused or prolonged inpatient hospitalisation	consumer report: Bowel Bleeding - Weight increase	
Increased appetite	Caused or prolonged inpatient hospitalisation	cravings for high calorie foods and Coke	
Weight increased	Caused or prolonged inpatient hospitalisation	weight gain over 5 months from 52kg to 91 kg	

Medicine details :

SEROQUEL (Suspected)

Reason : Unspecifid affective psychosis

100 Milligram Daily Oral

Batch :

Started :

Stopped :

EFEXOR (Other drug)

Reason :

Oral

Batch :

Started :

Stopped :

OXAZEPAM (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 237429

Data Entry Date : 30/01/2008

Gender : F

Hospitalisation :

Weight (kg) : 68

Onset Date : 15/11/2007

Age :

DOB : 24/02/1926

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hepatic function abnormal	Caused or prolonged inpatient hospitalisation	Elevated LFTs.	Quetiapine ceased.

Medicine details :

QUETIAPINE (Suspected)	Reason :
	25 Milligram
Batch :	Started : 01/11/2007 Stopped : 01/01/2008
AMLODIPINE (Other drug)	Reason :
	5 Milligram
Batch :	Started : Stopped :
ATORVASTATIN (Other drug)	Reason :
	40 Milligram
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 87

Case Number : 237533

Data Entry Date : 04/02/2008

Gender : M

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Chest pain		- Chest pains	

Medicine details :

SEROQUEL (Suspected)		Reason :	
Tablet	1000 Milligram		Oral
Batch :	Started :	Stopped :	0
SODIUM VALPROATE (Other drug)		Reason :	
	1500 Milligram		Oral
Batch :	Started :	Stopped :	
VENLAFAXINE HYDROCHLORIDE (Other drug)		Reason :	
	75 Milligram		Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 237535

Data Entry Date : 04/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 40Y

Outcome :

DOB :

Recovered

Causality : Causality certain

Information: Cert:Rechall

Reaction :

Preferred Term	Severity	Report Description	Treatment
Weight increased		- Weight increase	
Increased appetite			

Medicine details :

SEROQUEL (Suspected)		Reason :	
Tablet	50 Milligram	Daily	Oral
Batch :	Started : 13/11/2007	Stopped : 13/12/2007	0



Public Case Detail

Cases Count: 87

Case Number : 237780

Data Entry Date : 11/02/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : F

Weight (kg) : 0

Age : 48Y

DOB :

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Gingival swelling			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
	400 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 237831

Data Entry Date : 12/02/2008

Gender : M

Hospitalisation :

Weight (kg) : 80

Onset Date : 03/11/2007

Age :

DOB : 20/03/1968

Outcome :

Causality : Causality possible

Death

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Sudden death	Death	Sudden unexplained death.	

Medicine details :			
DIAZEPAM (Suspected)		Reason : Unspecified schizophrenia	
Tablet	10 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :
QUETIAPINE (Suspected)		Reason : Unspecified schizophrenia	
Tablet	900 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped :

Public Case Detail

Cases Count: 87

Case Number : 237915

Data Entry Date : 14/02/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date :

Age : 85Y

Outcome :

DOB :

Recovered

Causality : Causality probable

Information: patient has many concurrent medical conditions and medications,

Author : Landau J, Lu K, Choo C and Greenberg P.
 Title : Medicinal mishap: neutropenia with quetiapine
 Journal: Australian prescriber
 Date : 2008 Vol.: 31 Issue: 1 Page(s): 10-11

Reaction :

Preferred Term	Severity	Report Description	Treatment
Leukopenia			
Neutropenia			

Medicine details :

QUETIAPINE (Suspected)		Reason : Unspecified psychosis	
		400 Milligram	Oral
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
White blood cells				
Neutrophils				

Public Case Detail

Cases Count: 87

Case Number : 237966

Data Entry Date : 15/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 22/01/1972

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Leukopenia			
Neutropenia			

Medicine details :			
SEROQUEL (Suspected)		Reason : Depression	
	150 Milligram	Daily	Oral
Batch :	Started : 05/12/2007	Stopped : 09/01/2008	
DIAZEPAM (Other drug)		Reason :	
Batch :	Started :	Stopped :	
EFEXOR (Other drug)		Reason :	
Batch :	Started :	Stopped :	
Escitalopram (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
White blood cells				
Neutrophils				

Public Case Detail

Cases Count: 87

Case Number : 238203

Data Entry Date : 22/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 28/06/1952

Outcome :

Causality : Causality possible

Unknown

Information: Seroquel re-introduced at a lower dose and the adverse event did not recur

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Generalised oedema		moderate generalised oedema	

Medicine details :			
SEROQUEL (Suspected)		Reason :	
	200 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
LOVAN (Other drug)		Reason :	
	20 Milligram		
Batch :	Started :	Stopped :	
NOTEN (Other drug)		Reason :	
	50 Milligram		
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 238495

Data Entry Date : 03/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 14/02/2008

Age :

DOB : 22/04/1948

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
White blood cell count decreased		White cell count decreased.	

Medicine details :			
QUETIAPINE (Suspected)		Reason : Manic-depression psycho,manic	
Tablet	400 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Laboratory Investigations :				
Type	Range	Date Tested	Result	Details
White blood cells				WBC decreased 30-36.

Public Case Detail

Cases Count: 87

Case Number : 238556

Data Entry Date : 29/02/2008

Gender : F

Hospitalisation :

Weight (kg) : 59

Onset Date : 08/01/2008

Age :

DOB : 22/01/1972

Outcome : 18/01/2008

Causality : Causality probable

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neutropenia		Neutropenia and leucopenia secondary to Quetiapine.	Ceased Quetiapine
Leukopenia			

Medicine details :			
QUETIAPINE (Suspected)		Reason : Depression	
Tablet	150 Milligram	Daily	Oral
Batch :	Started : 05/12/2007	Stopped :	09/01/2008
EFEXOR (Other drug)		Reason :	
Batch :	Started :	Stopped :	
Lexapro (Other drug)		Reason :	
Batch :	Started :	Stopped :	
TEMAZEPAM (Other drug)		Reason :	
Batch :	Started :	Stopped :	
VALIUM (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Case Number : 238740

Data Entry Date : 07/03/2008

Gender : F

Hospitalisation : Treated in Accident/Emergency Depar

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder		heard voices, was feeling restless and overwhelmed, felt like passing out, couldnt speak properly and was slurring words. Fluctuating from being calm to emotional to being very aggressive.	Cogentin
Aggression			
Dysarthria			
Emotional disorder			
Hallucination, auditory			
Insomnia			
Presyncope			
Restlessness			
Speech disorder			

Medicine details :

SEROQUEL (Suspected) Reason : Unspecified psychosis

400 Milligram Daily

Batch :

Started : 15/01/2003

Stopped :

Zeldox (Suspected) Reason : Unspecified psychosis

Capsule 80 Milligram Daily Oral

Batch :

Started : 22/02/2008

Stopped :

LOVAN (Other drug) Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 238745

Data Entry Date : 10/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		Patient treated for three years with Seroquel, and for the latter 3 months with dexamphetamine, developed tardive dyskinesia when Seroquel was stopped.	

Medicine details :

SEROQUEL (Suspected)		Reason :	
Tablet	600 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped : 0
DEXAMPHEMINE SULPHATE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 239105

Data Entry Date : 18/03/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 62Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Hepatic steatosis		- Fatty Infiltration	
Hepatic function abnormal			
Hepatic steatosis			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Batch :	Started :	Stopped :	
SOMAC (Other drug)		Reason :	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 239168

Data Entry Date : 20/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Drug dependence	Caused or prolonged inpatient hospitalisation	Felt addicted to it,	Patient admitted himself to a private hospital to detox off Seroquel.

Medicine details :			
SEROQUEL (Suspected)		Reason : Anxiety neurosis	
Batch :	Started :	Stopped : Oral	

Public Case Detail

Cases Count: 87

Case Number : 239170

Data Entry Date : 20/03/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Blood glucose fluctuation		Diabetes, Blood sugar level fluctuation	
Diabetes mellitus			

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet		1.2 Gram	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 239730

Data Entry Date : 08/04/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 78Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: Pt suffers from paranoid schizophrenia.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Anticholinergic syndrome		- Anticholinergic Side Effects	

Medicine details :

QUETIAPINE (Suspected)

Reason : Unspecified schizophrenia

Tablet

Oral

Batch :

Started :

Stopped :

0

Public Case Detail

Cases Count: 87

Case Number : 239767

Data Entry Date : 10/04/2008

Hospitalisation :

Onset Date :

Outcome :

Unknown

Gender : U

Weight (kg) : 0

Age : 99u

DOB :

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Psychotic disorder		Reporter had a patient who became psychotic when using combinations of quetiapine and aripiprazole and withdrawing from Eflexor.	

Medicine details :

Aripiprazole (Suspected)	Reason :
Batch :	Started :
	Stopped :
EFEXOR (Suspected)	Reason :
Batch :	Started :
	Stopped :
QUETIAPINE (Suspected)	Reason :
Batch :	Started :
	Stopped :

Public Case Detail

Cases Count: 87

Case Number : 239991

Data Entry Date : 15/04/2008

Gender : F

Hospitalisation :

Weight (kg) : 68

Onset Date : 15/08/2007

Age :

DOB : 22/05/1952

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Neutropenia	Reduced Seroquel

Medicine details :

SEROQUEL (Suspected)

Reason :

Tablet 200 Milligram Daily Oral

Batch :

Started : 15/06/2006

Stopped :

PROZAC (Other drug)

Reason :

40 Milligram

Batch :

Started : 15/08/2006

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 240588

Data Entry Date : 05/05/2008
Hospitalisation : Admitted to hospital
Onset Date : 14/04/2008
Outcome :
 Unknown

Gender : F
Weight (kg) : 51
Age : 30Y
DOB :
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Mania	Caused or prolonged inpatient hospitalisation	Manic episode.	SAMe ceased

Medicine details :			
EPILIM (Interaction)		Reason : Unspecifid affective psychosis	
	2 Gram	Daily	
Batch :	Started :	Stopped :	
SAMe Nos (Interaction)		Reason : Depression	
	800 Milligram	Daily	
Batch :	Started : 04/04/2008	Stopped : 07/04/2008	
SEROQUEL (Interaction)		Reason : Unspecifid affective psychosis	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	Stopped :	

Case Number : 240855

Data Entry Date : 14/05/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

Outcome :

DOB : 06/03/1973

Recovered

Causality : Causality possible

Information: Current condition smoker, hypothyroidism, drug dependence cannabis abuse.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neutropenia		Patient experienced neutropenia hallucinatory and delusional symptomatology, anxiety, mood swings increase in challenging behaviours.	Ceased Clozaril
Abnormal behaviour			
Anxiety			
Delusion			
Hallucination			
Mood swings			

Medicine details :

CLOZARIL (Suspected)	Reason : Unspecified schizophrenia
Tablet	Oral
Batch :	Started :
	Stopped : 15/11/2006
QUETIAPINE (Suspected)	Reason :
Batch :	Started :
	Stopped :
SODIUM VALPROATE (Suspected)	Reason : Anxiety neurosis
	4.5 Milligram Daily Oral
Batch :	Started : 04/04/2008
	Stopped :
FISH OIL NOS (Other drug)	Reason :
Batch :	Started :
	Stopped :
LITHIUM CARBONATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
LORAZEPAM (Other drug)	Reason :
Batch :	Started : 15/04/2008
	Stopped :
MULTIVITAMINS (Other drug)	Reason :
Batch :	Started : 15/04/2008
	Stopped :

Medicine details :

OLANZAPINE (Other drug)

Reason :

Batch :

Started : 08/04/2008

Stopped :

TRIFLUOPERAZINE HYDROCHLORIDE (Other drug)

Reason :

Batch :

Started :

Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Neutrophils		09/11/2006	1.0	
Neutrophils		10/11/2006	1.0	

Public Case Detail

Cases Count: 87

Case Number : 241058

Data Entry Date : 21/05/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 12/03/2008

Age :

DOB : 08/07/1969

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Pitting oedema	Caused or prolonged inpatient hospitalisation	Bilateral pitting oedema of legs, mixed affective state with rapid cycling, dose was increased due to high levels of agitation.	
Agitation	Caused or prolonged inpatient hospitalisation		
Mental status changes	Caused or prolonged inpatient hospitalisation		

Medicine details :

SEROQUEL (Suspected)	Reason : Unspecifid affective psychosis
150 Milligram Daily Oral	
Batch :	Started :
	Stopped : 0
DIAZEPAM (Other drug)	Reason :
Batch :	Started :
	Stopped :
LAMISIL (Other drug)	Reason :
Batch :	Started :
	Stopped :
LITHIUM CARBONATE (Other drug)	Reason :
Batch :	Started :
	Stopped :
Lyrica (Other drug)	Reason :
Batch :	Started :
	Stopped :
MERSYNDOL (Other drug)	Reason :
Batch :	Started :
	Stopped :
OLANZAPINE (Other drug)	Reason :
Batch :	Started :
	Stopped :

Medicine details :

Paliperidone (Other drug)

Reason :

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 241176

Data Entry Date : 26/05/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Life threatening	Neuroleptic Malignant Syndrome	

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet	300 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
CARBAMAZEPINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 241219

Data Entry Date : 27/05/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 02/11/2007

Age : 81Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Erythema		Skin rash for 6/52. It was itchy. Diffuse macular erythema on arm, thigh, back. Desquamating scales thigh. Some scales on scalp.	Elocon and Dermeze cream. Seroquel and Zyprexa ceased.
Pruritus			
Rash macular			
Skin exfoliation			

Medicine details :

SEROQUEL (Suspected)	Reason : Otr spec symp psychopathol nec
25 Milligram Daily	
Batch :	Started :
	Stopped : 29/10/2007
ZYPREXA (Suspected)	Reason : Otr spec symp psychopathol nec
10 Milligram Daily	
Batch :	Started :
	Stopped : 02/11/2007
CABASER (Other drug)	Reason : Paralysis agitans
2 Milligram Daily	
Batch :	Started :
	Stopped :
COLOXYL WITH SENNA (Other drug)	Reason : Constipation
2 Dose Unspec Daily	
Batch :	Started :
	Stopped :
LASIX (Other drug)	Reason : Essential benign hypertension
20 Milligram Daily	
Batch :	Started :
	Stopped :
OSTELIN 1000 (Other drug)	Reason :
1 Dose Unspec Daily	
Batch :	Started :
	Stopped :
OXAZEPAM (Other drug)	Reason : Anxiety neurosis
7.5 Milligram Daily	
Batch :	Started :
	Stopped :

Medicine details :

RAMIPRIL (Other drug)

Reason : Essential benign hypertension

1.3 Milligram Daily

Batch :

Started :

Stopped :

SELEGILINE HYDROCHLORIDE (Other drug)

Reason : Paralysis agitans

5 Milligram Daily

Batch :

Started :

Stopped :

SINEMET (Other drug)

Reason : Paralysis agitans

3 Dose Unspec Daily

Batch :

Started :

Stopped :

SORBOLENE CREAM WITH GLYCERINE 10% (Other drug)

Reason :

1 Dose Unspec Daily

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 241511

Data Entry Date : 03/06/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 60Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation	- Neuroleptic Malignant Syndrome	
Mutism	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)		Reason : Depression	
Tablet	37.5 Milligram	Oral	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 241559

Data Entry Date : 04/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 70

Onset Date : 21/05/2008

Age :

DOB : 25/11/1986

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neutropenia	Caused or prolonged inpatient hospitalisation	neutropenia: neutrophil count on 21/05/2008 was 1.8 and on 24/05/08 was 1.0. Following cessation of valproate and quetiapine and addition of lithium, neutrophil count had returned to normal on 25/05/08	Cease possible offending medications and continue to monitor

Medicine details :

EPILIM (Suspected)		Reason :	
Tablet	1.5 Gram	Daily	Oral
Batch :	Started : 30/03/2008	Stopped : 24/05/2008	
SEROQUEL (Suspected)		Reason :	
Tablet	1 Gram	Daily	Oral
Batch :	Started : 30/03/2008	Stopped : 24/05/2008	

Public Case Detail

Cases Count: 87

Case Number : 241590

Data Entry Date : 04/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 58Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Weight increased		Patient gained 18kg over two years and also had experienced vomiting.	Maxolon and diet.
Vomiting			

Medicine details :			
SEROQUEL (Suspected)	Reason :		
Tablet	1.2 Gram	Daily	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 241727

Data Entry Date : 10/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 31/03/2008

Age :

DOB : 29/09/1950

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Anxiety	Caused or prolonged inpatient hospitalisation	Seroquel commenced at 50mg TID and titrated to 200mg QID plus prn doses to manage high levels of anxiety and associated agitation. Also developed moderate peripheral oedema due to the dose increase.	Dose reduced again
Agitation	Caused or prolonged inpatient hospitalisation		
Drug ineffective	Caused or prolonged inpatient hospitalisation		
Oedema peripheral	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)		Reason : Anxiety neurosis	
Tablet	800 Milligram	Daily	Oral
Batch :	Started : 31/03/2008	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 242151

Data Entry Date : 20/06/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 01/05/2008

Age :

DOB : 28/01/1980

Outcome :

Causality : Causality possible

Unknown

Information: The patient had previously experienced increased prolactin levels with risperidone

Reaction :

Preferred Term	Severity	Report Description	Treatment
Blood prolactin increased			

Medicine details :

SEROQUEL (Suspected)	Reason : Unspecified schizophrenia		
	600 Milligram	Daily	Oral
Batch :	Started : 04/02/2008	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Prolactin				5/5/08- prolactin level - 2500 MRI showed no abnormalities

Case Number : 242396

Data Entry Date : 30/06/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 10/06/2008

Age :

Outcome : 14/06/2008

DOB : 13/06/1962

Recovered

Causality : Causality probable

Information: Previous serotonin syndrome several years ago when commenced on amisulpride (resolved when amisulpride ceased).

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hyperreflexia	Caused or prolonged inpatient hospitalisation	Hyper reflexia, ankle clonus, tremor, dilated pupils, tachycardia, increasing agitation and restlessness, sweating.	Ziprasidone & phenelzine stopped.
Agitation	Caused or prolonged inpatient hospitalisation		
Clonus	Caused or prolonged inpatient hospitalisation		
Hyperhidrosis	Caused or prolonged inpatient hospitalisation		
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Restlessness	Caused or prolonged inpatient hospitalisation		
Tachycardia	Caused or prolonged inpatient hospitalisation		
Tremor	Caused or prolonged inpatient hospitalisation		

Medicine details :

LAMOTRIGINE (Interaction)

Reason : Unspecified schizophrenia

400 Milligram Daily

Batch :

Started :

L TERM

Stopped :

0

LITHIUM CARBONATE (Interaction)

Reason : Unspecified schizophrenia

675 Milligram Daily

Batch :

Started :

L TERM

Stopped :

0

PHENELZINE SULPHATE (Interaction)

Reason : Unspecified schizophrenia

90 Milligram Daily

Batch :

Started :

L TERM

Stopped :

0

Medicine details :

QUETIAPINE (Interaction)

Reason : Unspecified schizophrenia

100 Milligram Daily

Batch :

Started :

L TERM

Stopped :

Ziprasidone (Interaction)

Reason : Unspecified schizophrenia

160 Milligram Daily

Batch :

Started : 05/06/2008

Stopped : 12/06/2008 0

ESOMEPRAZOLE MAGNESIUM TRIHYDRATE (Other drug)

Reason :

40 Milligram Daily

Batch :

Started :

L TERM

Stopped :

INDAPAMIDE HEMIHYDRATE (Other drug)

Reason :

40 Milligram Daily

Batch :

Started :

Stopped :

LEVLEN ED (Other drug)

Reason :

40 Milligram Daily

Batch :

Started :

L TERM

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 242735

Data Entry Date : 09/07/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Unknown

Gender : M
Weight (kg) : 0
Age : 46Y
DOB :
Causality : Causality possible

Information: Seroquel increased to 300mg bd on 29/02/08.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Convulsion	Caused or prolonged inpatient hospitalisation	Seizure	

Medicine details :

EFEXOR-XR (Suspected)	Reason :		
Capsule	150 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
SEROQUEL (Suspected)	Reason :		
Tablet	600 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
ANDROCUR (Other drug)	Reason :		
	25 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
AUGMENTIN DUO FORTE (Other drug)	Reason :		
	175 Milligram	Daily	Oral
Batch :	Started : 10/06/2008	Stopped :	
PARACETAMOL (Other drug)	Reason :		
	1 Gram	As necessary	Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 242913

Data Entry Date : 14/07/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 39Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Somnolence		Somnolence.	

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 243044

Data Entry Date : 21/07/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 20/06/2008

Age :

DOB : 21/03/1979

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Blood prolactin increased		6 times normal limits	
Amenorrhoea			
Galactorrhoea			
Hallucination, auditory			

Medicine details :			
SEROQUEL (Suspected)		Reason : Unspecified psychosis	
			Oral
Batch :	Started :	Stopped :	
<hr/>			
SOLIAN (Suspected)		Reason : Unspecified psychosis	
			Oral
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 243355

Data Entry Date : 31/07/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 21Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: Patient had no history of neuroleptic malignant syndrome.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Neuroleptic malignant syndrome		Dose of Seroquel was increased to 800mg daily as the lower dose was not effective. In addition pt was on Epilim and Lithium. Pt developed neuroleptic malignant syndrome	All three medications Ceased

Medicine details :

EPILIM (Suspected)		Reason : Unspecifid affective psychosis	
Tablet			Oral
Batch :	Started :	Stopped :	0
LITHIUM CARBONATE (Suspected)		Reason : Unspecifid affective psychosis	
Tablet			Oral
Batch :	Started :	Stopped :	0
SEROQUEL (Suspected)		Reason : Unspecifid affective psychosis	
Tablet	800 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 243685

Data Entry Date : 11/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 10/05/1933

Outcome :

Causality : Causality probable

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Cardiac enzymes increased	Caused or prolonged inpatient hospitalisation	Increased Cardiac Enzymes	

Medicine details :

SEROQUEL (Suspected)	Reason :		
Tablet		Oral	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 243796

Data Entry Date : 13/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 80

Onset Date : 04/07/2008

Age :

DOB : 10/08/1961

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Urine flow decreased		Patient complained of passing small amount of urine only seems to occur during middle of day.	Nil

Medicine details :			
Duloxetine hydrochloride (Suspected)		Reason : Depression	
Capsule	60 Milligram	Daily	Oral
Batch :	Started : 02/07/2008	Stopped :	
QUETIAPINE (Suspected)		Reason :	
Tablet	900 Milligram	Daily	Oral
Batch :	Started : 27/06/2008	Stopped :	
LITHIUM CARBONATE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
SEREVENT ACCUHALER (Other drug)		Reason :	
Batch :	Started :	Stopped :	
THIAMINE (Other drug)		Reason :	
Batch :	Started :	Stopped :	
Vitamins and Minerals Combination (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 243820

Data Entry Date : 14/08/2008

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 157

Onset Date :

Age : 49Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information: This lady gained a lot off weight (90kg-> 120 kg) on previous antipsychotics (Zyprexa and Solian) and on Stilnox (she became a compulsive eater).

Reaction :

Preferred Term	Severity	Report Description	Treatment
Weight increased		Patient gained a lot of weight despite dieting, cannot lose weight.	Cease Seroquel
Weight loss poor			

Medicine details :

SEROQUEL (Suspected)

Reason :

900 Milligram Daily

Batch :

Started :

Stopped :

LAMICTAL (Other drug)

Reason :

50 Milligram Daily

Batch :

Started :

Stopped :

RIVOTRIL (Other drug)

Reason :

2 Milligram Daily

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 243948

Data Entry Date : 20/08/2008

Gender : M

Hospitalisation :

Weight (kg) : 75

Onset Date : 16/08/2006

Age : 59Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Accidental overdose	Life threatening	Massive overdose of quetiapine with profound shock resistant to aggressive saline loading. Paradoxical and severe worsening of hypotension after commencement of adrenaline infusion. No report of such recorded in MIMS for quetiapine. Dramatic resolution of shock when noradrenaline substituted for adrenaline	
Shock	Life threatening		

Medicine details :

ADRENALINE (Suspected)		Reason :	
Batch :	Started :	Stopped :	0
QUETIAPINE (Suspected)		Reason : Hypotension	
Tablet		Oral	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 243988

Data Entry Date : 21/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/07/2008

Age : 59Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia	Incapacity/disability	Tardive Dyskinesia. Abnormal involuntary movements were observed including acute dystonia and tongue protrusion. Also experienced collapse.	Seroquel discontinued
Syncope	Incapacity/disability		

Medicine details :

SEROQUEL (Suspected)		Reason :	
Tablet	200 Milligram	Daily	Oral
Batch :	Started :	Stopped :	03/08/2008 0
AVANZA (Other drug)		Reason :	
Batch :	Started :	Stopped :	
CORDILOX SR (Other drug)		Reason :	
Batch :	Started :	Stopped :	
SOLIAN (Other drug)		Reason :	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 244247

Data Entry Date : 29/08/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 21/01/1960

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dyspnoea		Shortness of breath	Seroquel stopped

Medicine details :			
SEROQUEL (Suspected)		Reason : Anxiety neurosis	
Tablet	20 Milligram	Daily	Oral
Batch :	Started :	Stopped :	
ALPRAZOLAM (Other drug)		Reason :	
	4 Milligram		Oral
Batch :	Started :	Stopped :	
EFEXOR (Other drug)		Reason : Anxiety neurosis	
			Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 244428

Data Entry Date : 08/09/2008

Gender : F

Hospitalisation :

Weight (kg) : 60

Onset Date :

Age : 56Y

Outcome :

DOB :

Not yet recovered

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Constipation	Caused or prolonged inpatient hospitalisation	Severe constipation.	Picoprep/enema, disempted bowel.

Medicine details :			
QUETIAPINE (Suspected)		Reason : Unspecified psychosis	
Tablet	800 Milligram	Daily	Oral
Batch :	Started :	L TERM	Stopped : 11/08/2008
FLUPENTHIXOL DECANOATE (Other drug)		Reason : Unspecified psychosis	
Injection	60 Milligram	Daily	
Batch :	Started :	L TERM	Stopped :

Public Case Detail

Cases Count: 87

Case Number : 244672

Data Entry Date : 16/09/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 01/08/2008

Age :

DOB : 07/11/1966

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Hypersomnia		during a severe depression episode i was advised to take one 25mg Seroquel tablet. due to multiple past reactions to drugs, i took 1/2 of a tablet - 12.5mg. As i was home alone i didn't realise how much i was sleeping. the first night about 12 hours, 2nd night 14, and on the third night i slept for 20 hours straight. when i woke up i noticed my face was ashen, my tongue was grey and swollen. i had had another anaphylactic reaction but due to my state of mind, didn't bother seeking help, i simply went back to sleep it off although it did take a few more days to get rid of the drowsiness and some swelling around the eyes.	as above, didn't bother
Pallor			
Tongue discolouration			
Tongue oedema			

Medicine details :

SEROQUEL (Suspected)		Reason : Depression	
Tablet	12.5 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 245232

Data Entry Date : 08/10/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 11/03/1933
Causality : Causality probable

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Fall	Caused or prolonged inpatient hospitalisation	? Delusional disorder, Seroquel ceased because of fall and postural hypotension.	Seroquel ceased. Medication changed to risperidone 0.5mg daily.
Neuroleptic malignant syndrome	Caused or prolonged inpatient hospitalisation		
Orthostatic hypotension	Caused or prolonged inpatient hospitalisation		

Medicine details :			
ARICEPT (Interaction)		Reason :	
Tablet	10 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
Escitalopram (Interaction)		Reason :	
Tablet	20 Milligram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped :	
SEROQUEL (Suspected)		Reason :	
Tablet	400 Milligram	Daily	Oral
Batch :	Started : 01/02/2008	Stopped : 02/05/2008	

Public Case Detail

Cases Count: 87

Case Number : 245376

Data Entry Date : 13/10/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 29/06/2008

Age :

Outcome : 29/06/2008

DOB : 20/02/1975

Death, maybe drug

Causality : Causality possible

Information: History includes two previous pregnancies, mild asthma, non smoker, half a glass of wine daily throughout this and previous two pregnancies, chronic psychotic illness and psychotic disorder.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Stillbirth		- Drug Exposure during pregnancy - Stillbirth at 33/40 weeks gestation NOTE: Patient was enrolled in a Pregnancy Registry Program (The National Register of Antipsychotic Medication in Pregnancy).	
Drug exposure during pregnancy Intra-uterine death			

Medicine details :

CIPRAMIL (Suspected)	Reason : Depression		
Tablet	100 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
SEROQUEL (Suspected)	Reason : Unspecified psychosis		
Tablet	1.2 Gram	Daily	Oral
Batch :	Started :	Stopped :	0
FOLIC ACID (Other drug)	Reason : Unspec vitamin deficien states		
Batch :	Started :	Stopped :	0

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Ultrasound				On the 29/06/2008, the baby stopped moving in utero, ultrasound revealed fetal demise.

Case Number : 245384

Data Entry Date : 13/10/2008

Gender : M

Hospitalisation :

Weight (kg) : 178

Onset Date :

Age :

DOB : 15/11/1974

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Somnolence		Weight increased from 110kg to 205kg while on Zyprexa, gradually developed gynecomastia and sleep apnoea. Was very drowsy a lot of the time.	
Gynaecomastia			
Sleep apnoea syndrome			
Weight increased			

Medicine details :

SEROQUEL (Suspected)	Reason : Unspecified schizophrenia
Tablet	200 Milligram Daily Oral
Batch :	Started : 01/06/2006 Stopped :
ZYPREXA (Suspected)	Reason : Unspecified schizophrenia
Tablet	20 Milligram Daily Oral
Batch :	Started : Stopped :
Abilify (Other drug)	Reason :
Batch :	Started : Stopped :
RISPERDAL (Other drug)	Reason :
Batch :	Started : Stopped :
SOLIAN (Other drug)	Reason :
Batch :	Started : Stopped :
STELAZINE (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 87

Case Number : 245721

Data Entry Date : 21/10/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99u

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Weight increased		Weight increase from 75kg to 100kg.	

Medicine details :			
SEROQUEL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Case Number : 246054

Data Entry Date : 07/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 30/09/2008

Age :

DOB : 21/03/1973

Outcome :

Causality : Causality possible

Not yet recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Mania		Patient was becoming Manic, depressed with noticeable dyskinetic movements of jaw and small movement of toes bilaterally.	
Depression			
Dyskinesia			

Medicine details :

SEROQUEL (Suspected)	Reason :
Batch :	Started : Stopped :
Zeldox (Suspected)	Reason : Unspecifid affective psychosis
	80 Milligram Daily Oral
Batch :	Started : 26/08/2008 Stopped : 0
Cymbalta (Other drug)	Reason :
Batch :	Started : Stopped :
OXYCONTIN (Other drug)	Reason :
Batch :	Started : Stopped :
QUILONUM SR (Other drug)	Reason :
Batch :	Started : Stopped :

Public Case Detail

Cases Count: 87

Case Number : 246055

Data Entry Date : 07/11/2008

Gender : M

Hospitalisation : Hospitalisation prolonged

Weight (kg) : 0

Onset Date : 05/11/2008

Age : 38Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information: CTN re zolpidem use

Reaction :

Preferred Term	Severity	Report Description	Treatment
Grand mal convulsion	Caused or prolonged inpatient hospitalisation	In hospital with agitation and acute anxiety ;patient complained of absences , then had a Grand mal seizure	seroquel and zolpidem stopped.

Medicine details :

SEROQUEL (Suspected)	Reason : Anxiety neurosis
Tablet	Oral
Batch :	Started : 01/11/2008 Stopped : 05/11/2008 0
Zolpidem tartrate (Suspected)	Reason :
	Oral
Batch :	Started : 01/11/2008 Stopped : 05/11/2008
EPILIM (Other drug)	Reason :
	500 Milligram Daily
Batch :	Started : 01/11/2003 Stopped :

Public Case Detail

Cases Count: 87

Case Number : 246089

Data Entry Date : 10/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 15/10/2008

Age :

DOB : 23/01/1983

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Amnesia	Caused or prolonged inpatient hospitalisation	Memory loss, loss of coordination, chronic diarrhoea, twitching on right side of the body, hives which required hospitalisation. Following withdrawal of Seroquel, patient has experienced insomnia and is currently feeling suicidal due to lack of sleep.	
Coordination abnormal	Caused or prolonged inpatient hospitalisation		
Diarrhoea	Caused or prolonged inpatient hospitalisation		
Insomnia	Caused or prolonged inpatient hospitalisation		
Muscle twitching	Caused or prolonged inpatient hospitalisation		
Suicidal ideation	Caused or prolonged inpatient hospitalisation		
Urticaria	Caused or prolonged inpatient hospitalisation		
Withdrawal syndrome	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)	Reason :	Oral	
Batch :	Started : 15/05/2008	Stopped : 15/09/2008	

Public Case Detail

Cases Count: 87

Case Number : 246265

Data Entry Date : 14/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date : 10/06/2008

Age : 31Y

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Anxiety	Caused or prolonged inpatient hospitalisation	Situation crisis- anxiety attack, tachycardia	
Tachycardia	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)		Reason : Unspecified schizophrenia	
Tablet			Oral
Batch :	Started : 02/04/2008	Stopped : 10/06/2008	0

Case Number : 246300

Data Entry Date : 17/11/2008

Gender : F

Hospitalisation : Admitted to hospital

Weight (kg) : 0

Onset Date : 06/05/2008

Age : 49Y

Outcome : 06/05/2008

DOB :

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dysphagia	Caused or prolonged inpatient hospitalisation	Tingling and numbness to lips/mouth. (altered sensations). Also stiffness of shoulders, difficulty swallowing.	Ceased seroquel. Given Cogentin.
Arthralgia	Caused or prolonged inpatient hospitalisation		
Hypoaesthesia oral	Caused or prolonged inpatient hospitalisation		
Paraesthesia oral	Caused or prolonged inpatient hospitalisation		

Medicine details :

SEROQUEL (Suspected)

Reason : Unspecifid affective psychosis

100 Milligram 1 time

Batch :

Started :

Stopped :

CATAPRES (Other drug)

Reason :

50 Microgram Daily

Batch :

Started :

Stopped :

LAMICTAL (Other drug)

Reason :

100 Milligram Daily

Batch :

Started :

Stopped :

PROGYNOVA (Other drug)

Reason :

2 Milligram Daily

Batch :

Started :

Stopped :

Seretide 250/25 MDI (Other drug)

Reason :

2 Dose Unspec Daily

Batch :

Started :

Stopped :

TEMAZE (Other drug)

Reason :

1 Dose Unspec As necessary

Batch :

Started :

Stopped :

Medicine details :

TRIPRIM (Other drug)

Reason :

300 Milligram Daily

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 246383

Data Entry Date : 19/11/2008
Hospitalisation : Admitted to hospital
Onset Date :
Outcome :
 Not yet recovered

Gender : F
Weight (kg) : 0
Age :
DOB : 29/11/1982
Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Spina bifida	Life threatening	Fell pregnant whilst on Epilim. Epilim ceased at 5.5 weeks pregnant. 19 week ultrasound showed severe spina bifida myelomeningocele. Pregnancy terminated.	
Meningomyelocele	Life threatening		

Medicine details :			
EPILIM EC 500 (Suspected)		Reason : Unspecifid affective psychosis	
Tablet	1 Gram	Daily	Oral
Batch :	Started : 11/04/2008	Stopped : 03/06/2008	
SEROQUEL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 246490

Data Entry Date : 24/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/01/1973

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Anxiety	Caused or prolonged inpatient hospitalisation	Worsening anxiety, drug exposure during pregnancy, worsening of psychosis, dyskinesia.	Added Haloperidol
Drug exposure during pregnancy	Caused or prolonged inpatient hospitalisation		
Psychotic disorder	Caused or prolonged inpatient hospitalisation		

Medicine details :			
SEROQUEL (Suspected)	Reason :		
Tablet	800 Milligram	Oral	
Batch :	Started :	Stopped :	0

Public Case Detail

Cases Count: 87

Case Number : 246492

Data Entry Date : 24/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Tardive dyskinesia		Tardive dyskinesia	

Medicine details :

SEROQUEL (Suspected)	Reason :		
Tablet	200 Milligram		Oral
Batch :	Started :		Stopped :

Public Case Detail

Cases Count: 87

Case Number : 246506

Data Entry Date : 25/11/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 20/01/1973

Outcome :

Causality : Causality possible

Recovered

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Dyskinesia		Given Haloperidol in conjunction with Seroquel which led to dyskinesia.	Haloperidol ceased and Seroquel increased to 800mg.

Medicine details :			
HALOPERIDOL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	0
SEROQUEL (Suspected)		Reason :	
Tablet			Oral
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 246572

Data Entry Date : 25/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date : 26/07/2008

Age :

Outcome : 26/07/2008

DOB : 23/08/1980

Death

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Depression	Death	Patient overdosed on medications available, led to patient being comatose and could not be resuscitated, patient was hospitalised on 26/07/08, died on the 26/07/08, patient had recently developed some depression symptoms, fluctuating paranoid thoughts while under stress.	
Coma	Death		
Completed suicide	Death		
Intentional overdose	Death		
Paranoia	Death		
Stress	Death		

Medicine details :			
CLOZARIL (Suspected)		Reason : Unspecified schizophrenia	
Tablet	200 Milligram	Daily	Oral
Batch :	Started : 12/04/2000	Stopped :	
QUETIAPINE (Suspected)		Reason :	
Batch :	Started :	Stopped :	
SERTRALINE HYDROCHLORIDE (Suspected)		Reason :	
Batch :	Started : 22/04/2008	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 246587

Data Entry Date : 25/11/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 04/03/1983

Outcome :

Causality : Causality probable

Not yet recovered

Information: History of heroin dependence, drug dependence, drug abuse, social phobia and major depression.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Dysphemia	Incapacity/disability	Patient experienced a severe worsening of his pre-existing stutter.	Seroquel discontinued.

Medicine details :

SEROQUEL (Suspected)	Reason :	
Tablet		Oral
Batch :	Started :	Stopped :
CATAPRES (Other drug)	Reason :	
Batch :	Started :	Stopped :
DEPTRAN (Other drug)	Reason : Depression	
Batch :	Started :	Stopped :
RIVOTRIL (Other drug)	Reason :	
Batch :	Started :	Stopped :

Public Case Detail

Cases Count: 87

Case Number : 246808

Data Entry Date : 03/12/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 99U

Outcome :

DOB :

Unknown

Causality : Causality possible

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Schizophrenia		Had been taking Seroquel IR with good effect. Switched to equivalent dose with Seroquel XR and experienced severe relapse with hallucinations and self harm	
Hallucination			
Self injurious behaviour			

Medicine details :			
Seroquel XR (Suspected)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 247000

Data Entry Date : 09/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 30/03/1976

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :			
Preferred Term	Severity	Report Description	Treatment
Weight increased		- Weight gain of 15 kg	

Medicine details :			
SEROQUEL (Suspected)		Reason : Unspecifid affective psychosis	
Tablet	50 Milligram	Daily	Oral
Batch :	Started :	Stopped :	0
PROZAC (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Public Case Detail

Cases Count: 87

Case Number : 247210

Data Entry Date : 17/12/2008

Gender : M

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

DOB : 28/01/1974

Outcome :

Causality : Causality possible

Unknown

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Left ventricular dysfunction		Left ventricular dysfunction, ejection fraction decreased, lymphocytosis, neutrophilia, neuroleptic malignant syndrome, sinus tachycardia, hypertension, blood cholesterol increased, blood triglycerides increased. Blood glucose increased, treatment noncompliance.	
Blood cholesterol increased			
Blood glucose increased			
Blood triglycerides increased			
Ejection fraction decreased			
Hypertension			
Lymphocytosis			
Neuroleptic malignant syndrome			
Neutrophilia			
Sinus tachycardia			
Treatment noncompliance			

Medicine details :

CLOPINE (Suspected)	Reason : Unspecified schizophrenia
Tablet	600 Milligram Daily Oral
Batch :	Started : 15/02/2008 Stopped : 15/10/2008
SEROQUEL (Suspected)	Reason :
Batch :	Started : Stopped :

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Cholesterol				Blood cholesterol high 7.1.
Serum glucose				Blood glucose high 5.7

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Blood pressure				140/90 Usal blood pressure.
Triglyceride				High 6.8
Echocardiogram				29/03/2005 Low normal LV contraction with impaired relaxation. 02/06/2008 Mild global LV systolic dysfunction.
Heart Rate				115 high Patient normal ranged 88bpm-112bpm.

Public Case Detail

Cases Count: 87

Case Number : 247297

Data Entry Date : 19/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age : 30Y

Outcome :

DOB :

Recovered

Causality : Causality possible

Information: The reporter's comments were as follows: Seroquel was considered suspect as the patient was sensitive to increase and decrease of drug dose.

Reaction :

Preferred Term	Severity	Report Description	Treatment
Sinus tachycardia			

Medicine details :

SEROQUEL (Suspected)

Reason : Unspecifid affective psychosis

800 Milligram Daily Oral

Batch :

Started :

Stopped :

LITHIUM CARBONATE (Other drug)

Reason :

Oral

Batch :

Started :

Stopped :

Public Case Detail

Cases Count: 87

Case Number : 247313

Data Entry Date : 22/12/2008

Gender : F

Hospitalisation :

Weight (kg) : 0

Onset Date :

Age :

Outcome : 30/10/2008

DOB : 24/12/1959

Recovered

Causality : Causality possible

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Depression	Caused or prolonged inpatient hospitalisation	Admitted to acute psych ward with increase in depression with Bipolar disorder.	

Medicine details :

ACETYLCYSTEINE (Suspected)	Reason : Unspecifid affective psychosis
Injection	2.2 Gram Daily
Batch :	Started : 14/10/2008 Stopped :
PARNATE (Suspected)	Reason : Unspecifid affective psychosis
Tablet	20 Milligram Daily Oral
Batch :	Started : 15/07/2008 Stopped :
SEROQUEL (Suspected)	Reason : Unspecifid affective psychosis
Tablet	100 Milligram Daily Oral
Batch :	Started : 15/07/2008 Stopped :

Case Number : 247816

Data Entry Date : 20/01/2009

Gender : F

Hospitalisation : Required a visit to the doctor

Weight (kg) : 60

Onset Date :

Age :

DOB : 01/10/1954

Outcome :

Causality : Causality probable

Recovered

Information:

Reaction :

Preferred Term	Severity	Report Description	Treatment
Blood triglycerides increased		Triglycerides increased, higher cholesterol.	Ceased Seroquel
Hypercholesterolaemia			

Medicine details :

SEROQUEL (Suspected)		Reason : Depression	
Tablet	100 Milligram	Daily	Oral
Batch :	Started : 15/01/2008	Stopped : 15/04/2008	
Lexapro (Other drug)		Reason :	
Batch :	Started :	Stopped :	

Laboratory Investigations :

Type	Range	Date Tested	Result	Details
Cholesterol		13/02/2006	5.7	
Cholesterol		10/04/2008	9.5	
Cholesterol		24/11/2008	8.5	
Triglyceride		13/02/2006	5.1	
Triglyceride		10/04/2008	14.9	
Triglyceride		24/11/2008	6.1	

Selection Parameters : Date Range: 01/08/2007 To 31/12/2059 Unclear causality excluded GM medicines Only Medicine Names: ANATENSOL, ANATENSOL ENANTHATE FOR INJECTION, FLUPHENAZINE DECANOATE, FLUPHENAZINE ENANTHATE, FLUPHENAZINE HYDROCHLORIDE, FLUPHENAZINE NOS, MODECATE, NEULACTIL, PERICYAZINE, QUETIAPINE, SEROQUEL, Seroquel XR