

moclobemide to end January 2009

| | | | | Case Group | Death Outcomes | Sole |
|------------|----------------|--|--|------------|----------------|------|
| Case Count | | | | 748 | 10 | 520 |
| Medicine | Reaction Count | Blood and lymphatic system disorders | Anaemia | 1 | 0 | 0 |
| | | | Anaemia macrocytic | 1 | 0 | 1 |
| | | | Bone marrow failure | 1 | 0 | 0 |
| | | | Pancytopenia | 3 | 0 | 0 |
| | | | Thrombocytopenia | 3 | 0 | 2 |
| | | | Macrocytosis | 1 | 0 | 1 |
| | | | Eosinophilia | 3 | 0 | 0 |
| | | | Leukopenia | 1 | 0 | 1 |
| | | | Agranulocytosis | 2 | 0 | 1 |
| | | | Neutropenia | 2 | 0 | 0 |
| | | | Blood and lymphatic system disorders | 18 | 0 | 6 |
| | | Cardiac disorders | Bradycardia | 4 | 0 | 1 |
| | | | Extrasystoles | 1 | 0 | 0 |
| | | | Tachycardia | 13 | 0 | 8 |
| | | | Atrial fibrillation | 1 | 0 | 1 |
| | | | Supraventricular tachycardia | 2 | 0 | 2 |
| | | | Ventricular tachycardia | 2 | 0 | 1 |
| | | | Palpitations | 21 | 0 | 15 |
| | | | Angina pectoris | 1 | 0 | 1 |
| | | | Arteriospasm coronary | 1 | 0 | 0 |
| | | | Left ventricular failure | 1 | 1 | 1 |
| | | | Cardiomyopathy | 1 | 1 | 1 |
| | | | Cardiac disorders | 48 | 2 | 31 |
| | | | Congenital, familial and genetic disorders | Talipes | 1 | 0 |
| | | Congenital, familial and genetic disorders | | 1 | 0 | 1 |
| | | Ear and labyrinth disorders | Deafness | 2 | 0 | 1 |
| | | | Hyperacusis | 2 | 0 | 2 |
| | | | Tinnitus | 13 | 0 | 9 |
| | | | Vertigo | 14 | 0 | 11 |
| | | | Ear and labyrinth disorders | 31 | 0 | 23 |
| | | Endocrine disorders | Hyperprolactinaemia | 6 | 0 | 4 |
| | | | Inappropriate antidiuretic hormone secretion | 4 | 0 | 2 |
| | | | Endocrine disorders | 10 | 0 | 6 |
| | | Eye disorders | Conjunctivitis | 3 | 0 | 2 |
| | | | Blepharospasm | 1 | 0 | 0 |
| | | | Oculogyric crisis | 2 | 0 | 1 |
| | | | Mydriasis | 5 | 0 | 1 |
| | | | Pupillary reflex impaired | 1 | 0 | 0 |
| | | | Photophobia | 2 | 0 | 2 |
| | | | Accommodation disorder | 1 | 0 | 1 |

moclobemide to end January 2009

| Medicine | Reaction Count | | Case Group | Death Outcomes | Sole | |
|------------------------|----------------|---|-------------------------|----------------|------|----|
| | | Eye disorders | Diplopia | 4 | 0 | 2 |
| | | | Vision blurred | 1 | 0 | 0 |
| | | | Visual impairment | 18 | 0 | 14 |
| | | | Eye disorders | 38 | 0 | 23 |
| | | Gastrointestinal disorders | Rectal tenesmus | 1 | 0 | 1 |
| | | | Pancreatitis | 1 | 0 | 1 |
| | | | Rectal haemorrhage | 1 | 0 | 1 |
| | | | Haematemesis | 1 | 0 | 1 |
| | | | Melaena | 1 | 0 | 0 |
| | | | Gastritis | 1 | 0 | 0 |
| | | | Diarrhoea | 50 | 0 | 40 |
| | | | Constipation | 5 | 0 | 5 |
| | | | Flatulence | 7 | 0 | 6 |
| | | | Abdominal pain | 27 | 0 | 18 |
| | | | Abdominal pain upper | 1 | 0 | 1 |
| | | | Dysphagia | 5 | 0 | 4 |
| | | | Faecal incontinence | 1 | 0 | 1 |
| | | | Nausea | 93 | 0 | 64 |
| | | | Vomiting | 30 | 0 | 17 |
| | | | Duodenal ulcer | 1 | 0 | 1 |
| | | | Mouth ulceration | 1 | 0 | 1 |
| | | | Dry mouth | 14 | 0 | 11 |
| | | | Salivary hypersecretion | 4 | 0 | 2 |
| | | | Glossitis | 2 | 0 | 2 |
| | | | Tongue disorder | 2 | 0 | 2 |
| | | | Glossodynia | 1 | 0 | 1 |
| | | | Tongue oedema | 4 | 0 | 3 |
| | | Gastrointestinal disorders | 254 | 0 | 183 | |
| | | General disorders and administration site conditions | Hypothermia | 1 | 0 | 0 |
| | | | Pyrexia | 14 | 0 | 6 |
| | | | Death | 2 | 2 | 1 |
| | | | Sudden death | 3 | 3 | 0 |
| | | | Asthenia | 14 | 0 | 7 |
| | | | Fatigue | 13 | 0 | 8 |
| | | | Malaise | 18 | 0 | 6 |
| Gait disturbance | 3 | | 0 | 2 | | |
| Influenza like illness | 2 | | 0 | 2 | | |
| Face oedema | 6 | | 0 | 6 | | |
| Gravitational oedema | 6 | | 0 | 5 | | |
| Oedema peripheral | 6 | | 0 | 4 | | |
| Pitting oedema | 1 | | 0 | 0 | | |
| Chest pain | 11 | | 0 | 7 | | |

moclobemide to end January 2009

| | | | Case Group | Death Outcomes | Sole | |
|----------|----------------|--|---|----------------|----------|-----------|
| Medicine | Reaction Count | General disorders and administration site conditions | Pain | 3 | 0 | 2 |
| | | | Chest discomfort | 2 | 0 | 0 |
| | | | Chills | 10 | 0 | 2 |
| | | | Feeling abnormal | 1 | 0 | 1 |
| | | | Thirst | 2 | 0 | 2 |
| | | | Drug interaction | 2 | 1 | 0 |
| | | | Drug ineffective | 18 | 1 | 15 |
| | | | Therapeutic response decreased | 2 | 0 | 2 |
| | | | Therapeutic response increased | 1 | 0 | 0 |
| | | | Therapeutic response unexpected | 2 | 0 | 2 |
| | | | Therapeutic response unexpected with drug substitution | 1 | 0 | 1 |
| | | | Drug withdrawal syndrome | 1 | 0 | 0 |
| | | | Drug withdrawal syndrome neonatal | 1 | 0 | 0 |
| | | | General disorders and administration site conditions | 146 | 7 | 81 |
| | | Hepatobiliary disorders | Hepatitis cholestatic | 1 | 0 | 1 |
| | | | Jaundice | 2 | 1 | 1 |
| | | | Hepatic function abnormal | 15 | 0 | 8 |
| | | | Hepatitis | 4 | 1 | 1 |
| | | | Hepatobiliary disorders | 22 | 2 | 11 |
| | | Immune system disorders | Hypersensitivity | 1 | 0 | 0 |
| | | | Anaphylactoid reaction | 1 | 0 | 1 |
| | | | Immune system disorders | 2 | 0 | 1 |
| | | Infections and infestations | Folliculitis | 1 | 0 | 0 |
| | | | Vaginal infection | 1 | 0 | 1 |
| | | | Pharyngitis | 2 | 0 | 2 |
| | | | Rhinitis | 1 | 0 | 1 |
| | | | Herpes simplex | 1 | 0 | 1 |
| | | | Infections and infestations | 6 | 0 | 5 |
| | | Injury, poisoning and procedural complications | Drug toxicity | 2 | 2 | 1 |
| | | | Fall | 1 | 0 | 0 |
| | | | Medication error | 2 | 0 | 0 |
| | | | Intentional overdose | 1 | 1 | 0 |
| | | | Injury, poisoning and procedural complications | 6 | 3 | 1 |
| | | Investigations | Blood pressure increased | 1 | 0 | 0 |
| | | | Blood creatine phosphokinase increased | 2 | 0 | 1 |
| | | | Prothrombin level decreased | 5 | 0 | 0 |
| | | | Red blood cell sedimentation rate increased | 2 | 0 | 0 |
| | | | White blood cell count decreased | 1 | 0 | 1 |
| | | | Antinuclear antibody positive | 1 | 0 | 1 |

moclobemide to end January 2009

| | | | Case Group | Death Outcomes | Sole | | |
|------------|----------------|---|---|--------------------------|------|----|---|
| Medicine | Reaction Count | Investigations | Weight decreased | 1 | 0 | 0 | |
| | | | Urine analysis abnormal | 2 | 0 | 1 | |
| | | | Drug level increased | 2 | 1 | 0 | |
| | | | Investigations | 17 | 1 | 4 | |
| | | Metabolism and nutrition disorders | Anorexia | 13 | 0 | 11 | |
| | | | Increased appetite | 2 | 0 | 2 | |
| | | | Tetany | 2 | 0 | 1 | |
| | | | Electrolyte imbalance | 1 | 0 | 0 | |
| | | | Polydipsia | 1 | 0 | 1 | |
| | | | Hypokalaemia | 2 | 0 | 1 | |
| | | | Hyponatraemia | 23 | 0 | 14 | |
| | | | Dehydration | 1 | 0 | 1 | |
| | | | Alcohol intolerance | 2 | 0 | 1 | |
| | | | Glucose tolerance impaired | 1 | 0 | 1 | |
| | | | Hypoglycaemia | 2 | 0 | 0 | |
| | | | Gout | 1 | 0 | 1 | |
| | | | Metabolism and nutrition disorders | 51 | 0 | 34 | |
| | | | Musculoskeletal and connective tissue disorders | Arthritis | 3 | 0 | 3 |
| | | | | Arthralgia | 7 | 0 | 6 |
| | | Joint swelling | | 1 | 0 | 0 | |
| | | Osteoarthritis | | 2 | 0 | 2 | |
| | | Myalgia | | 13 | 0 | 9 | |
| | | Muscle spasms | | 3 | 0 | 2 | |
| | | Muscle twitching | | 7 | 0 | 5 | |
| | | Trismus | | 1 | 0 | 0 | |
| | | Muscular weakness | | 1 | 0 | 0 | |
| | | Myopathy | | 1 | 0 | 1 | |
| | | Rhabdomyolysis | | 1 | 0 | 0 | |
| | | Back pain | | 3 | 0 | 3 | |
| | | Musculoskeletal and connective tissue disorders | | 43 | 0 | 31 | |
| | | Nervous system disorders | | Cerebrovascular disorder | 3 | 0 | 2 |
| | | | Anosmia | 1 | 0 | 0 | |
| | | | Encephalopathy | 1 | 0 | 1 | |
| | | | Hypertensive encephalopathy | 2 | 0 | 2 | |
| | | | Headache | 64 | 0 | 54 | |
| | | | Migraine | 5 | 0 | 3 | |
| | | | Dementia | 1 | 0 | 0 | |
| | | | Amnesia | 8 | 0 | 3 | |
| | | | Disturbance in attention | 9 | 0 | 6 | |
| | | | Chorea | 1 | 0 | 0 | |
| | | | Choreoathetosis | 1 | 0 | 1 | |
| Dyskinesia | 7 | | 0 | 2 | | | |

moclobemide to end January 2009

| Medicine | Reaction Count | Nervous system disorders | Case Group | Death Outcomes | Sole |
|----------|----------------|---------------------------------|------------|----------------|------|
| | | Extrapyramidal disorder | 5 | 0 | 3 |
| | | Hyperkinesia | 14 | 0 | 11 |
| | | Hypokinesia | 1 | 0 | 0 |
| | | Tardive dyskinesia | 1 | 0 | 0 |
| | | Dystonia | 5 | 0 | 1 |
| | | Hemiparesis | 1 | 0 | 1 |
| | | Paralysis | 2 | 0 | 2 |
| | | Paresis | 1 | 0 | 1 |
| | | Tremor | 33 | 0 | 11 |
| | | Hyperreflexia | 4 | 0 | 2 |
| | | Ataxia | 12 | 0 | 9 |
| | | Balance disorder | 1 | 0 | 0 |
| | | Coordination abnormal | 3 | 0 | 1 |
| | | Nystagmus | 2 | 0 | 0 |
| | | Coma | 2 | 0 | 0 |
| | | Aphasia | 2 | 0 | 2 |
| | | Consciousness fluctuating | 1 | 0 | 0 |
| | | Lethargy | 2 | 0 | 1 |
| | | Loss of consciousness | 1 | 0 | 1 |
| | | Somnolence | 21 | 0 | 13 |
| | | Stupor | 2 | 0 | 1 |
| | | Syncope | 18 | 0 | 6 |
| | | Clonus | 1 | 0 | 0 |
| | | Dizziness | 62 | 0 | 41 |
| | | Myoclonus | 1 | 0 | 0 |
| | | Crying | 1 | 0 | 0 |
| | | Paraesthesia | 25 | 0 | 22 |
| | | Ageusia | 1 | 0 | 1 |
| | | Dysgeusia | 5 | 0 | 5 |
| | | Hypoaesthesia | 10 | 0 | 7 |
| | | Neuralgia | 2 | 0 | 2 |
| | | Sensory disturbance | 2 | 0 | 1 |
| | | Dysarthria | 7 | 0 | 6 |
| | | Speech disorder | 7 | 0 | 4 |
| | | Hypertonia | 12 | 0 | 4 |
| | | Hypotonia | 1 | 0 | 1 |
| | | Neuroleptic malignant syndrome | 2 | 0 | 2 |
| | | Serotonin syndrome | 29 | 0 | 5 |
| | | Muscle contractions involuntary | 3 | 0 | 1 |
| | | Neuropathy peripheral | 3 | 0 | 1 |
| | | Convulsion | 19 | 0 | 8 |
| | | Convulsions local | 1 | 0 | 0 |

moclobemide to end January 2009

| Medicine | Reaction Count | | | Case Group | Death Outcomes | Sole |
|----------|----------------|---|---|------------|----------------|------|
| | | Nervous system disorders | Nervous system disorders | 431 | 0 | 251 |
| | | Pregnancy, puerperium and perinatal conditions | Intra-uterine death | 2 | 0 | 2 |
| | | | Ectopic pregnancy | 1 | 0 | 0 |
| | | | Neonatal disorder | 1 | 0 | 0 |
| | | | Pregnancy, puerperium and perinatal conditions | 4 | 0 | 2 |
| | | Psychiatric disorders | Agitation | 84 | 1 | 51 |
| | | | Anxiety | 24 | 0 | 16 |
| | | | Nervousness | 7 | 0 | 3 |
| | | | Fear | 1 | 0 | 1 |
| | | | Neurosis | 2 | 0 | 1 |
| | | | Obsessive-compulsive disorder | 1 | 0 | 0 |
| | | | Restlessness | 1 | 0 | 1 |
| | | | Bruxism | 1 | 0 | 1 |
| | | | Confusional state | 50 | 0 | 28 |
| | | | Delirium | 7 | 0 | 3 |
| | | | Depression | 14 | 0 | 8 |
| | | | Decreased interest | 1 | 0 | 0 |
| | | | Depersonalisation | 11 | 0 | 9 |
| | | | Dissociation | 1 | 0 | 0 |
| | | | Delusion | 4 | 0 | 4 |
| | | | Hallucination | 19 | 0 | 10 |
| | | | Thinking abnormal | 15 | 0 | 11 |
| | | | Mania | 9 | 0 | 8 |
| | | | Euphoric mood | 6 | 0 | 5 |
| | | | Apathy | 2 | 0 | 2 |
| | | | Aggression | 13 | 0 | 11 |
| | | | Paranoia | 3 | 0 | 3 |
| | | | Withdrawal syndrome | 4 | 0 | 3 |
| | | | Psychotic disorder | 6 | 0 | 5 |
| | | | Libido decreased | 4 | 0 | 3 |
| | | | Libido increased | 2 | 0 | 2 |
| | | | Loss of libido | 1 | 0 | 0 |
| | | | Insomnia | 69 | 0 | 59 |
| | | | Abnormal dreams | 1 | 0 | 0 |
| | | | Nightmare | 11 | 0 | 11 |
| | | Completed suicide | 1 | 1 | 1 | |
| | | Suicidal behaviour | 1 | 0 | 0 | |
| | | Suicide attempt | 6 | 1 | 4 | |
| | | Psychiatric disorders | 382 | 3 | 264 | |
| | | Renal and urinary disorders | Oliguria | 1 | 0 | 1 |
| | | | Renal failure acute | 2 | 0 | 0 |
| | | | Renal impairment | 1 | 0 | 1 |

moclobemide to end January 2009

| Medicine | Reaction Count | | Case Group | Death Outcomes | Sole | |
|----------|----------------|--|--|----------------|----------|-----------|
| | | Renal and urinary disorders | Dysuria | 2 | 0 | 1 |
| | | | Micturition disorder | 3 | 0 | 3 |
| | | | Pollakiuria | 5 | 0 | 5 |
| | | | Urinary incontinence | 2 | 0 | 1 |
| | | | Urinary retention | 5 | 0 | 3 |
| | | | Albuminuria | 1 | 0 | 1 |
| | | | Haematuria | 2 | 0 | 1 |
| | | | Nocturia | 3 | 0 | 3 |
| | | | Renal and urinary disorders | 27 | 0 | 20 |
| | | Reproductive system and breast disorders | Breast mass | 1 | 0 | 0 |
| | | | Gynaecomastia | 4 | 0 | 3 |
| | | | Breast pain | 3 | 0 | 2 |
| | | | Galactorrhoea | 6 | 0 | 3 |
| | | | Suppressed lactation | 1 | 0 | 0 |
| | | | Menstrual disorder | 4 | 0 | 2 |
| | | | Amenorrhoea | 2 | 0 | 1 |
| | | | Ejaculation failure | 2 | 0 | 2 |
| | | | Erectile dysfunction | 4 | 0 | 4 |
| | | | Sexual dysfunction | 2 | 0 | 2 |
| | | | Testicular pain | 1 | 0 | 0 |
| | | | Reproductive system and breast disorders | 30 | 0 | 19 |
| | | | Respiratory, thoracic and mediastinal disorders | Bronchospasm | 2 | 0 |
| | | Lung infiltration | | 1 | 1 | 0 |
| | | Dyspnoea | | 16 | 1 | 9 |
| | | Hyperventilation | | 1 | 0 | 1 |
| | | Hypoxia | | 1 | 0 | 0 |
| | | Haemoptysis | | 1 | 1 | 0 |
| | | Respiratory failure | | 1 | 1 | 0 |
| | | Respiratory disorder | | 1 | 0 | 0 |
| | | Choking | | 1 | 0 | 1 |
| | | Dysphonia | | 2 | 0 | 2 |
| | | Epistaxis | | 1 | 0 | 1 |
| | | Respiratory, thoracic and mediastinal disorders | | 28 | 4 | 16 |
| | | Skin and subcutaneous tissue disorders | | Angioedema | 2 | 0 |
| | | | Periorbital oedema | 1 | 0 | 1 |
| | | | Urticaria | 25 | 0 | 21 |
| | | | Mechanical urticaria | 1 | 0 | 1 |
| | | | Dermatitis bullous | 2 | 0 | 2 |
| | | | Erythema multiforme | 2 | 0 | 1 |
| | | | Dry skin | 1 | 0 | 1 |
| | | | Skin odour abnormal | 1 | 0 | 1 |

moclobemide to end January 2009

| | | | Case Group | Death Outcomes | Sole | |
|----------|----------------|--|---|----------------|-------------|------------|
| Medicine | Reaction Count | Skin and subcutaneous tissue disorders | Rash erythematous | 10 | 0 | 9 |
| | | | Skin exfoliation | 3 | 0 | 3 |
| | | | Photosensitivity reaction | 4 | 0 | 3 |
| | | | Pruritus | 43 | 0 | 39 |
| | | | Rash | 28 | 0 | 18 |
| | | | Rash maculo-papular | 9 | 0 | 7 |
| | | | Rash morbilliform | 2 | 0 | 0 |
| | | | Rash vesicular | 1 | 0 | 1 |
| | | | Lipodystrophy acquired | 1 | 0 | 0 |
| | | | Acne | 2 | 0 | 2 |
| | | | Alopecia | 6 | 0 | 4 |
| | | | Hyperhidrosis | 21 | 0 | 11 |
| | | | Seborrhoea | 1 | 0 | 1 |
| | | | Purpura | 4 | 0 | 3 |
| | | | Skin and subcutaneous tissue disorders | 170 | 0 | 130 |
| | | Vascular disorders | Peripheral ischaemia | 1 | 0 | 0 |
| | | | Blood pressure fluctuation | 1 | 0 | 0 |
| | | | Circulatory collapse | 2 | 0 | 1 |
| | | | Hypotension | 12 | 0 | 8 |
| | | | Orthostatic hypotension | 10 | 0 | 5 |
| | | | Flushing | 17 | 0 | 7 |
| | | | Hot flush | 2 | 0 | 2 |
| | | | Pallor | 2 | 0 | 1 |
| | | | Hypertension | 23 | 0 | 12 |
| | | | Vasculitis | 6 | 0 | 3 |
| | | Vascular disorders | 76 | 0 | 39 | |
| | | Reaction | | | 1841 | 22 |